



16 April 2024

Mr Tom Robertson  
Senior Environmental Business Partner – SA NT VIC TAS  
Cleanaway Waste Management Limited  
20 George Street  
Wingfield, South Australia 5013

**RE: February 2024 Stormwater Sampling Event – Cleanaway Depot, 2 Murray Street, Katherine, Northern Territory**

Dear Tom,

Land & Water Consulting (LWC) was engaged by Cleanaway Waste Management Limited (Cleanaway) to undertake a stormwater sampling event at the Cleanaway Depot located at 2 Murray Street, Katherine, Northern Territory (the Site).

**1. SCOPE OF WORKS, APPROACH AND METHODOLOGY**

The adopted scope of works comprised the following:

- Development of a site-specific Work Health and Safety Management Plant (WHSMP) including Job Safety Environmental Analysis (JSEA);
- Collection of a stormwater control (SW\_Control – up-gradient of the Site) and stormwater discharge (SW\_Discharge – down-gradient of the Site) samples; and
- Preparation of a factual report including a summary of the sampling methodology, comparison of laboratory results against trade waste criteria and a data quality assessment.

Two stormwater samples were collected from within the up-gradient portion of the site to collect stormwater flowing onto the Site (SWC) and down-gradient of the Site to collect stormwater discharging off-Site (SWD). The location of the samples was consistent with historical sampling events as advised by site personnel, with exception of SWC which was observed as dry. Subsequently, SWC was sampled from a large puddle across from Victoria Road. This stormwater sample was later considered not to be representative of stormwater flowing onto the Site and was not analysed.

All stormwater samples were collected on 28 February 2024, with the sampling locations shown in Figure 1-1. Field parameters including pH, electrical conductivity, redox and temperature were recorded prior to sampling using a calibrated water quality metre. Refer to Attachment A for the water quality metre calibration certificate and Attachment B for the field sampling records.

The adopted analytical schedule for the stormwater samples included pH, TDS/ EC, TSS, nutrients, metals, TRH and BTEX compounds.

**2. RESULTS/ FIELD OBSERVATIONS**

The stormwater sampled was light brown/ brown with low to moderate turbidity, no odour or sheen was observed.

The certified laboratory analytical results are presented as Attachment C. Interpretation of these results was outside the scope of works.



Figure 1-1 Stormwater Discharge Sample – SWD (left), Stormwater Control Sample – SWC (right).

### 3. DATA QUALITY ASSESSMENT

The quality of analytical data produced for this project has been assessed with reference to the following issues:

- Sampling technique;
- Preservation and storage of samples upon collection and during transport to the laboratory;
- Sample holding times;
- Analytical procedures;
- Laboratory limits of reporting;
- Field duplicate agreement;
- Laboratory quality assurance/quality control (QA/QC) procedures; and
- The occurrence of apparently unusual or anomalous results.

RPDs were assessed where the reported concentrations were greater than the laboratory limits of reporting in accordance with the following acceptance criteria:

- Where both reported concentrations are greater than 20 times the LOR: RPD% <30%;
- Where the higher of the two concentrations is between 10 and 20 times the LOR: RPD% <50%; and
- Where both concentrations are less than 10 times the LOR: RPD% has no limit.

The overall assessment of data quality was undertaken in accordance with the Data Quality Objective (DQO) and Data Quality Indicator (DQI) processes.

Laboratory QA/QC procedures and results are detailed in the certified laboratory results contained in Attachment C. A summary of the data quality assessment and a summary of the field duplicate sample relative percentage differences (RPD) are included as Attachment D.

Laboratory data was considered suitably robust for the purposes of the assessment, subject to the comments and limitations in Attachment D.

#### **4. CONCLUSION**

Stormwater sampling was undertaken at the Site on 8 March 2023. Two stormwater samples were collected (SWC and SWD), with only the discharge sample analysed due to the control sample not considered to be representative. Laboratory results were considered to be of a suitable quality for interpretation.

A statement of limitations is provided as Attachment E.

If you require further information, please do not hesitate to contact the undersigned.

Yours sincerely,

#### **Land & Water Consulting**



#### **Vanessa De Chellis Senior Environmental Engineer**

Land & Water Consulting  
4-8 Goodwood Road, WAYVILLE, SA 5034  
P: +61 8 8271 5255  
M: +61 439 007 274  
vdechellis@lwconsulting.com.au

#### **Attachments**

- Attachment A – Equipment Calibration Certificate
- Attachment B – Field Sampling Sheets
- Attachment C – Certified Laboratory Analytical Results
- Attachment D – Data Quality Assessment
- Attachment E – Statement of Limitations

# ATTACHMENT A

## EQUIPMENT CALIBRATION CERTIFICATE

Len



# EQUIPMENT CERTIFICATION REPORT


PGN9003871 WATER QUALITY METER - MULTIFUNCTION (YSI PRO PLUS)

Plant Number: 113076 Serial Number: 236106858

| SENSOR           | CONCENTRATION         | SPAN 1                | SPAN 2      | TRACEABILITY                   | PASS                                |
|------------------|-----------------------|-----------------------|-------------|--------------------------------|-------------------------------------|
| pH               | pH 7.00 / pH 4.00     | 7.00 pH               | 4.00 pH     | pH 4 - 380327<br>pH 7 - 330737 | <input checked="" type="checkbox"/> |
| Conductivity     | 12.88 mS/cm           | 12.88 mS/cm           |             | 399853                         | <input checked="" type="checkbox"/> |
| Dissolved Oxygen | Sodium Sulphite / Air | 0% In Sodium Sulphite | 100% in Air | 123302                         | <input checked="" type="checkbox"/> |
| ORP              | 240mV @ 20°C          | 240mV                 |             | 337308                         | <input type="checkbox"/>            |

|                                |                            |
|--------------------------------|----------------------------|
| Battery Status <u>100</u> %    | Temperature <u>23.5</u> °C |
| Electrodes Cleaned and Checked |                            |

Note: Calibration solution traceability information is available upon request.

Checked By: ECB Date: 23/2/24 Signed: 

### Accessories List:

|                         |                            |                          |
|-------------------------|----------------------------|--------------------------|
| User's Manual           | pH Sensor                  | Conductivity/Temp Sensor |
| Dissolved Oxygen Sensor | Redox (ORP) sensor         | Flow Cell                |
| User Guide              | Stainless Steel Restrictor | Spare Batteries          |
| Calibration Cup         |                            |                          |



Make your job EASY!

135 135 | kennards.com.au

# ATTACHMENT B

## FIELD SAMPLING SHEETS

# Surface Water Sampling Data Sheet

| General Information |                                    |                    |     |
|---------------------|------------------------------------|--------------------|-----|
| Project:            | Katherine Depot                    |                    |     |
| Job Number:         | BE-72                              | Site Locked (Y/N): | N   |
| Client:             | Cleanaway Waste Management Limited | Sample ID:         | SWD |
| Location:           | Katherine Depot                    | Chem Kit No.       | N/A |

| Weather Conditions   |      |
|----------------------|------|
| Rain:                | -    |
| Wind Direction:      | -    |
| Temperature:         | 33°C |
| Wind Speed:          | -    |
| Cloud Cover:         | 70%  |
| Upwind Activities:   | -    |
| Location Conditions: | N/A  |

| Purging Information |                    |                    |               |            |                             |             |                                         |   |
|---------------------|--------------------|--------------------|---------------|------------|-----------------------------|-------------|-----------------------------------------|---|
| Date:               | 28/2/24            |                    |               |            |                             |             |                                         |   |
| Name:               | A Veunghun         |                    |               |            |                             |             |                                         |   |
| Method:             | Grab Sample        | Sampling Material: | Surface water |            |                             |             | Pump Depth:                             | - |
| Start Time:         | 12:55              | Finish Time:       | 1:06          |            |                             |             | Pump Speed:                             | - |
| Sample Volume (L)   | 4                  | No Times Sampled:  | 4             |            |                             |             | Total Volumes (litres):                 | 4 |
| Time                | Volume Removed (L) | pH                 | E.C. (µS/cm)  | Redox (mV) | Dissolved Oxygen (ppm or %) | Temp (Cels) | Appearance (Colour / Odour / Turbidity) |   |
| 12:55               | 1                  | 9.62               | 188.1         | 26.9       | 8.46                        | 37.0        | light brown, low                        |   |
| 12:57               | 1                  | 9.64               | 187.6         | 33.7       | 9.18                        | 37.1        | turbidity, no o/s                       |   |
| 12:59               | 1                  | 9.69               | 187.9         | 35.0       | 9.26                        | 37.2        |                                         |   |
| 1:01                | 1                  | 9.73               | 188.3         | 35.2       | 9.24                        | 37.2        |                                         |   |
|                     |                    |                    |               |            |                             |             | SW-DUPI                                 |   |
|                     |                    |                    |               |            |                             |             |                                         |   |
|                     |                    |                    |               |            |                             |             |                                         |   |
|                     |                    |                    |               |            |                             |             |                                         |   |
|                     |                    |                    |               |            |                             |             |                                         |   |

Purging should continue until measurements for pH are within 0.05 pH unit; conductivity within 3%, DO within 10%, Redox within 10 mV and Temperature is within 0.5 degC over three successive measurements

# ATTACHMENT C

## CERTIFIED LABORATORY ANALYTICAL RESULTS



## CERTIFICATE OF ANALYSIS

|                         |                                                              |                         |                                                       |
|-------------------------|--------------------------------------------------------------|-------------------------|-------------------------------------------------------|
| Work Order              | : ES2406577-AA                                               | Page                    | : 1 of 6                                              |
| Amendment               | : 1                                                          |                         |                                                       |
| Client                  | : LWC MANAGEMENT PTY LTD                                     | Laboratory              | : Environmental Division Sydney                       |
| Contact                 | : MR JAMES FOX                                               | Contact                 | : Kieren Burns                                        |
| Address                 | : SUITE 3 4-8 GOODWOOD ROAD<br>WAYVILLE SOUTH AUSTRALIA 5034 | Address                 | : 277-289 Woodpark Road Smithfield NSW Australia 2164 |
| Telephone               | : ----                                                       | Telephone               | : +61881625130                                        |
| Project                 | : BE-72                                                      | Date Samples Received   | : 01-Mar-2024 14:30                                   |
| Order number            | : ----                                                       | Date Analysis Commenced | : 01-Mar-2024                                         |
| C-O-C number            | : ----                                                       | Issue Date              | : 08-Apr-2024 17:49                                   |
| Sampler                 | : ALISTAIR VAUGHAN                                           |                         |                                                       |
| Site                    | : ----                                                       |                         |                                                       |
| Quote number            | : EN/111                                                     |                         |                                                       |
| No. of samples received | : 2                                                          |                         |                                                       |
| No. of samples analysed | : 2                                                          |                         |                                                       |



Accreditation No. 825  
Accredited for compliance with  
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

| Signatories     | Position                    | Accreditation Category             |
|-----------------|-----------------------------|------------------------------------|
| Ankit Joshi     | Senior Chemist - Inorganics | Sydney Inorganics, Smithfield, NSW |
| Edwandy Fadjar  | Organic Coordinator         | Sydney Organics, Smithfield, NSW   |
| Ivan Taylor     | Analyst                     | Sydney Inorganics, Smithfield, NSW |
| Sanjeshni Jyoti | Senior Chemist Volatiles    | Sydney Organics, Smithfield, NSW   |



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
ø = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EP080: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- TDS by method EA-015 may bias high for sample 5 due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.
- Amendment (08/04/2024): This report has been amended following the request to report specific samples ES2406577 and sample number/s 001, 004 & 006 on a separate COA, received from Alistair Vaughan on 08/04/2024.



## Analytical Results

| Sub-Matrix: WATER<br>(Matrix: WATER)                                |            |        |         | Sample ID         | SWD               | SW_DUP1 | ----  | ----  | ---- |
|---------------------------------------------------------------------|------------|--------|---------|-------------------|-------------------|---------|-------|-------|------|
| Sampling date / time                                                |            |        |         | 28-Feb-2024 00:00 | 28-Feb-2024 00:00 | ----    | ----  | ----  |      |
| Compound                                                            | CAS Number | LOR    | Unit    | ES2406577-002     | ES2406577-005     | -----   | ----- | ----- |      |
|                                                                     |            |        |         | Result            | Result            | ----    | ----  | ----  |      |
| <b>EA005P: pH by PC Titrator</b>                                    |            |        |         |                   |                   |         |       |       |      |
| pH Value                                                            | ----       | 0.01   | pH Unit | <b>9.46</b>       | <b>9.47</b>       | ----    | ----  | ----  |      |
| <b>EA010P: Conductivity by PC Titrator</b>                          |            |        |         |                   |                   |         |       |       |      |
| Electrical Conductivity @ 25°C                                      | ----       | 1      | µS/cm   | <b>122</b>        | <b>122</b>        | ----    | ----  | ----  |      |
| <b>EA015: Total Dissolved Solids dried at 180 ± 5 °C</b>            |            |        |         |                   |                   |         |       |       |      |
| Total Dissolved Solids @180°C                                       | ----       | 10     | mg/L    | <b>67</b>         | <b>95</b>         | ----    | ----  | ----  |      |
| <b>EA025: Total Suspended Solids dried at 104 ± 2°C</b>             |            |        |         |                   |                   |         |       |       |      |
| Suspended Solids (SS)                                               | ----       | 5      | mg/L    | <b>34</b>         | <b>8</b>          | ----    | ----  | ----  |      |
| <b>EG020T: Total Metals by ICP-MS</b>                               |            |        |         |                   |                   |         |       |       |      |
| Arsenic                                                             | 7440-38-2  | 0.001  | mg/L    | <0.001            | <0.001            | ----    | ----  | ----  |      |
| Cadmium                                                             | 7440-43-9  | 0.0001 | mg/L    | <0.0001           | <0.0001           | ----    | ----  | ----  |      |
| Chromium                                                            | 7440-47-3  | 0.001  | mg/L    | <0.001            | <0.001            | ----    | ----  | ----  |      |
| Copper                                                              | 7440-50-8  | 0.001  | mg/L    | <b>0.007</b>      | <b>0.008</b>      | ----    | ----  | ----  |      |
| Nickel                                                              | 7440-02-0  | 0.001  | mg/L    | <0.001            | <b>0.001</b>      | ----    | ----  | ----  |      |
| Lead                                                                | 7439-92-1  | 0.001  | mg/L    | <0.001            | <0.001            | ----    | ----  | ----  |      |
| Zinc                                                                | 7440-66-6  | 0.005  | mg/L    | <b>0.008</b>      | <b>0.011</b>      | ----    | ----  | ----  |      |
| <b>EG035T: Total Recoverable Mercury by FIMS</b>                    |            |        |         |                   |                   |         |       |       |      |
| Mercury                                                             | 7439-97-6  | 0.0001 | mg/L    | <0.0001           | <0.0001           | ----    | ----  | ----  |      |
| <b>EK055G: Ammonia as N by Discrete Analyser</b>                    |            |        |         |                   |                   |         |       |       |      |
| Ammonia as N                                                        | 7664-41-7  | 0.01   | mg/L    | <b>0.09</b>       | <b>0.15</b>       | ----    | ----  | ----  |      |
| <b>EK057G: Nitrite as N by Discrete Analyser</b>                    |            |        |         |                   |                   |         |       |       |      |
| Nitrite as N                                                        | 14797-65-0 | 0.01   | mg/L    | <0.01             | <0.01             | ----    | ----  | ----  |      |
| <b>EK058G: Nitrate as N by Discrete Analyser</b>                    |            |        |         |                   |                   |         |       |       |      |
| Nitrate as N                                                        | 14797-55-8 | 0.01   | mg/L    | <b>0.02</b>       | <b>0.03</b>       | ----    | ----  | ----  |      |
| <b>EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser</b> |            |        |         |                   |                   |         |       |       |      |
| Nitrite + Nitrate as N                                              | ----       | 0.01   | mg/L    | <b>0.02</b>       | <b>0.03</b>       | ----    | ----  | ----  |      |
| <b>EK061G: Total Kjeldahl Nitrogen By Discrete Analyser</b>         |            |        |         |                   |                   |         |       |       |      |
| Total Kjeldahl Nitrogen as N                                        | ----       | 0.1    | mg/L    | <b>1.3</b>        | <b>1.2</b>        | ----    | ----  | ----  |      |
| <b>EK062G: Total Nitrogen as N (TKN + NOx) by Discrete Analyser</b> |            |        |         |                   |                   |         |       |       |      |



## Analytical Results

| Sub-Matrix: WATER<br>(Matrix: WATER)                                            |                   |      |      | Sample ID         | SWD               | SW_DUP1 | ----  | ----  | ---- |
|---------------------------------------------------------------------------------|-------------------|------|------|-------------------|-------------------|---------|-------|-------|------|
| Sampling date / time                                                            |                   |      |      | 28-Feb-2024 00:00 | 28-Feb-2024 00:00 | ----    | ----  | ----  |      |
| Compound                                                                        | CAS Number        | LOR  | Unit | ES2406577-002     | ES2406577-005     | -----   | ----- | ----- |      |
|                                                                                 |                   |      |      | Result            | Result            | ----    | ----  | ----  |      |
| <b>EK062G: Total Nitrogen as N (TKN + NOx) by Discrete Analyser - Continued</b> |                   |      |      |                   |                   |         |       |       |      |
| ^ Total Nitrogen as N                                                           | ----              | 0.1  | mg/L | <b>1.3</b>        | <b>1.2</b>        | ----    | ----  | ----  |      |
| <b>EK067G: Total Phosphorus as P by Discrete Analyser</b>                       |                   |      |      |                   |                   |         |       |       |      |
| Total Phosphorus as P                                                           | ----              | 0.01 | mg/L | <b>0.06</b>       | <b>0.06</b>       | ----    | ----  | ----  |      |
| <b>EP080/071: Total Petroleum Hydrocarbons</b>                                  |                   |      |      |                   |                   |         |       |       |      |
| C6 - C9 Fraction                                                                | ----              | 20   | µg/L | <20               | <20               | ----    | ----  | ----  |      |
| C10 - C14 Fraction                                                              | ----              | 50   | µg/L | <50               | <50               | ----    | ----  | ----  |      |
| C15 - C28 Fraction                                                              | ----              | 100  | µg/L | <100              | <100              | ----    | ----  | ----  |      |
| C29 - C36 Fraction                                                              | ----              | 50   | µg/L | <50               | <50               | ----    | ----  | ----  |      |
| ^ C10 - C36 Fraction (sum)                                                      | ----              | 50   | µg/L | <50               | <50               | ----    | ----  | ----  |      |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>          |                   |      |      |                   |                   |         |       |       |      |
| C6 - C10 Fraction                                                               | C6_C10            | 20   | µg/L | <20               | <20               | ----    | ----  | ----  |      |
| ^ C6 - C10 Fraction minus BTEX (F1)                                             | C6_C10-BTEX       | 20   | µg/L | <20               | <20               | ----    | ----  | ----  |      |
| >C10 - C16 Fraction                                                             | ----              | 100  | µg/L | <100              | <100              | ----    | ----  | ----  |      |
| >C16 - C34 Fraction                                                             | ----              | 100  | µg/L | <100              | <100              | ----    | ----  | ----  |      |
| >C34 - C40 Fraction                                                             | ----              | 100  | µg/L | <100              | <100              | ----    | ----  | ----  |      |
| ^ >C10 - C40 Fraction (sum)                                                     | ----              | 100  | µg/L | <100              | <100              | ----    | ----  | ----  |      |
| ^ >C10 - C16 Fraction minus Naphthalene (F2)                                    | ----              | 100  | µg/L | <100              | <100              | ----    | ----  | ----  |      |
| <b>EP080: BTEXN</b>                                                             |                   |      |      |                   |                   |         |       |       |      |
| Benzene                                                                         | 71-43-2           | 1    | µg/L | <1                | <1                | ----    | ----  | ----  |      |
| Toluene                                                                         | 108-88-3          | 2    | µg/L | <2                | <2                | ----    | ----  | ----  |      |
| Ethylbenzene                                                                    | 100-41-4          | 2    | µg/L | <2                | <2                | ----    | ----  | ----  |      |
| meta- & para-Xylene                                                             | 108-38-3 106-42-3 | 2    | µg/L | <2                | <2                | ----    | ----  | ----  |      |
| ortho-Xylene                                                                    | 95-47-6           | 2    | µg/L | <2                | <2                | ----    | ----  | ----  |      |
| ^ Total Xylenes                                                                 | ----              | 2    | µg/L | <2                | <2                | ----    | ----  | ----  |      |
| ^ Sum of BTEX                                                                   | ----              | 1    | µg/L | <1                | <1                | ----    | ----  | ----  |      |
| Naphthalene                                                                     | 91-20-3           | 5    | µg/L | <5                | <5                | ----    | ----  | ----  |      |



### Analytical Results

| Sub-Matrix: WATER<br>(Matrix: WATER)  |            |     |      | Sample ID         | SWD               | SW_DUP1 | ----  | ----  | ---- |
|---------------------------------------|------------|-----|------|-------------------|-------------------|---------|-------|-------|------|
| Sampling date / time                  |            |     |      | 28-Feb-2024 00:00 | 28-Feb-2024 00:00 | ----    | ----  | ----  |      |
| Compound                              | CAS Number | LOR | Unit | ES2406577-002     | ES2406577-005     | -----   | ----- | ----- |      |
|                                       |            |     |      | Result            | Result            | ----    | ----  | ----  |      |
| <b>EP080S: TPH(V)/BTEX Surrogates</b> |            |     |      |                   |                   |         |       |       |      |
| 1,2-Dichloroethane-D4                 | 17060-07-0 | 2   | %    | 113               | 100               | ----    | ----  | ----  |      |
| Toluene-D8                            | 2037-26-5  | 2   | %    | 127               | 112               | ----    | ----  | ----  |      |
| 4-Bromofluorobenzene                  | 460-00-4   | 2   | %    | 124               | 109               | ----    | ----  | ----  |      |



### Surrogate Control Limits

| Sub-Matrix: WATER                     |            | Recovery Limits (%) |      |
|---------------------------------------|------------|---------------------|------|
| Compound                              | CAS Number | Low                 | High |
| <b>EP080S: TPH(V)/BTEX Surrogates</b> |            |                     |      |
| 1,2-Dichloroethane-D4                 | 17060-07-0 | 72                  | 143  |
| Toluene-D8                            | 2037-26-5  | 75                  | 131  |
| 4-Bromofluorobenzene                  | 460-00-4   | 73                  | 137  |



## Automated Guideline Comparison Report

|                         |                                                              |               |                                                       |
|-------------------------|--------------------------------------------------------------|---------------|-------------------------------------------------------|
| Work Order              | : ES2406577-AA                                               | Page          | : 1 of 2                                              |
| Amendment               | : 1                                                          |               |                                                       |
| Client                  | : LWC MANAGEMENT PTY LTD                                     | Laboratory    | : Environmental Division Sydney                       |
| Contact                 | : MR JAMES FOX                                               |               |                                                       |
| Address                 | : SUITE 3 4-8 GOODWOOD ROAD<br>WAYVILLE SOUTH AUSTRALIA 5034 | Address       | : 277-289 Woodpark Road Smithfield NSW Australia 2164 |
| E-mail                  | : jfox@lwconsulting.com.au                                   | E-mail        | : kieren.burns@alsglobal.com                          |
| Telephone               | : ----                                                       | Telephone     | : +61881625130                                        |
| Facsimile               | : ----                                                       | Facsimile     | : +61-2-8784 8500                                     |
| Project                 | : BE-72                                                      | Date Received | : 01-Mar-2024 14:30                                   |
| Order number            | : ----                                                       | Date Analysed | : 01-Mar-2024                                         |
| C-O-C number            | : ----                                                       | Date Issued   | : 08-Apr-2024 17:22                                   |
| No. of samples received | : 2                                                          |               |                                                       |
| No. of samples analysed | : 2                                                          | Quote number  | : EN/111                                              |

### General Comments

Additional information pertinent to this report will be found in the following separate attachments: Certificate of Analysis, Quality Control Report, QA/QC Compliance Assessment to Assist with Quality Review and Sample Receipt Notification.





## QUALITY CONTROL REPORT

Work Order : ES2406577-AA

Page : 1 of 7

Amendment : 1

Client : LWC MANAGEMENT PTY LTD

Laboratory : Environmental Division Sydney

Contact : MR JAMES FOX

Contact : Kieren Burns

Address : SUITE 3 4-8 GOODWOOD ROAD  
WAYVILLE SOUTH AUSTRALIA 5034

Address : 277-289 Woodpark Road Smithfield NSW Australia 2164

Telephone : ----

Telephone : +61881625130

Project : BE-72

Date Samples Received : 01-Mar-2024

Order number : ----

Date Analysis Commenced : 01-Mar-2024

C-O-C number : ----

Issue Date : 08-Apr-2024

Sampler : ALISTAIR VAUGHAN

Site : ----

Quote number : EN/111

No. of samples received : 2

No. of samples analysed : 2



Accreditation No. 825  
Accredited for compliance with  
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

| Signatories     | Position                    | Accreditation Category             |
|-----------------|-----------------------------|------------------------------------|
| Ankit Joshi     | Senior Chemist - Inorganics | Sydney Inorganics, Smithfield, NSW |
| Edwandy Fadjar  | Organic Coordinator         | Sydney Organics, Smithfield, NSW   |
| Ivan Taylor     | Analyst                     | Sydney Inorganics, Smithfield, NSW |
| Sanjeshni Jyoti | Senior Chemist Volatiles    | Sydney Organics, Smithfield, NSW   |



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **WATER**

|                                                                            |           |                                         |            | Laboratory Duplicate (DUP) Report |         |                 |                  |         |                    |
|----------------------------------------------------------------------------|-----------|-----------------------------------------|------------|-----------------------------------|---------|-----------------|------------------|---------|--------------------|
| Laboratory sample ID                                                       | Sample ID | Method: Compound                        | CAS Number | LOR                               | Unit    | Original Result | Duplicate Result | RPD (%) | Acceptable RPD (%) |
| <b>EA005P: pH by PC Titrator (QC Lot: 5639308)</b>                         |           |                                         |            |                                   |         |                 |                  |         |                    |
| ES2406613-001                                                              | Anonymous | EA005-P: pH Value                       | ----       | 0.01                              | pH Unit | 5.52            | 4.67             | 16.7    | 0% - 20%           |
| ES2406571-001                                                              | Anonymous | EA005-P: pH Value                       | ----       | 0.01                              | pH Unit | 9.89            | 9.89             | 0.0     | 0% - 20%           |
| <b>EA010P: Conductivity by PC Titrator (QC Lot: 5639307)</b>               |           |                                         |            |                                   |         |                 |                  |         |                    |
| ES2406613-001                                                              | Anonymous | EA010-P: Electrical Conductivity @ 25°C | ----       | 1                                 | µS/cm   | 21400           | 21200            | 0.9     | 0% - 20%           |
| ES2406571-001                                                              | Anonymous | EA010-P: Electrical Conductivity @ 25°C | ----       | 1                                 | µS/cm   | 2670            | 2700             | 1.2     | 0% - 20%           |
| <b>EA015: Total Dissolved Solids dried at 180 ± 5 °C (QC Lot: 5639283)</b> |           |                                         |            |                                   |         |                 |                  |         |                    |
| ES2406506-008                                                              | Anonymous | EA015H: Total Dissolved Solids @180°C   | ----       | 10                                | mg/L    | 496             | 500              | 0.9     | 0% - 20%           |
| ES2406549-010                                                              | Anonymous | EA015H: Total Dissolved Solids @180°C   | ----       | 10                                | mg/L    | 362             | 337              | 7.3     | 0% - 20%           |
| ES2406615-004                                                              | Anonymous | EA015H: Total Dissolved Solids @180°C   | ----       | 10                                | mg/L    | <10             | 12               | 20.2    | No Limit           |
| ES2406618-009                                                              | Anonymous | EA015H: Total Dissolved Solids @180°C   | ----       | 10                                | mg/L    | 37              | 37               | 0.0     | No Limit           |
| <b>EA025: Total Suspended Solids dried at 104 ± 2°C (QC Lot: 5639282)</b>  |           |                                         |            |                                   |         |                 |                  |         |                    |
| ES2406506-008                                                              | Anonymous | EA025H: Suspended Solids (SS)           | ----       | 5                                 | mg/L    | <5              | <5               | 0.0     | No Limit           |
| ES2406549-010                                                              | Anonymous | EA025H: Suspended Solids (SS)           | ----       | 5                                 | mg/L    | 156             | 163              | 4.5     | 0% - 20%           |
| ES2406615-004                                                              | Anonymous | EA025H: Suspended Solids (SS)           | ----       | 5                                 | mg/L    | 7               | 6                | 14.8    | No Limit           |
| ES2406618-009                                                              | Anonymous | EA025H: Suspended Solids (SS)           | ----       | 5                                 | mg/L    | 16              | 18               | 5.9     | No Limit           |
| <b>EG020T: Total Metals by ICP-MS (QC Lot: 5640183)</b>                    |           |                                         |            |                                   |         |                 |                  |         |                    |
| ES2407029-005                                                              | Anonymous | EG020A-T: Cadmium                       | 7440-43-9  | 0.0001                            | mg/L    | <0.0001         | <0.0001          | 0.0     | No Limit           |
|                                                                            |           | EG020A-T: Arsenic                       | 7440-38-2  | 0.001                             | mg/L    | <0.001          | <0.001           | 0.0     | No Limit           |
|                                                                            |           | EG020A-T: Chromium                      | 7440-47-3  | 0.001                             | mg/L    | <0.001          | <0.001           | 0.0     | No Limit           |
|                                                                            |           | EG020A-T: Copper                        | 7440-50-8  | 0.001                             | mg/L    | <0.001          | 0.005            | 127     | No Limit           |
|                                                                            |           | EG020A-T: Lead                          | 7439-92-1  | 0.001                             | mg/L    | <0.001          | <0.001           | 0.0     | No Limit           |
|                                                                            |           | EG020A-T: Nickel                        | 7440-02-0  | 0.001                             | mg/L    | <0.001          | <0.001           | 0.0     | No Limit           |



| Sub-Matrix: WATER                                                                        |           |                                      |            | Laboratory Duplicate (DUP) Report |      |                 |                  |         |                    |
|------------------------------------------------------------------------------------------|-----------|--------------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|--------------------|
| Laboratory sample ID                                                                     | Sample ID | Method: Compound                     | CAS Number | LOR                               | Unit | Original Result | Duplicate Result | RPD (%) | Acceptable RPD (%) |
| <b>EG020T: Total Metals by ICP-MS (QC Lot: 5640183) - continued</b>                      |           |                                      |            |                                   |      |                 |                  |         |                    |
| ES2407029-005                                                                            | Anonymous | EG020A-T: Zinc                       | 7440-66-6  | 0.005                             | mg/L | <0.005          | <0.005           | 0.0     | No Limit           |
| ES2407026-001                                                                            | Anonymous | EG020A-T: Cadmium                    | 7440-43-9  | 0.0001                            | mg/L | <0.0001         | <0.0001          | 0.0     | No Limit           |
|                                                                                          |           | EG020A-T: Arsenic                    | 7440-38-2  | 0.001                             | mg/L | <0.001          | <0.001           | 0.0     | No Limit           |
|                                                                                          |           | EG020A-T: Chromium                   | 7440-47-3  | 0.001                             | mg/L | <0.001          | <0.001           | 0.0     | No Limit           |
|                                                                                          |           | EG020A-T: Copper                     | 7440-50-8  | 0.001                             | mg/L | 0.001           | 0.001            | 0.0     | No Limit           |
|                                                                                          |           | EG020A-T: Lead                       | 7439-92-1  | 0.001                             | mg/L | <0.001          | <0.001           | 0.0     | No Limit           |
|                                                                                          |           | EG020A-T: Nickel                     | 7440-02-0  | 0.001                             | mg/L | 0.001           | <0.001           | 0.0     | No Limit           |
|                                                                                          |           | EG020A-T: Zinc                       | 7440-66-6  | 0.005                             | mg/L | <0.005          | <0.005           | 0.0     | No Limit           |
| <b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 5639567)</b>                       |           |                                      |            |                                   |      |                 |                  |         |                    |
| ES2406449-001                                                                            | Anonymous | EG035T: Mercury                      | 7439-97-6  | 0.0001                            | mg/L | <0.0001         | <0.0001          | 0.0     | No Limit           |
| ES2406612-001                                                                            | Anonymous | EG035T: Mercury                      | 7439-97-6  | 0.0001                            | mg/L | <0.0001         | <0.0001          | 0.0     | No Limit           |
| <b>EK055G: Ammonia as N by Discrete Analyser (QC Lot: 5639841)</b>                       |           |                                      |            |                                   |      |                 |                  |         |                    |
| ES2406577-002                                                                            | SWD       | EK055G: Ammonia as N                 | 7664-41-7  | 0.01                              | mg/L | 0.09            | 0.09             | 0.0     | No Limit           |
| ES2406612-008                                                                            | Anonymous | EK055G: Ammonia as N                 | 7664-41-7  | 0.01                              | mg/L | 0.19            | 0.19             | 0.0     | 0% - 50%           |
| <b>EK057G: Nitrite as N by Discrete Analyser (QC Lot: 5636715)</b>                       |           |                                      |            |                                   |      |                 |                  |         |                    |
| ES2406547-001                                                                            | Anonymous | EK057G: Nitrite as N                 | 14797-65-0 | 0.01                              | mg/L | <0.01           | <0.01            | 0.0     | No Limit           |
| ES2406614-003                                                                            | Anonymous | EK057G: Nitrite as N                 | 14797-65-0 | 0.01                              | mg/L | <0.01           | <0.01            | 0.0     | No Limit           |
| <b>EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser (QC Lot: 5639842)</b>    |           |                                      |            |                                   |      |                 |                  |         |                    |
| ES2406577-002                                                                            | SWD       | EK059G: Nitrite + Nitrate as N       | ----       | 0.01                              | mg/L | 0.02            | 0.02             | 0.0     | No Limit           |
| ES2406612-008                                                                            | Anonymous | EK059G: Nitrite + Nitrate as N       | ----       | 0.01                              | mg/L | 0.01            | 0.01             | 0.0     | No Limit           |
| <b>EK061G: Total Kjeldahl Nitrogen By Discrete Analyser (QC Lot: 5639840)</b>            |           |                                      |            |                                   |      |                 |                  |         |                    |
| ES2406577-002                                                                            | SWD       | EK061G: Total Kjeldahl Nitrogen as N | ----       | 0.1                               | mg/L | 1.3             | 1.2              | 13.9    | 0% - 50%           |
| ES2406612-009                                                                            | Anonymous | EK061G: Total Kjeldahl Nitrogen as N | ----       | 0.1                               | mg/L | 0.7             | 0.7              | 0.0     | No Limit           |
| <b>EK067G: Total Phosphorus as P by Discrete Analyser (QC Lot: 5639839)</b>              |           |                                      |            |                                   |      |                 |                  |         |                    |
| ES2406577-002                                                                            | SWD       | EK067G: Total Phosphorus as P        | ----       | 0.01                              | mg/L | 0.06            | 0.06             | 0.0     | No Limit           |
| ES2406612-009                                                                            | Anonymous | EK067G: Total Phosphorus as P        | ----       | 0.01                              | mg/L | <0.01           | <0.01            | 0.0     | No Limit           |
| <b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 5636633)</b>                         |           |                                      |            |                                   |      |                 |                  |         |                    |
| ES2406576-001                                                                            | Anonymous | EP080: C6 - C9 Fraction              | ----       | 20                                | µg/L | <20             | <20              | 0.0     | No Limit           |
| ES2406605-004                                                                            | Anonymous | EP080: C6 - C9 Fraction              | ----       | 20                                | µg/L | <20             | <20              | 0.0     | No Limit           |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 5636633)</b> |           |                                      |            |                                   |      |                 |                  |         |                    |
| ES2406576-001                                                                            | Anonymous | EP080: C6 - C10 Fraction             | C6_C10     | 20                                | µg/L | <20             | <20              | 0.0     | No Limit           |
| ES2406605-004                                                                            | Anonymous | EP080: C6 - C10 Fraction             | C6_C10     | 20                                | µg/L | <20             | <20              | 0.0     | No Limit           |
| <b>EP080: BTEXN (QC Lot: 5636633)</b>                                                    |           |                                      |            |                                   |      |                 |                  |         |                    |
| ES2406576-001                                                                            | Anonymous | EP080: Benzene                       | 71-43-2    | 1                                 | µg/L | <1              | <1               | 0.0     | No Limit           |
|                                                                                          |           | EP080: Toluene                       | 108-88-3   | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                                                          |           | EP080: Ethylbenzene                  | 100-41-4   | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |



| Sub-Matrix: WATER                                 |           |                            |                      | Laboratory Duplicate (DUP) Report |      |                 |                  |         |                    |
|---------------------------------------------------|-----------|----------------------------|----------------------|-----------------------------------|------|-----------------|------------------|---------|--------------------|
| Laboratory sample ID                              | Sample ID | Method: Compound           | CAS Number           | LOR                               | Unit | Original Result | Duplicate Result | RPD (%) | Acceptable RPD (%) |
| <b>EP080: BTEXN (QC Lot: 5636633) - continued</b> |           |                            |                      |                                   |      |                 |                  |         |                    |
| ES2406576-001                                     | Anonymous | EP080: meta- & para-Xylene | 108-38-3<br>106-42-3 | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: ortho-Xylene        | 95-47-6              | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: Naphthalene         | 91-20-3              | 5                                 | µg/L | <5              | <5               | 0.0     | No Limit           |
| ES2406605-004                                     | Anonymous | EP080: Benzene             | 71-43-2              | 1                                 | µg/L | <1              | <1               | 0.0     | No Limit           |
|                                                   |           | EP080: Toluene             | 108-88-3             | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: Ethylbenzene        | 100-41-4             | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: meta- & para-Xylene | 108-38-3<br>106-42-3 | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: ortho-Xylene        | 95-47-6              | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: Naphthalene         | 91-20-3              | 5                                 | µg/L | <5              | <5               | 0.0     | No Limit           |



### Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **WATER**

| Method: Compound                                                                     | CAS Number | LOR    | Unit    | Method Blank (MB) Report | Laboratory Control Spike (LCS) Report |                    |                       |      |
|--------------------------------------------------------------------------------------|------------|--------|---------|--------------------------|---------------------------------------|--------------------|-----------------------|------|
|                                                                                      |            |        |         | Result                   | Spike Concentration                   | Spike Recovery (%) | Acceptable Limits (%) |      |
|                                                                                      |            |        |         |                          |                                       | LCS                | Low                   | High |
| <b>EA005P: pH by PC Titrator (QCLot: 5639308)</b>                                    |            |        |         |                          |                                       |                    |                       |      |
| EA005-P: pH Value                                                                    | ----       | ----   | pH Unit | ----                     | 4 pH Unit                             | 100                | 98.8                  | 101  |
|                                                                                      |            |        |         | ----                     | 7 pH Unit                             | 99.7               | 99.2                  | 101  |
| <b>EA010P: Conductivity by PC Titrator (QCLot: 5639307)</b>                          |            |        |         |                          |                                       |                    |                       |      |
| EA010-P: Electrical Conductivity @ 25°C                                              | ----       | 1      | µS/cm   | <1                       | 220 µS/cm                             | 100                | 89.9                  | 110  |
|                                                                                      |            |        |         | <1                       | 2100 µS/cm                            | 96.5               | 90.2                  | 111  |
| <b>EA015: Total Dissolved Solids dried at 180 ± 5 °C (QCLot: 5639283)</b>            |            |        |         |                          |                                       |                    |                       |      |
| EA015H: Total Dissolved Solids @180°C                                                | ----       | 10     | mg/L    | <10                      | 2000 mg/L                             | 103                | 87.0                  | 109  |
|                                                                                      |            |        |         | <10                      | 293 mg/L                              | 122                | 75.2                  | 126  |
|                                                                                      |            |        |         | <10                      | 2410 mg/L                             | 101                | 83.0                  | 124  |
| <b>EA025: Total Suspended Solids dried at 104 ± 2 °C (QCLot: 5639282)</b>            |            |        |         |                          |                                       |                    |                       |      |
| EA025H: Suspended Solids (SS)                                                        | ----       | 5      | mg/L    | <5                       | 150 mg/L                              | 102                | 83.0                  | 129  |
|                                                                                      |            |        |         | <5                       | 1000 mg/L                             | 87.8               | 82.0                  | 110  |
|                                                                                      |            |        |         | <5                       | 928 mg/L                              | 95.8               | 83.0                  | 118  |
| <b>EG020T: Total Metals by ICP-MS (QCLot: 5640183)</b>                               |            |        |         |                          |                                       |                    |                       |      |
| EG020A-T: Arsenic                                                                    | 7440-38-2  | 0.001  | mg/L    | <0.001                   | 0.1 mg/L                              | 102                | 82.0                  | 114  |
| EG020A-T: Cadmium                                                                    | 7440-43-9  | 0.0001 | mg/L    | <0.0001                  | 0.1 mg/L                              | 98.0               | 84.0                  | 112  |
| EG020A-T: Chromium                                                                   | 7440-47-3  | 0.001  | mg/L    | <0.001                   | 0.1 mg/L                              | 96.9               | 86.0                  | 116  |
| EG020A-T: Copper                                                                     | 7440-50-8  | 0.001  | mg/L    | <0.001                   | 0.1 mg/L                              | 96.1               | 83.0                  | 118  |
| EG020A-T: Lead                                                                       | 7439-92-1  | 0.001  | mg/L    | <0.001                   | 0.1 mg/L                              | 95.4               | 85.0                  | 115  |
| EG020A-T: Nickel                                                                     | 7440-02-0  | 0.001  | mg/L    | <0.001                   | 0.1 mg/L                              | 94.9               | 84.0                  | 116  |
| EG020A-T: Zinc                                                                       | 7440-66-6  | 0.005  | mg/L    | <0.005                   | 0.1 mg/L                              | 95.8               | 79.0                  | 117  |
| <b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 5639567)</b>                    |            |        |         |                          |                                       |                    |                       |      |
| EG035T: Mercury                                                                      | 7439-97-6  | 0.0001 | mg/L    | <0.0001                  | 0.01 mg/L                             | 89.6               | 77.0                  | 111  |
| <b>EK055G: Ammonia as N by Discrete Analyser (QCLot: 5639841)</b>                    |            |        |         |                          |                                       |                    |                       |      |
| EK055G: Ammonia as N                                                                 | 7664-41-7  | 0.01   | mg/L    | <0.01                    | 1 mg/L                                | 99.1               | 90.0                  | 114  |
| <b>EK057G: Nitrite as N by Discrete Analyser (QCLot: 5636715)</b>                    |            |        |         |                          |                                       |                    |                       |      |
| EK057G: Nitrite as N                                                                 | 14797-65-0 | 0.01   | mg/L    | <0.01                    | 0.5 mg/L                              | 101                | 82.0                  | 114  |
| <b>EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser (QCLot: 5639842)</b> |            |        |         |                          |                                       |                    |                       |      |
| EK059G: Nitrite + Nitrate as N                                                       | ----       | 0.01   | mg/L    | <0.01                    | 0.5 mg/L                              | 99.3               | 91.0                  | 113  |
| <b>EK061G: Total Kjeldahl Nitrogen By Discrete Analyser (QCLot: 5639840)</b>         |            |        |         |                          |                                       |                    |                       |      |



Sub-Matrix: **WATER**

|                                                                                          |                      |      |      | Method Blank (MB) Report | Laboratory Control Spike (LCS) Report |                    |                       |      |
|------------------------------------------------------------------------------------------|----------------------|------|------|--------------------------|---------------------------------------|--------------------|-----------------------|------|
|                                                                                          |                      |      |      |                          | Spike Concentration                   | Spike Recovery (%) | Acceptable Limits (%) |      |
| Method: Compound                                                                         | CAS Number           | LOR  | Unit | Result                   |                                       | LCS                | Low                   | High |
| <b>EK061G: Total Kjeldahl Nitrogen By Discrete Analyser (QCLot: 5639840) - continued</b> |                      |      |      |                          |                                       |                    |                       |      |
| EK061G: Total Kjeldahl Nitrogen as N                                                     | ----                 | 0.1  | mg/L | <0.1                     | 10 mg/L                               | 93.6               | 69.0                  | 123  |
|                                                                                          |                      |      |      | <0.1                     | 1 mg/L                                | 106                | 70.0                  | 123  |
|                                                                                          |                      |      |      | <0.1                     | 5 mg/L                                | 103                | 70.0                  | 123  |
| <b>EK067G: Total Phosphorus as P by Discrete Analyser (QCLot: 5639839)</b>               |                      |      |      |                          |                                       |                    |                       |      |
| EK067G: Total Phosphorus as P                                                            | ----                 | 0.01 | mg/L | <0.01                    | 4.42 mg/L                             | 86.4               | 71.3                  | 126  |
|                                                                                          |                      |      |      | <0.01                    | 0.442 mg/L                            | 94.0               | 71.3                  | 126  |
|                                                                                          |                      |      |      | <0.01                    | 1 mg/L                                | 103                | 70.0                  | 130  |
| <b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 5636633)</b>                          |                      |      |      |                          |                                       |                    |                       |      |
| EP080: C6 - C9 Fraction                                                                  | ----                 | 20   | µg/L | <20                      | 260 µg/L                              | 88.2               | 75.0                  | 127  |
| <b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 5636874)</b>                          |                      |      |      |                          |                                       |                    |                       |      |
| EP071: C10 - C14 Fraction                                                                | ----                 | 50   | µg/L | <50                      | 400 µg/L                              | 82.7               | 53.7                  | 97.0 |
| EP071: C15 - C28 Fraction                                                                | ----                 | 100  | µg/L | <100                     | 600 µg/L                              | 79.7               | 63.3                  | 107  |
| EP071: C29 - C36 Fraction                                                                | ----                 | 50   | µg/L | <50                      | 400 µg/L                              | 86.5               | 58.3                  | 120  |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 5636633)</b>  |                      |      |      |                          |                                       |                    |                       |      |
| EP080: C6 - C10 Fraction                                                                 | C6_C10               | 20   | µg/L | <20                      | 310 µg/L                              | 86.5               | 75.0                  | 127  |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 5636874)</b>  |                      |      |      |                          |                                       |                    |                       |      |
| EP071: >C10 - C16 Fraction                                                               | ----                 | 100  | µg/L | <100                     | 500 µg/L                              | 84.9               | 53.9                  | 95.5 |
| EP071: >C16 - C34 Fraction                                                               | ----                 | 100  | µg/L | <100                     | 700 µg/L                              | 81.9               | 57.8                  | 110  |
| EP071: >C34 - C40 Fraction                                                               | ----                 | 100  | µg/L | <100                     | 300 µg/L                              | 83.4               | 50.5                  | 115  |
| <b>EP080: BTEXN (QCLot: 5636633)</b>                                                     |                      |      |      |                          |                                       |                    |                       |      |
| EP080: Benzene                                                                           | 71-43-2              | 1    | µg/L | <1                       | 10 µg/L                               | 102                | 68.3                  | 119  |
| EP080: Toluene                                                                           | 108-88-3             | 2    | µg/L | <2                       | 10 µg/L                               | 105                | 73.5                  | 120  |
| EP080: Ethylbenzene                                                                      | 100-41-4             | 2    | µg/L | <2                       | 10 µg/L                               | 114                | 73.8                  | 122  |
| EP080: meta- & para-Xylene                                                               | 108-38-3<br>106-42-3 | 2    | µg/L | <2                       | 10 µg/L                               | 122                | 73.0                  | 122  |
| EP080: ortho-Xylene                                                                      | 95-47-6              | 2    | µg/L | <2                       | 10 µg/L                               | 109                | 76.4                  | 123  |
| EP080: Naphthalene                                                                       | 91-20-3              | 5    | µg/L | <5                       | 10 µg/L                               | 116                | 75.5                  | 124  |

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **WATER**

|                      |           |                  |            | Matrix Spike (MS) Report |                    |                       |      |
|----------------------|-----------|------------------|------------|--------------------------|--------------------|-----------------------|------|
|                      |           |                  |            | Spike Concentration      | Spike Recovery (%) | Acceptable Limits (%) |      |
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number |                          | MS                 | Low                   | High |



Sub-Matrix: WATER

|                                                                                         |           |                                      |            | Matrix Spike (MS) Report |                  |                       |      |
|-----------------------------------------------------------------------------------------|-----------|--------------------------------------|------------|--------------------------|------------------|-----------------------|------|
|                                                                                         |           |                                      |            | Spike                    | SpikeRecovery(%) | Acceptable Limits (%) |      |
| Laboratory sample ID                                                                    | Sample ID | Method: Compound                     | CAS Number | Concentration            | MS               | Low                   | High |
| <b>EG020T: Total Metals by ICP-MS (QCLot: 5640183)</b>                                  |           |                                      |            |                          |                  |                       |      |
| ES2406577-005                                                                           | SW_DUP1   | EG020A-T: Arsenic                    | 7440-38-2  | 1 mg/L                   | 107              | 70.0                  | 130  |
|                                                                                         |           | EG020A-T: Cadmium                    | 7440-43-9  | 0.25 mg/L                | 105              | 70.0                  | 130  |
|                                                                                         |           | EG020A-T: Chromium                   | 7440-47-3  | 1 mg/L                   | 106              | 70.0                  | 130  |
|                                                                                         |           | EG020A-T: Copper                     | 7440-50-8  | 1 mg/L                   | 105              | 70.0                  | 130  |
|                                                                                         |           | EG020A-T: Lead                       | 7439-92-1  | 1 mg/L                   | 108              | 70.0                  | 130  |
|                                                                                         |           | EG020A-T: Nickel                     | 7440-02-0  | 1 mg/L                   | 126              | 70.0                  | 130  |
|                                                                                         |           | EG020A-T: Zinc                       | 7440-66-6  | 1 mg/L                   | 128              | 70.0                  | 130  |
| <b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 5639567)</b>                       |           |                                      |            |                          |                  |                       |      |
| ES2406449-002                                                                           | Anonymous | EG035T: Mercury                      | 7439-97-6  | 0.01 mg/L                | 90.4             | 70.0                  | 130  |
| <b>EK055G: Ammonia as N by Discrete Analyser (QCLot: 5639841)</b>                       |           |                                      |            |                          |                  |                       |      |
| ES2406577-002                                                                           | SWD       | EK055G: Ammonia as N                 | 7664-41-7  | 1 mg/L                   | 91.4             | 70.0                  | 130  |
| <b>EK057G: Nitrite as N by Discrete Analyser (QCLot: 5636715)</b>                       |           |                                      |            |                          |                  |                       |      |
| ES2406547-001                                                                           | Anonymous | EK057G: Nitrite as N                 | 14797-65-0 | 0.5 mg/L                 | 103              | 70.0                  | 130  |
| <b>EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser (QCLot: 5639842)</b>    |           |                                      |            |                          |                  |                       |      |
| ES2406577-002                                                                           | SWD       | EK059G: Nitrite + Nitrate as N       | ----       | 0.5 mg/L                 | 97.0             | 70.0                  | 130  |
| <b>EK061G: Total Kjeldahl Nitrogen By Discrete Analyser (QCLot: 5639840)</b>            |           |                                      |            |                          |                  |                       |      |
| ES2406577-005                                                                           | SW_DUP1   | EK061G: Total Kjeldahl Nitrogen as N | ----       | 5 mg/L                   | 94.8             | 70.0                  | 130  |
| <b>EK067G: Total Phosphorus as P by Discrete Analyser (QCLot: 5639839)</b>              |           |                                      |            |                          |                  |                       |      |
| ES2406577-005                                                                           | SW_DUP1   | EK067G: Total Phosphorus as P        | ----       | 1 mg/L                   | 101              | 70.0                  | 130  |
| <b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 5636633)</b>                         |           |                                      |            |                          |                  |                       |      |
| ES2406576-001                                                                           | Anonymous | EP080: C6 - C9 Fraction              | ----       | 325 µg/L                 | 88.7             | 70.0                  | 130  |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 5636633)</b> |           |                                      |            |                          |                  |                       |      |
| ES2406576-001                                                                           | Anonymous | EP080: C6 - C10 Fraction             | C6_C10     | 375 µg/L                 | 91.6             | 70.0                  | 130  |
| <b>EP080: BTEXN (QCLot: 5636633)</b>                                                    |           |                                      |            |                          |                  |                       |      |
| ES2406576-001                                                                           | Anonymous | EP080: Benzene                       | 71-43-2    | 25 µg/L                  | 89.7             | 70.0                  | 130  |
|                                                                                         |           | EP080: Toluene                       | 108-88-3   | 25 µg/L                  | 104              | 70.0                  | 130  |
|                                                                                         |           | EP080: Ethylbenzene                  | 100-41-4   | 25 µg/L                  | 121              | 70.0                  | 130  |
|                                                                                         |           | EP080: meta- & para-Xylene           | 108-38-3   | 25 µg/L                  | 127              | 70.0                  | 130  |
|                                                                                         |           | EP080: ortho-Xylene                  | 95-47-6    | 25 µg/L                  | 112              | 70.0                  | 130  |
|                                                                                         |           | EP080: Naphthalene                   | 91-20-3    | 25 µg/L                  | 107              | 70.0                  | 130  |



## QA/QC Compliance Assessment to assist with Quality Review

|              |                          |                         |                                 |
|--------------|--------------------------|-------------------------|---------------------------------|
| Work Order   | : ES2406577              | Page                    | : 1 of 9                        |
| Amendment    | : 1                      |                         |                                 |
| Client       | : LWC MANAGEMENT PTY LTD | Laboratory              | : Environmental Division Sydney |
| Contact      | : MR JAMES FOX           | Telephone               | : +61881625130                  |
| Project      | : BE-72                  | Date Samples Received   | : 01-Mar-2024                   |
| Site         | : ----                   | Issue Date              | : 08-Apr-2024                   |
| Sampler      | : ALISTAIR VAUGHAN       | No. of samples received | : 6                             |
| Order number | : ----                   | No. of samples analysed | : 5                             |

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- **NO** Matrix Spike outliers occur.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- Analysis Holding Time Outliers exist - please see following pages for full details.

#### Outliers : Frequency of Quality Control Samples

- Quality Control Sample Frequency Outliers exist - please see following pages for full details.



### Outliers : Analysis Holding Time Compliance

Matrix: WATER

| Method                                         | Extraction / Preparation        |                |                    | Analysis     |               |                  |              |
|------------------------------------------------|---------------------------------|----------------|--------------------|--------------|---------------|------------------|--------------|
|                                                | Container / Client Sample ID(s) | Date extracted | Due for extraction | Days overdue | Date analysed | Due for analysis | Days overdue |
| <b>EA005P: pH by PC Titrator</b>               |                                 |                |                    |              |               |                  |              |
| Clear Plastic Bottle - Natural<br>SWD, SW_DUP1 | ----                            | ----           | ----               |              | 04-Mar-2024   | 28-Feb-2024      | 5            |
| <b>EP030: Biochemical Oxygen Demand (BOD)</b>  |                                 |                |                    |              |               |                  |              |
| Clear Plastic Bottle - Natural<br>VGS, DUP1    | ----                            | ----           | ----               |              | 02-Mar-2024   | 01-Mar-2024      | 1            |

### Outliers : Frequency of Quality Control Samples

Matrix: WATER

| Quality Control Sample Type        | Method | Count |         | Rate (%) |          | Quality Control Specification  |
|------------------------------------|--------|-------|---------|----------|----------|--------------------------------|
|                                    |        | QC    | Regular | Actual   | Expected |                                |
| <b>Laboratory Duplicates (DUP)</b> |        |       |         |          |          |                                |
| TRH - Semivolatle Fraction         | EP071  | 0     | 20      | 0.00     | 10.00    | NEPM 2013 B3 & ALS QC Standard |
| <b>Matrix Spikes (MS)</b>          |        |       |         |          |          |                                |
| TRH - Semivolatle Fraction         | EP071  | 0     | 20      | 0.00     | 5.00     | NEPM 2013 B3 & ALS QC Standard |

### Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results. This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein. Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters. Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: WATER

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

| Method                                                             | Sample Date | Extraction / Preparation        |                |                    | Analysis    |               |                  |
|--------------------------------------------------------------------|-------------|---------------------------------|----------------|--------------------|-------------|---------------|------------------|
|                                                                    |             | Container / Client Sample ID(s) | Date extracted | Due for extraction | Evaluation  | Date analysed | Due for analysis |
| <b>EA005P: pH by PC Titrator</b>                                   |             |                                 |                |                    |             |               |                  |
| Clear Plastic Bottle - Natural (EA005-P)<br>SWD, SW_DUP1           | 28-Feb-2024 | ----                            | ----           | ----               | 04-Mar-2024 | 28-Feb-2024   | ✖                |
| <b>EA010P: Conductivity by PC Titrator</b>                         |             |                                 |                |                    |             |               |                  |
| Clear Plastic Bottle - Natural (EA010-P)<br>SWD, SW_DUP1           | 28-Feb-2024 | ----                            | ----           | ----               | 04-Mar-2024 | 27-Mar-2024   | ✔                |
| <b>EA015: Total Dissolved Solids dried at 180 ± 5 °C</b>           |             |                                 |                |                    |             |               |                  |
| Clear Plastic Bottle - Natural (EA015H)<br>VGS, SWD, DUP1, SW_DUP1 | 28-Feb-2024 | ----                            | ----           | ----               | 04-Mar-2024 | 06-Mar-2024   | ✔                |



Matrix: **WATER** Evaluation: \* = Holding time breach ; ✓ = Within holding time.

| Method<br>Container / Client Sample ID(s)                           | Sample Date     | Extraction / Preparation |                    |             | Analysis      |                  |             |   |
|---------------------------------------------------------------------|-----------------|--------------------------|--------------------|-------------|---------------|------------------|-------------|---|
|                                                                     |                 | Date extracted           | Due for extraction | Evaluation  | Date analysed | Due for analysis | Evaluation  |   |
| <b>EA025: Total Suspended Solids dried at 104 ± 2°C</b>             |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (EA025H)<br>VGS,<br>DUP1,            | SWD,<br>SW_DUP1 | 28-Feb-2024              | ----               | ----        | ----          | 04-Mar-2024      | 06-Mar-2024 | ✓ |
| <b>ED037P: Alkalinity by PC Titrator</b>                            |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (ED037-P)<br>VGS,                    | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 04-Mar-2024      | 13-Mar-2024 | ✓ |
| <b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>              |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (ED041G)<br>VGS,                     | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 05-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>ED045G: Chloride by Discrete Analyser</b>                        |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (ED045G)<br>VGS,                     | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 05-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>ED093F: Dissolved Major Cations</b>                              |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (ED093F)<br>VGS,                     | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 05-Mar-2024      | 06-Mar-2024 | ✓ |
| <b>EG020T: Total Metals by ICP-MS</b>                               |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Unfiltered; Lab-acidified (EG020A-T)<br>SWD, | SW_DUP1         | 28-Feb-2024              | 05-Mar-2024        | 26-Aug-2024 | ✓             | 05-Mar-2024      | 26-Aug-2024 | ✓ |
| <b>EG035T: Total Recoverable Mercury by FIMS</b>                    |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Unfiltered; Lab-acidified (EG035T)<br>SWD,   | SW_DUP1         | 28-Feb-2024              | ----               | ----        | ----          | 05-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>EK055G: Ammonia as N by Discrete Analyser</b>                    |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Sulfuric Acid (EK055G)<br>VGS,               | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 01-Mar-2024      | 27-Mar-2024 | ✓ |
| Clear Plastic Bottle - Sulfuric Acid (EK055G)<br>SWD,               | SW_DUP1         | 28-Feb-2024              | ----               | ----        | ----          | 04-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>EK057G: Nitrite as N by Discrete Analyser</b>                    |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (EK057G)<br>SWD,                     | SW_DUP1         | 28-Feb-2024              | ----               | ----        | ----          | 01-Mar-2024      | 01-Mar-2024 | ✓ |
| <b>EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser</b> |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Sulfuric Acid (EK059G)<br>SWD,               | SW_DUP1         | 28-Feb-2024              | ----               | ----        | ----          | 04-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>EK061G: Total Kjeldahl Nitrogen By Discrete Analyser</b>         |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Sulfuric Acid (EK061G)<br>SWD,               | SW_DUP1         | 28-Feb-2024              | 04-Mar-2024        | 27-Mar-2024 | ✓             | 04-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>EK067G: Total Phosphorus as P by Discrete Analyser</b>           |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Sulfuric Acid (EK067G)<br>SWD,               | SW_DUP1         | 28-Feb-2024              | 04-Mar-2024        | 27-Mar-2024 | ✓             | 04-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>EP030: Biochemical Oxygen Demand (BOD)</b>                       |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (EP030)<br>VGS,                      | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 02-Mar-2024      | 01-Mar-2024 | * |



Matrix: **WATER** Evaluation: \* = Holding time breach ; ✓ = Within holding time.

| Method<br>Container / Client Sample ID(s)                              | Sample Date     | Extraction / Preparation |                    |             | Analysis      |                  |             |   |
|------------------------------------------------------------------------|-----------------|--------------------------|--------------------|-------------|---------------|------------------|-------------|---|
|                                                                        |                 | Date extracted           | Due for extraction | Evaluation  | Date analysed | Due for analysis | Evaluation  |   |
| <b>EP080/071: Total Petroleum Hydrocarbons</b>                         |                 |                          |                    |             |               |                  |             |   |
| Amber Glass Bottle - Unpreserved (EP071)<br>VGS,<br>DUP1,              | SWD,<br>SW_DUP1 | 28-Feb-2024              | 05-Mar-2024        | 06-Mar-2024 | ✓             | 06-Mar-2024      | 14-Apr-2024 | ✓ |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>VGS,<br>DUP1,                | SWD,<br>SW_DUP1 | 28-Feb-2024              | 01-Mar-2024        | 13-Mar-2024 | ✓             | 02-Mar-2024      | 13-Mar-2024 | ✓ |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>Tripblank                    |                 | 28-Feb-2024              | 04-Mar-2024        | 13-Mar-2024 | ✓             | 04-Mar-2024      | 13-Mar-2024 | ✓ |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b> |                 |                          |                    |             |               |                  |             |   |
| Amber Glass Bottle - Unpreserved (EP071)<br>VGS,<br>DUP1,              | SWD,<br>SW_DUP1 | 28-Feb-2024              | 05-Mar-2024        | 06-Mar-2024 | ✓             | 06-Mar-2024      | 14-Apr-2024 | ✓ |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>VGS,<br>DUP1,                | SWD,<br>SW_DUP1 | 28-Feb-2024              | 01-Mar-2024        | 13-Mar-2024 | ✓             | 02-Mar-2024      | 13-Mar-2024 | ✓ |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>Tripblank                    |                 | 28-Feb-2024              | 04-Mar-2024        | 13-Mar-2024 | ✓             | 04-Mar-2024      | 13-Mar-2024 | ✓ |
| <b>EP080: BTEXN</b>                                                    |                 |                          |                    |             |               |                  |             |   |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>VGS,<br>DUP1,                | SWD,<br>SW_DUP1 | 28-Feb-2024              | 01-Mar-2024        | 13-Mar-2024 | ✓             | 02-Mar-2024      | 13-Mar-2024 | ✓ |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>Tripblank                    |                 | 28-Feb-2024              | 04-Mar-2024        | 13-Mar-2024 | ✓             | 04-Mar-2024      | 13-Mar-2024 | ✓ |



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **WATER**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

| Quality Control Sample Type                            | Method   | Count |         | Rate (%) |          |            | Quality Control Specification  |
|--------------------------------------------------------|----------|-------|---------|----------|----------|------------|--------------------------------|
|                                                        |          | QC    | Reaular | Actual   | Expected | Evaluation |                                |
| <b>Laboratory Duplicates (DUP)</b>                     |          |       |         |          |          |            |                                |
| Alkalinity by Auto Titrator                            | ED037-P  | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Ammonia as N by Discrete analyser                      | EK055G   | 3     | 19      | 15.79    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Biochemical Oxygen Demand (BOD)                        | EP030    | 2     | 17      | 11.76    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Chloride by Discrete Analyser                          | ED045G   | 2     | 12      | 16.67    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Conductivity by Auto Titrator                          | EA010-P  | 2     | 19      | 10.53    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Major Cations - Dissolved                              | ED093F   | 2     | 4       | 50.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser    | EK059G   | 2     | 17      | 11.76    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite as N by Discrete Analyser                      | EK057G   | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| pH by Auto Titrator                                    | EA005-P  | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser | ED041G   | 2     | 12      | 16.67    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Suspended Solids (High Level)                          | EA025H   | 4     | 40      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Dissolved Solids (High Level)                    | EA015H   | 4     | 40      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Kjeldahl Nitrogen as N By Discrete Analyser      | EK061G   | 2     | 17      | 11.76    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Mercury by FIMS                                  | EG035T   | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite A                       | EG020A-T | 2     | 3       | 66.67    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Phosphorus as P By Discrete Analyser             | EK067G   | 2     | 17      | 11.76    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| TRH - Semivolatile Fraction                            | EP071    | 0     | 20      | 0.00     | 10.00    | ✖          | NEPM 2013 B3 & ALS QC Standard |
| TRH Volatiles/BTEX                                     | EP080    | 4     | 39      | 10.26    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| <b>Laboratory Control Samples (LCS)</b>                |          |       |         |          |          |            |                                |
| Alkalinity by Auto Titrator                            | ED037-P  | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Ammonia as N by Discrete analyser                      | EK055G   | 2     | 19      | 10.53    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Biochemical Oxygen Demand (BOD)                        | EP030    | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Chloride by Discrete Analyser                          | ED045G   | 2     | 12      | 16.67    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Conductivity by Auto Titrator                          | EA010-P  | 3     | 19      | 15.79    | 8.33     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Major Cations - Dissolved                              | ED093F   | 1     | 4       | 25.00    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser    | EK059G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite as N by Discrete Analyser                      | EK057G   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| pH by Auto Titrator                                    | EA005-P  | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser | ED041G   | 2     | 12      | 16.67    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Suspended Solids (High Level)                          | EA025H   | 5     | 40      | 12.50    | 12.50    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Dissolved Solids (High Level)                    | EA015H   | 5     | 40      | 12.50    | 12.50    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Kjeldahl Nitrogen as N By Discrete Analyser      | EK061G   | 3     | 17      | 17.65    | 15.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Mercury by FIMS                                  | EG035T   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite A                       | EG020A-T | 1     | 3       | 33.33    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Phosphorus as P By Discrete Analyser             | EK067G   | 3     | 17      | 17.65    | 15.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| TRH - Semivolatile Fraction                            | EP071    | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |



Matrix: **WATER**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification .

| Quality Control Sample Type                            | Method   | Count |         | Rate (%) |          |            | Quality Control Specification  |
|--------------------------------------------------------|----------|-------|---------|----------|----------|------------|--------------------------------|
|                                                        |          | QC    | Regular | Actual   | Expected | Evaluation |                                |
| <b>Laboratory Control Samples (LCS) - Continued</b>    |          |       |         |          |          |            |                                |
| TRH Volatiles/BTEX                                     | EP080    | 2     | 39      | 5.13     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| <b>Method Blanks (MB)</b>                              |          |       |         |          |          |            |                                |
| Ammonia as N by Discrete analyser                      | EK055G   | 2     | 19      | 10.53    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Biochemical Oxygen Demand (BOD)                        | EP030    | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Chloride by Discrete Analyser                          | ED045G   | 1     | 12      | 8.33     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Conductivity by Auto Titrator                          | EA010-P  | 2     | 19      | 10.53    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Major Cations - Dissolved                              | ED093F   | 1     | 4       | 25.00    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser    | EK059G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite as N by Discrete Analyser                      | EK057G   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser | ED041G   | 1     | 12      | 8.33     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Suspended Solids (High Level)                          | EA025H   | 2     | 40      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Dissolved Solids (High Level)                    | EA015H   | 2     | 40      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Kjeldahl Nitrogen as N By Discrete Analyser      | EK061G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Mercury by FIMS                                  | EG035T   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite A                       | EG020A-T | 1     | 3       | 33.33    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Phosphorus as P By Discrete Analyser             | EK067G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| TRH - Semivolatile Fraction                            | EP071    | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| TRH Volatiles/BTEX                                     | EP080    | 2     | 39      | 5.13     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| <b>Matrix Spikes (MS)</b>                              |          |       |         |          |          |            |                                |
| Ammonia as N by Discrete analyser                      | EK055G   | 2     | 19      | 10.53    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Chloride by Discrete Analyser                          | ED045G   | 1     | 12      | 8.33     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser    | EK059G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite as N by Discrete Analyser                      | EK057G   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser | ED041G   | 1     | 12      | 8.33     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Kjeldahl Nitrogen as N By Discrete Analyser      | EK061G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Mercury by FIMS                                  | EG035T   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite A                       | EG020A-T | 1     | 3       | 33.33    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Phosphorus as P By Discrete Analyser             | EK067G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| TRH - Semivolatile Fraction                            | EP071    | 0     | 20      | 0.00     | 5.00     | ✖          | NEPM 2013 B3 & ALS QC Standard |
| TRH Volatiles/BTEX                                     | EP080    | 2     | 39      | 5.13     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

| Analytical Methods                                     | Method   | Matrix | Method Descriptions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------|----------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pH by Auto Titrator                                    | EA005-P  | WATER  | In house: Referenced to APHA 4500 H+ B. This procedure determines pH of water samples by automated ISE. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                         |
| Conductivity by Auto Titrator                          | EA010-P  | WATER  | In house: Referenced to APHA 2510 B. This procedure determines conductivity by automated ISE. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                   |
| Total Dissolved Solids (High Level)                    | EA015H   | WATER  | In house: Referenced to APHA 2540C. A gravimetric procedure that determines the amount of 'filterable' residue in an aqueous sample. A well-mixed sample is filtered through a glass fibre filter (1.2um). The filtrate is evaporated to dryness and dried to constant weight at 180+/-5C. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                      |
| Suspended Solids (High Level)                          | EA025H   | WATER  | In house: Referenced to APHA 2540D. A gravimetric procedure employed to determine the amount of 'non-filterable' residue in a aqueous sample. The prescribed GFC (1.2um) filter is rinsed with deionised water, oven dried and weighed prior to analysis. A well-mixed sample is filtered through a glass fibre filter (1.2um). The residue on the filter paper is dried at 104+/-2C. This method is compliant with NEPM Schedule B(3)                                                                           |
| Alkalinity by Auto Titrator                            | ED037-P  | WATER  | In house: Referenced to APHA 2320 B This procedure determines alkalinity by automated measurement (e.g. PC Titrate) on a settled supernatant aliquot of the sample using pH 4.5 for indicating the total alkalinity end-point. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                  |
| Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser | ED041G   | WATER  | In house: Referenced to APHA 4500-SO4. Dissolved sulfate is determined in a 0.45um filtered sample. Sulfate ions are converted to a barium sulfate suspension in an acetic acid medium with barium chloride. Light absorbance of the BaSO4 suspension is measured by a photometer and the SO4-2 concentration is determined by comparison of the reading with a standard curve. This method is compliant with NEPM Schedule B(3)                                                                                 |
| Chloride by Discrete Analyser                          | ED045G   | WATER  | In house: Referenced to APHA 4500 Cl - G. The thiocyanate ion is liberated from mercuric thiocyanate through sequestration of mercury by the chloride ion to form non-ionised mercuric chloride. In the presence of ferric ions the liberated thiocyanate forms highly-coloured ferric thiocyanate which is measured at 480 nm.                                                                                                                                                                                  |
| Major Cations - Dissolved                              | ED093F   | WATER  | In house: Referenced to APHA 3120 and 3125; USEPA SW 846 - 6010 and 6020; Cations are determined by either ICP-AES or ICP-MS techniques. This method is compliant with NEPM Schedule B(3) Sodium Adsorption Ratio is calculated from Ca, Mg and Na which determined by ALS in house method QWI-EN/ED093F. This method is compliant with NEPM Schedule B(3) Hardness parameters are calculated based on APHA 2340 B. This method is compliant with NEPM Schedule B(3)                                             |
| Total Metals by ICP-MS - Suite A                       | EG020A-T | WATER  | In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector.                                                                                                                                           |
| Total Mercury by FIMS                                  | EG035T   | WATER  | In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl2)(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. A bromate/bromide reagent is used to oxidise any organic mercury compounds in the unfiltered sample. The ionic mercury is reduced online to atomic mercury vapour by SnCl2 which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3). |



| Analytical Methods                                   | Method       | Matrix | Method Descriptions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------|--------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ammonia as N by Discrete analyser                    | EK055G       | WATER  | In house: Referenced to APHA 4500-NH3 G Ammonia is determined by direct colorimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                                                 |
| Nitrite as N by Discrete Analyser                    | EK057G       | WATER  | In house: Referenced to APHA 4500-NO2- B. Nitrite is determined by direct colourimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                                              |
| Nitrate as N by Discrete Analyser                    | EK058G       | WATER  | In house: Referenced to APHA 4500-NO3- F. Nitrate is reduced to nitrite by way of a chemical reduction followed by quantification by Discrete Analyser. Nitrite is determined seperately by direct colourimetry and result for Nitrate calculated as the difference between the two results. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                              |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser  | EK059G       | WATER  | In house: Referenced to APHA 4500-NO3- F. Combined oxidised Nitrogen (NO2+NO3) is determined by Chemical Reduction and direct colourimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                          |
| Total Kjeldahl Nitrogen as N By Discrete Analyser    | EK061G       | WATER  | In house: Referenced to APHA 4500-Norg D (In house). An aliquot of sample is digested using a high temperature Kjeldahl digestion to convert nitrogenous compounds to ammonia. Ammonia is determined colorimetrically by discrete analyser. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                               |
| Total Nitrogen as N (TKN + Nox) By Discrete Analyser | EK062G       | WATER  | In house: Referenced to APHA 4500-Norg / 4500-NO3-. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Total Phosphorus as P By Discrete Analyser           | EK067G       | WATER  | In house: Referenced to APHA 4500-P H, Jirka et al, Zhang et al. This procedure involves sulphuric acid digestion of a sample aliquot to break phosphorus down to orthophosphate. The orthophosphate reacts with ammonium molybdate and antimony potassium tartrate to form a complex which is then reduced and its concentration measured at 880nm using discrete analyser. This method is compliant with NEPM Schedule B(3)                                                                                                                              |
| Ionic Balance by PCT DA and Turbi SO4 DA             | * EN055 - PG | WATER  | In house: Referenced to APHA 1030F. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Biochemical Oxygen Demand (BOD)                      | EP030        | WATER  | In house: Referenced to APHA 5210 B. The 5-Day BOD test provides an empirical measure of the oxygen consumption capacity of a given water. A portion of the sample is diluted into oxygenated, nutrient rich water, and a seed added to begin biological decay. The initial dissolved oxygen content is measured, then the bottle is sealed and incubated for five days. The remaining dissolved oxygen is measured, and from the difference, the demand for oxygen, by biological decay, is determined. This method is compliant with NEPM Schedule B(3). |
| TRH - Semivolatle Fraction                           | EP071        | WATER  | In house: Referenced to USEPA SW 846 - 8015 The sample extract is analysed by Capillary GC/FID and quantification is by comparison against an established 5 point calibration curve of n-Alkane standards. This method is compliant with the QC requirements of NEPM Schedule B(3)                                                                                                                                                                                                                                                                         |
| TRH Volatiles/BTEX                                   | EP080        | WATER  | In house: Referenced to USEPA SW 846 - 8260 Water samples are directly purged prior to analysis by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. Alternatively, a sample is equilibrated in a headspace vial and a portion of the headspace determined by GCMS analysis. This method is compliant with the QC requirements of NEPM Schedule B(3)                                                                                                                                                   |
| Preparation Methods                                  | Method       | Matrix | Method Descriptions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| TKN/TP Digestion                                     | EK061/EK067  | WATER  | In house: Referenced to APHA 4500 Norg - D; APHA 4500 P - H. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Digestion for Total Recoverable Metals               | EN25         | WATER  | In house: Referenced to USEPA SW846-3005. Method 3005 is a Nitric/Hydrochloric acid digestion procedure used to prepare surface and ground water samples for analysis by ICPAES or ICPMS. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                 |

Page : 9 of 9  
Work Order : ES2406577 Amendment 1  
Client : LWC MANAGEMENT PTY LTD  
Project : BE-72



| <i>Preparation Methods</i>              | <i>Method</i> | <i>Matrix</i> | <i>Method Descriptions</i>                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------|---------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Separatory Funnel Extraction of Liquids | ORG14         | WATER         | In house: Referenced to USEPA SW 846 - 3510 100 mL to 1L of sample is transferred to a separatory funnel and serially extracted three times using DCM for each extract. The resultant extracts are combined, dehydrated and concentrated for analysis. This method is compliant with NEPM Schedule B(3) . ALS default excludes sediment which may be resident in the container. |
| Volatiles Water Preparation             | ORG16-W       | WATER         | A 5 mL aliquot or 5 mL of a diluted sample is added to a 40 mL VOC vial for purging.                                                                                                                                                                                                                                                                                            |

CHAIN OF CUSTODY FORM

From : Land & Water Consulting Pty Ltd  
 Suite 3, 4-8 Goodwood Road, WAYVILLE, SA, 5034  
 ph: (08) 8271 5255 fax: (08) 8357 1307



ALS

Sample Analysis

LAB Quote Number: ME-221-18

LWC Project No:

BE-72

LWC Contact Information:

Contact Name:

James Fox

Contact Email:

laboratoryresults@lwconsulting.com.au  
 jfox@lwconsulting.com.au

Project Manager:

James Fox

Date Samples Sent:

29/2/24

COC Checked by:

A Vaughan

Phone Number:

08 8271 5255

| Lab ID | Date    | Matrix | Sample ID | No. Jars | SW Control + Discharge Suite* | Vertical Gravity Separator Suite* | BOD, Major Cations + Anions (including Alkalinity) | Tripblank C6-C10/ BTEXN | HOLD |
|--------|---------|--------|-----------|----------|-------------------------------|-----------------------------------|----------------------------------------------------|-------------------------|------|
| 1      | 28/2/24 | w      | VGS       | 6        | X                             | X                                 | X                                                  |                         |      |
| 2      |         |        | SWD       | 7        | X                             |                                   |                                                    |                         |      |
| 3      |         |        | SWC       | 7        |                               |                                   |                                                    |                         |      |
| 4      |         |        | DUPI      | 6        | X                             | X                                 | X                                                  |                         |      |
| 5      |         |        | SW-DUPI   | 7        | X                             |                                   |                                                    |                         |      |
| 6      |         |        | Tripblank | 2        |                               |                                   |                                                    | X                       |      |
|        |         |        |           | TOTAL    | 35                            | 2                                 | 2                                                  | 2                       | 1    |

Environmental Division  
 Sydney  
 Work Order Reference  
**ES2406577**

Telephone : + 61-2-9764 0555

LAB OF ORIGIN:  
 DARWIN

ADDITIONAL COMMENTS:

SW Control+Discharge Suite\*: pH, TDS/EC, TSS, Nutrients (ammonia, nitrite, TKN, total nitrogen, total phosphorous - B19D), 8 metals/ TRH/TPH/BTEX (B5)

Vertical Gravity Separator Suite\*: TDS, TSS, major cations and anions (including alkalinity suite), ammonia, TRH/TPH/BTEX (B1), BOD.

South  
 1/3/24 1500

LWC Management Pty Ltd  
 Suite 3/ 4-8 Goodwood Road  
 Wayville  
 SA 5034



NATA Accredited  
 Accreditation Number 1261  
 Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
 NATA is a signatory to the ILAC Mutual Recognition  
 Arrangement for the mutual recognition of the  
 equivalence of testing, medical testing, calibration,  
 inspection, proficiency testing scheme providers and  
 reference materials producers reports and certificates.

Attention: **James Fox**  
 Report **1073558-W**  
 Project name **BE-72**  
 Received Date **Feb 29, 2024**

| Client Sample ID                                            |       |          | DUP1              | SW_DUP1           | TripBlank         |
|-------------------------------------------------------------|-------|----------|-------------------|-------------------|-------------------|
| Sample Matrix                                               |       |          | Water             | Water             | Water             |
| Eurofins Sample No.                                         |       |          | M24-<br>Fe0074329 | M24-<br>Fe0074330 | M24-<br>Fe0074331 |
| Date Sampled                                                |       |          | Feb 28, 2024      | Feb 28, 2024      | Feb 28, 2024      |
| Test/Reference                                              | LOR   | Unit     |                   |                   |                   |
| <b>Total Recoverable Hydrocarbons</b>                       |       |          |                   |                   |                   |
| TRH C6-C9                                                   | 0.02  | mg/L     | 0.04              | < 0.02            | -                 |
| TRH C10-C14                                                 | 0.05  | mg/L     | 0.84              | < 0.05            | -                 |
| TRH C15-C28                                                 | 0.1   | mg/L     | 4.6               | < 0.1             | -                 |
| TRH C29-C36                                                 | 0.1   | mg/L     | 3.6               | < 0.1             | -                 |
| TRH C10-C36 (Total)                                         | 0.1   | mg/L     | 9.04              | < 0.1             | -                 |
| TRH C6-C10                                                  | 0.02  | mg/L     | 0.04              | < 0.02            | < 0.02            |
| TRH C6-C10 less BTEX (F1) <sup>N04</sup>                    | 0.02  | mg/L     | 0.04              | < 0.02            | -                 |
| TRH >C10-C16                                                | 0.05  | mg/L     | 0.94              | < 0.05            | -                 |
| TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>           | 0.05  | mg/L     | 0.94              | < 0.05            | -                 |
| TRH >C16-C34                                                | 0.1   | mg/L     | 6.6               | < 0.1             | -                 |
| TRH >C34-C40                                                | 0.1   | mg/L     | 1.1               | < 0.1             | -                 |
| TRH >C10-C40 (total)*                                       | 0.1   | mg/L     | 8.64              | < 0.1             | -                 |
| <b>BTEX</b>                                                 |       |          |                   |                   |                   |
| Benzene                                                     | 0.001 | mg/L     | < 0.001           | < 0.001           | < 0.001           |
| Toluene                                                     | 0.001 | mg/L     | 0.003             | < 0.001           | < 0.001           |
| Ethylbenzene                                                | 0.001 | mg/L     | < 0.001           | < 0.001           | < 0.001           |
| m&p-Xylenes                                                 | 0.002 | mg/L     | < 0.002           | < 0.002           | < 0.002           |
| o-Xylene                                                    | 0.001 | mg/L     | 0.001             | < 0.001           | < 0.001           |
| Xylenes - Total*                                            | 0.003 | mg/L     | < 0.003           | < 0.003           | < 0.003           |
| 4-Bromofluorobenzene (surr.)                                | 1     | %        | 94                | 103               | 83                |
| <b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b> |       |          |                   |                   |                   |
| Naphthalene <sup>N02</sup>                                  | 0.01  | mg/L     | < 0.01            | < 0.01            | -                 |
| <b>Ammonia and Nutrients</b>                                |       |          |                   |                   |                   |
| Ammonia (as N)                                              | 0.01  | mg/L     | 0.04              | 0.08              | -                 |
| Biochemical Oxygen Demand (BOD-5 Day)                       | 5     | mg/L     | 17                | -                 | -                 |
| Chloride                                                    | 1     | mg/L     | 6.5               | -                 | -                 |
| Sulphate (as SO4)                                           | 5     | mg/L     | 12                | -                 | -                 |
| Total Dissolved Solids Dried at 180 °C ± 2 °C               | 10    | mg/L     | 160               | 90                | -                 |
| Total Suspended Solids Dried at 103 °C to 105 °C            | 5     | mg/L     | 8.5               | < 5               | -                 |
| Conductivity (at 25 °C)                                     | 10    | uS/cm    | -                 | 130               | -                 |
| Nitrate & Nitrite (as N)                                    | 0.05  | mg/L     | -                 | < 0.05            | -                 |
| Nitrate (as N)                                              | 0.02  | mg/L     | -                 | < 0.02            | -                 |
| Nitrite (as N)                                              | 0.02  | mg/L     | -                 | < 0.02            | -                 |
| Organic Nitrogen (as N)*                                    | 0.2   | mg/L     | -                 | 0.62              | -                 |
| pH (at 25 °C)                                               | 0.1   | pH Units | -                 | 9.6               | -                 |
| Total Kjeldahl Nitrogen (as N)                              | 0.2   | mg/L     | -                 | 0.7               | -                 |

| Client Sample ID                               |        |      | DUP1              | SW_DUP1           | TripBlank         |
|------------------------------------------------|--------|------|-------------------|-------------------|-------------------|
| Sample Matrix                                  |        |      | Water             | Water             | Water             |
| Eurofins Sample No.                            |        |      | M24-<br>Fe0074329 | M24-<br>Fe0074330 | M24-<br>Fe0074331 |
| Date Sampled                                   |        |      | Feb 28, 2024      | Feb 28, 2024      | Feb 28, 2024      |
| Test/Reference                                 | LOR    | Unit |                   |                   |                   |
| Total Nitrogen (as N)*                         | 0.2    | mg/L | -                 | 0.7               | -                 |
| Phosphate total (as P)                         | 0.01   | mg/L | -                 | 0.03              | -                 |
| <b>Alkalinity (speciated)</b>                  |        |      |                   |                   |                   |
| Bicarbonate Alkalinity (as CaCO <sub>3</sub> ) | 20     | mg/L | 140               | -                 | -                 |
| Carbonate Alkalinity (as CaCO <sub>3</sub> )   | 10     | mg/L | < 10              | -                 | -                 |
| Hydroxide Alkalinity (as CaCO <sub>3</sub> )   | 20     | mg/L | < 20              | -                 | -                 |
| Total Alkalinity (as CaCO <sub>3</sub> )       | 20     | mg/L | 140               | -                 | -                 |
| <b>Alkali Metals</b>                           |        |      |                   |                   |                   |
| Calcium                                        | 0.5    | mg/L | 31                | -                 | -                 |
| Magnesium                                      | 0.5    | mg/L | 13                | -                 | -                 |
| Potassium                                      | 0.5    | mg/L | 1.8               | -                 | -                 |
| Sodium                                         | 0.5    | mg/L | 9.6               | -                 | -                 |
| <b>Heavy Metals</b>                            |        |      |                   |                   |                   |
| Arsenic                                        | 0.001  | mg/L | -                 | 0.001             | -                 |
| Cadmium                                        | 0.0002 | mg/L | -                 | < 0.0002          | -                 |
| Chromium                                       | 0.001  | mg/L | -                 | < 0.001           | -                 |
| Copper                                         | 0.001  | mg/L | -                 | 0.008             | -                 |
| Lead                                           | 0.001  | mg/L | -                 | 0.002             | -                 |
| Mercury                                        | 0.0001 | mg/L | -                 | < 0.0001          | -                 |
| Nickel                                         | 0.001  | mg/L | -                 | < 0.001           | -                 |
| Zinc                                           | 0.005  | mg/L | -                 | 0.013             | -                 |
| <b>Volatile Organics</b>                       |        |      |                   |                   |                   |
| Naphthalene <sup>NO2</sup>                     | 0.01   | mg/L | -                 | -                 | < 0.01            |

## Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

| Description                                                                                                                                                           | Testing Site | Extracted    | Holding Time |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------|--------------|
| <b>Eurofins Suite B5</b>                                                                                                                                              |              |              |              |
| Total Recoverable Hydrocarbons - 1999 NEPM Fractions<br>- Method: LTM-ORG-2010 TRH C6-C40                                                                             | Melbourne    | Mar 01, 2024 | 7 Days       |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions<br>- Method: LTM-ORG-2010 TRH C6-C40                                                                             | Melbourne    | Mar 01, 2024 | 7 Days       |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions<br>- Method: LTM-ORG-2010 TRH C6-C40                                                                             | Melbourne    | Mar 01, 2024 | 7 Days       |
| <b>BTEX</b><br>- Method: LTM-ORG-2010 BTEX and Volatile TRH                                                                                                           | Melbourne    | Mar 01, 2024 | 14 Days      |
| <b>Metals M7</b><br>- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS                                                                              | Melbourne    | Mar 01, 2024 | 180 Days     |
| Total Recoverable Hydrocarbons<br>- Method: LTM-ORG-2010 TRH C6-C40                                                                                                   | Melbourne    | Mar 01, 2024 | 7 Days       |
| Biochemical Oxygen Demand (BOD-5 Day)<br>- Method: LTM-INO-4010 Biochemical Oxygen Demand (BOD5) in Water                                                             | Melbourne    | Mar 01, 2024 | 2 Days       |
| Total Suspended Solids Dried at 103 °C to 105 °C<br>- Method: LTM-INO-4070 Analysis of Suspended Solids in Water by Gravimetry                                        | Melbourne    | Mar 01, 2024 | 7 Days       |
| Conductivity (at 25 °C)<br>- Method: LTM-INO-4030 Conductivity                                                                                                        | Melbourne    | Mar 01, 2024 | 28 Days      |
| pH (at 25 °C)<br>- Method: LTM-GEN-7090 pH in water by ISE                                                                                                            | Melbourne    | Mar 01, 2024 | 0 Hours      |
| Phosphate total (as P)<br>- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS                                                                        | Melbourne    | Mar 06, 2024 | 28 Days      |
| <b>Eurofins Suite B11C: Na/K/Ca/Mg</b><br>- Method: LTM-MET-3040 METALS IN WATERS, SOLIDS,                                                                            | Melbourne    | Mar 01, 2024 | 180 Days     |
| <b>Metals M8</b><br>- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS                                                                              | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Eurofins Suite B19D: Total N, TKN, NOx, NO2, NO3, NH3, Total P Ammonia (as N)</b><br>- Method: LTM-INO-4450 Determination of Nitrogen Species by Discrete Analyser | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Nitrate &amp; Nitrite (as N)</b><br>- Method: LTM-INO-4450 Determination of Nitrogen Species by Discrete Analyser                                                  | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Nitrate (as N)</b><br>- Method: LTM-INO-4450 Determination of Nitrogen Species by Discrete Analyser                                                                | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Nitrite (as N)</b><br>- Method: LTM-INO-4450 Determination of Nitrogen Species by Discrete Analyser                                                                | Melbourne    | Mar 01, 2024 | 2 Days       |
| <b>Organic Nitrogen (as N)*</b><br>- Method: APHA 4500 Organic Nitrogen (N)                                                                                           | Melbourne    | Feb 29, 2024 | 7 Days       |
| <b>Total Kjeldahl Nitrogen (as N)</b><br>- Method: APHA 4500-Norg B,D Total Kjeldahl Nitrogen by FIA                                                                  | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Eurofins Suite B11E: Cl/SO4/Alkalinity</b>                                                                                                                         |              |              |              |
| <b>Chloride</b><br>- Method: LTM-INO-4270 Anions by Ion Chromatography                                                                                                | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Sulphate (as SO4)</b><br>- Method: LTM-INO-4270 Anions by Ion Chromatography                                                                                       | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Alkalinity (speciated)</b><br>- Method: LTM-INO-4250 Alkalinity by Electrometric Titration                                                                         | Melbourne    | Mar 01, 2024 | 14 Days      |
| <b>Total Dissolved Solids Dried at 180 °C ± 2 °C</b><br>- Method: LTM-INO-4170 Total Dissolved Solids in Water                                                        | Melbourne    | Mar 01, 2024 | 28 Days      |

web: www.eurofins.com.au  
 email: EnviroSales@eurofins.com

|                                                                                                                   |                                                                                                                |                                                                                                            |                                                                                                                  |                                                                                                                   |                                                                                                                          |                                                                                                           |                                                                                                 |                                                                                                                        |                                                                                                            |                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| <b>Melbourne</b><br>6 Monterey Road<br>Dandenong South<br>VIC 3175<br>+61 3 8564 5000<br>NATA# 1261<br>Site# 1254 | <b>Geelong</b><br>19/8 Lewalan Street<br>Grovedale<br>VIC 3216<br>+61 3 8564 5000<br>NATA# 1261<br>Site# 25403 | <b>Sydney</b><br>179 Magowar Road<br>Girraween<br>NSW 2145<br>+61 2 9900 8400<br>NATA# 1261<br>Site# 18217 | <b>Canberra</b><br>Unit 1,2 Dacre Street<br>Mitchell<br>ACT 2911<br>+61 2 6113 8091<br>NATA# 1261<br>Site# 25466 | <b>Brisbane</b><br>1/21 Smallwood Place<br>Murarie<br>QLD 4172<br>T: +61 7 3902 4600<br>NATA# 1261<br>Site# 20794 | <b>Newcastle</b><br>1/2 Frost Drive<br>Mayfield West<br>NSW 2304<br>+61 2 4968 8448<br>NATA# 1261<br>Site# 25079 & 25289 | <b>Perth</b><br>46-48 Banksia Road<br>Welshpool<br>WA 6106<br>+61 8 6253 4444<br>NATA# 2377<br>Site# 2370 | <b>Auckland</b><br>35 O'Rorke Road<br>Penrose,<br>Auckland 1061<br>+64 9 526 4551<br>IANZ# 1327 | <b>Auckland (Asb)</b><br>Unit C1/4 Pacific Rise,<br>Mount Wellington,<br>Auckland 1061<br>+64 9 525 0568<br>IANZ# 1308 | <b>Christchurch</b><br>43 Detroit Drive<br>Rolleston,<br>Christchurch 7675<br>+64 3 343 5201<br>IANZ# 1290 | <b>Tauranga</b><br>1277 Cameron Road,<br>Gate Pa,<br>Tauranga 3112<br>+64 9 525 0568<br>IANZ# 1402 |
|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|

|                                                           |                                                   |                   |              |                      |                       |
|-----------------------------------------------------------|---------------------------------------------------|-------------------|--------------|----------------------|-----------------------|
| <b>Company Name:</b>                                      | LWC Management Pty Ltd                            | <b>Order No.:</b> |              | <b>Received:</b>     | Feb 29, 2024 11:33 AM |
| <b>Address:</b>                                           | Suite 3/ 4-8 Goodwood Road<br>Wayville<br>SA 5034 | <b>Report #:</b>  | 1073558      | <b>Due:</b>          | Mar 7, 2024           |
| <b>Project Name:</b>                                      | BE-72                                             | <b>Phone:</b>     | 08 8271 5255 | <b>Priority:</b>     | 5 Day                 |
|                                                           |                                                   | <b>Fax:</b>       |              | <b>Contact Name:</b> | James Fox             |
| <b>Eurofins Analytical Services Manager : Amy Meunier</b> |                                                   |                   |              |                      |                       |

| Sample Detail                                         |           |              |               |        |               | Ammonia (as N) | Biochemical Oxygen Demand (BOD-5 Day) | Conductivity (at 25 °C) | pH (at 25 °C) | Total Suspended Solids Dried at 103 °C to 105 °C | TRH C6-C10 | Metals M8 | BTEX and Naphthalene | Eurofins Suite B1 | Eurofins Suite B5 | Eurofins Suite B19D: Total N, TKN, NOx, NO2, NO3, NH3, Total P | Eurofins Suite B11E: Cl/SO4/Alkalinity | Eurofins Suite B11C: Na/K/Ca/Mg | Total Dissolved Solids Dried at 180 °C ± 2 °C |
|-------------------------------------------------------|-----------|--------------|---------------|--------|---------------|----------------|---------------------------------------|-------------------------|---------------|--------------------------------------------------|------------|-----------|----------------------|-------------------|-------------------|----------------------------------------------------------------|----------------------------------------|---------------------------------|-----------------------------------------------|
| <b>Melbourne Laboratory - NATA # 1261 Site # 1254</b> |           |              |               |        |               | X              | X                                     | X                       | X             | X                                                | X          | X         | X                    | X                 | X                 | X                                                              | X                                      | X                               | X                                             |
| <b>External Laboratory</b>                            |           |              |               |        |               |                |                                       |                         |               |                                                  |            |           |                      |                   |                   |                                                                |                                        |                                 |                                               |
| No                                                    | Sample ID | Sample Date  | Sampling Time | Matrix | LAB ID        |                |                                       |                         |               |                                                  |            |           |                      |                   |                   |                                                                |                                        |                                 |                                               |
| 1                                                     | DUP1      | Feb 28, 2024 |               | Water  | M24-Fe0074329 | X              | X                                     |                         |               | X                                                |            |           |                      | X                 |                   |                                                                | X                                      | X                               | X                                             |
| 2                                                     | SW_DUP1   | Feb 28, 2024 |               | Water  | M24-Fe0074330 |                |                                       | X                       | X             | X                                                |            | X         |                      |                   | X                 | X                                                              |                                        |                                 | X                                             |
| 3                                                     | TripBlank | Feb 28, 2024 |               | Water  | M24-Fe0074331 |                |                                       |                         |               |                                                  | X          |           | X                    |                   |                   |                                                                |                                        |                                 |                                               |
| <b>Test Counts</b>                                    |           |              |               |        |               | 1              | 1                                     | 1                       | 1             | 2                                                | 1          | 1         | 1                    | 1                 | 1                 | 1                                                              | 1                                      | 1                               | 2                                             |

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follow guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013. They are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry weight basis unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion unless otherwise stated.
- For CEC results where the sample's origin is unknown or environmentally contaminated, the results should be used advisedly.
- Actual LORs are matrix dependent. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters is performed on homogenised, unfiltered samples unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified in this report with blue colour indicates data provided by customers that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to the 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours before sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and despite any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling; therefore, compliance with these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether, the holding time is 7 days; however, for all other VOCs, such as BTEX or C6-10 TRH, the holding time is 14 days.

### Units

|                                                  |                                           |                                                                          |
|--------------------------------------------------|-------------------------------------------|--------------------------------------------------------------------------|
| <b>mg/kg:</b> milligrams per kilogram            | <b>mg/L:</b> milligrams per litre         | <b>ppm:</b> parts per million                                            |
| <b>µg/L:</b> micrograms per litre                | <b>ppb:</b> parts per billion             | <b>%:</b> Percentage                                                     |
| <b>org/100 mL:</b> Organisms per 100 millilitres | <b>NTU:</b> Nephelometric Turbidity Units | <b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres |
| <b>CFU:</b> Colony forming unit                  | <b>Colour:</b> Pt-Co Units                |                                                                          |

### Terms

|                         |                                                                                                                                                                                                                                                                                                  |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>APHA</b>             | American Public Health Association                                                                                                                                                                                                                                                               |
| <b>CEC</b>              | Cation Exchange Capacity                                                                                                                                                                                                                                                                         |
| <b>COC</b>              | Chain of Custody                                                                                                                                                                                                                                                                                 |
| <b>CP</b>               | Client Parent - QC was performed on samples pertaining to this report                                                                                                                                                                                                                            |
| <b>CRM</b>              | Certified Reference Material (ISO17034) - reported as percent recovery.                                                                                                                                                                                                                          |
| <b>Dry</b>              | Where moisture has been determined on a solid sample, the result is expressed on a dry weight basis.                                                                                                                                                                                             |
| <b>Duplicate</b>        | A second piece of analysis from the same sample and reported in the same units as the result to show comparison.                                                                                                                                                                                 |
| <b>LOR</b>              | Limit of Reporting.                                                                                                                                                                                                                                                                              |
| <b>LCS</b>              | Laboratory Control Sample - reported as percent recovery.                                                                                                                                                                                                                                        |
| <b>Method Blank</b>     | In the case of solid samples, these are performed on laboratory-certified clean sands and in the case of water samples, these are performed on de-ionised water.                                                                                                                                 |
| <b>NCP</b>              | Non-Client Parent - QC performed on samples not pertaining to this report, QC represents the sequence or batch that client samples were analysed within.                                                                                                                                         |
| <b>RPD</b>              | Relative Percent Difference between two Duplicate pieces of analysis.                                                                                                                                                                                                                            |
| <b>SPIKE</b>            | Addition of the analyte to the sample and reported as percentage recovery.                                                                                                                                                                                                                       |
| <b>SRA</b>              | Sample Receipt Advice                                                                                                                                                                                                                                                                            |
| <b>Surr - Surrogate</b> | The addition of a similar compound to the analyte target is reported as percentage recovery. See below for acceptance criteria.                                                                                                                                                                  |
| <b>TBTO</b>             | Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment; however, free tributyltin was measured, and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits. |
| <b>TCLP</b>             | Toxicity Characteristic Leaching Procedure                                                                                                                                                                                                                                                       |
| <b>TEQ</b>              | Toxic Equivalency Quotient or Total Equivalence                                                                                                                                                                                                                                                  |
| <b>QSM</b>              | US Department of Defense Quality Systems Manual Version 5.4                                                                                                                                                                                                                                      |
| <b>US EPA</b>           | United States Environmental Protection Agency                                                                                                                                                                                                                                                    |
| <b>WA DWER</b>          | Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA                                                                                                                                                                                                                    |

### QC - Acceptance Criteria

The acceptance criteria should only be used as a guide and may be different when site-specific Sampling Analysis and Quality Plan (SAQP) have been implemented.

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is ≤30%; however, the following acceptance guidelines are equally applicable:

|                                      |                            |
|--------------------------------------|----------------------------|
| Results <10 times the LOR:           | No Limit                   |
| Results between 10-20 times the LOR: | RPD must lie between 0-50% |
| Results >20 times the LOR:           | RPD must lie between 0-30% |

NOTE: pH duplicates are reported as a range, not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS. SVOCs recoveries 20 – 150%, VOC recoveries 70 – 130%

PFAS field samples containing surrogate recoveries above the QC limit designated in QSM 5.4, where no positive PFAS results have been reported or reviewed, and no data was affected.

### QC Data General Comments

- Where a result is reported as less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown are not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery, the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results, a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data; thus, it is possible to have two sets of data.

**Quality Control Results**

| Test                                                        | Units | Result 1 |  |  | Acceptance Limits | Pass Limits | Qualifying Code |
|-------------------------------------------------------------|-------|----------|--|--|-------------------|-------------|-----------------|
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| <b>Total Recoverable Hydrocarbons</b>                       |       |          |  |  |                   |             |                 |
| TRH C6-C9                                                   | mg/L  | < 0.02   |  |  | 0.02              | Pass        |                 |
| TRH C10-C14                                                 | mg/L  | < 0.05   |  |  | 0.05              | Pass        |                 |
| TRH C15-C28                                                 | mg/L  | < 0.1    |  |  | 0.1               | Pass        |                 |
| TRH C29-C36                                                 | mg/L  | < 0.1    |  |  | 0.1               | Pass        |                 |
| TRH C6-C10                                                  | mg/L  | < 0.02   |  |  | 0.02              | Pass        |                 |
| TRH >C10-C16                                                | mg/L  | < 0.05   |  |  | 0.05              | Pass        |                 |
| TRH >C16-C34                                                | mg/L  | < 0.1    |  |  | 0.1               | Pass        |                 |
| TRH >C34-C40                                                | mg/L  | < 0.1    |  |  | 0.1               | Pass        |                 |
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| <b>BTEX</b>                                                 |       |          |  |  |                   |             |                 |
| Benzene                                                     | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Toluene                                                     | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Ethylbenzene                                                | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| m&p-Xylenes                                                 | mg/L  | < 0.002  |  |  | 0.002             | Pass        |                 |
| o-Xylene                                                    | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Xylenes - Total*                                            | mg/L  | < 0.003  |  |  | 0.003             | Pass        |                 |
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| <b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b> |       |          |  |  |                   |             |                 |
| Naphthalene                                                 | mg/L  | < 0.01   |  |  | 0.01              | Pass        |                 |
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| Ammonia (as N)                                              | mg/L  | < 0.01   |  |  | 0.01              | Pass        |                 |
| Biochemical Oxygen Demand (BOD-5 Day)                       | mg/L  | < 5      |  |  | 5                 | Pass        |                 |
| Chloride                                                    | mg/L  | < 1      |  |  | 1                 | Pass        |                 |
| Sulphate (as SO <sub>4</sub> )                              | mg/L  | < 5      |  |  | 5                 | Pass        |                 |
| Total Dissolved Solids Dried at 180 °C ± 2 °C               | mg/L  | < 10     |  |  | 10                | Pass        |                 |
| Total Suspended Solids Dried at 103 °C to 105 °C            | mg/L  | < 5      |  |  | 5                 | Pass        |                 |
| Nitrate & Nitrite (as N)                                    | mg/L  | < 0.05   |  |  | 0.05              | Pass        |                 |
| Nitrate (as N)                                              | mg/L  | < 0.02   |  |  | 0.02              | Pass        |                 |
| Nitrite (as N)                                              | mg/L  | < 0.02   |  |  | 0.02              | Pass        |                 |
| Total Kjeldahl Nitrogen (as N)                              | mg/L  | < 0.2    |  |  | 0.2               | Pass        |                 |
| Phosphate total (as P)                                      | mg/L  | < 0.01   |  |  | 0.01              | Pass        |                 |
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| <b>Alkali Metals</b>                                        |       |          |  |  |                   |             |                 |
| Calcium                                                     | mg/L  | < 0.5    |  |  | 0.5               | Pass        |                 |
| Magnesium                                                   | mg/L  | < 0.5    |  |  | 0.5               | Pass        |                 |
| Potassium                                                   | mg/L  | < 0.5    |  |  | 0.5               | Pass        |                 |
| Sodium                                                      | mg/L  | < 0.5    |  |  | 0.5               | Pass        |                 |
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| <b>Heavy Metals</b>                                         |       |          |  |  |                   |             |                 |
| Arsenic                                                     | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Cadmium                                                     | mg/L  | < 0.0002 |  |  | 0.0002            | Pass        |                 |
| Chromium                                                    | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Copper                                                      | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Lead                                                        | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Mercury                                                     | mg/L  | < 0.0001 |  |  | 0.0001            | Pass        |                 |
| Nickel                                                      | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Zinc                                                        | mg/L  | < 0.005  |  |  | 0.005             | Pass        |                 |
| <b>LCS - % Recovery</b>                                     |       |          |  |  |                   |             |                 |
| <b>Total Recoverable Hydrocarbons</b>                       |       |          |  |  |                   |             |                 |
| TRH C6-C9                                                   | %     | 88       |  |  | 70-130            | Pass        |                 |

| Test                                                        |               | Units     | Result 1 |          |  | Acceptance Limits | Pass Limits | Qualifying Code |
|-------------------------------------------------------------|---------------|-----------|----------|----------|--|-------------------|-------------|-----------------|
| TRH C10-C14                                                 |               | %         | 104      |          |  | 70-130            | Pass        |                 |
| TRH C6-C10                                                  |               | %         | 78       |          |  | 70-130            | Pass        |                 |
| TRH >C10-C16                                                |               | %         | 97       |          |  | 70-130            | Pass        |                 |
| <b>LCS - % Recovery</b>                                     |               |           |          |          |  |                   |             |                 |
| <b>BTEX</b>                                                 |               |           |          |          |  |                   |             |                 |
| Benzene                                                     |               | %         | 76       |          |  | 70-130            | Pass        |                 |
| Toluene                                                     |               | %         | 81       |          |  | 70-130            | Pass        |                 |
| Ethylbenzene                                                |               | %         | 79       |          |  | 70-130            | Pass        |                 |
| m&p-Xylenes                                                 |               | %         | 78       |          |  | 70-130            | Pass        |                 |
| Xylenes - Total*                                            |               | %         | 77       |          |  | 70-130            | Pass        |                 |
| <b>LCS - % Recovery</b>                                     |               |           |          |          |  |                   |             |                 |
| <b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b> |               |           |          |          |  |                   |             |                 |
| Naphthalene                                                 |               | %         | 78       |          |  | 70-130            | Pass        |                 |
| <b>LCS - % Recovery</b>                                     |               |           |          |          |  |                   |             |                 |
| Ammonia (as N)                                              |               | %         | 115      |          |  | 70-130            | Pass        |                 |
| Biochemical Oxygen Demand (BOD-5 Day)                       |               | %         | 93       |          |  | 85-115            | Pass        |                 |
| Chloride                                                    |               | %         | 106      |          |  | 70-130            | Pass        |                 |
| Sulphate (as SO4)                                           |               | %         | 117      |          |  | 70-130            | Pass        |                 |
| Total Dissolved Solids Dried at 180 °C ± 2 °C               |               | %         | 96       |          |  | 70-130            | Pass        |                 |
| Total Suspended Solids Dried at 103 °C to 105 °C            |               | %         | 98       |          |  | 70-130            | Pass        |                 |
| Conductivity (at 25 °C)                                     |               | %         | 103      |          |  | 70-130            | Pass        |                 |
| Nitrate & Nitrite (as N)                                    |               | %         | 106      |          |  | 70-130            | Pass        |                 |
| Nitrite (as N)                                              |               | %         | 108      |          |  | 70-130            | Pass        |                 |
| Total Kjeldahl Nitrogen (as N)                              |               | %         | 110      |          |  | 70-130            | Pass        |                 |
| Phosphate total (as P)                                      |               | %         | 90       |          |  | 70-130            | Pass        |                 |
| <b>LCS - % Recovery</b>                                     |               |           |          |          |  |                   |             |                 |
| <b>Alkalinity (speciated)</b>                               |               |           |          |          |  |                   |             |                 |
| Carbonate Alkalinity (as CaCO3)                             |               | %         | 89       |          |  | 70-130            | Pass        |                 |
| Total Alkalinity (as CaCO3)                                 |               | %         | 90       |          |  | 70-130            | Pass        |                 |
| <b>LCS - % Recovery</b>                                     |               |           |          |          |  |                   |             |                 |
| <b>Alkali Metals</b>                                        |               |           |          |          |  |                   |             |                 |
| Calcium                                                     |               | %         | 109      |          |  | 80-120            | Pass        |                 |
| Magnesium                                                   |               | %         | 111      |          |  | 80-120            | Pass        |                 |
| Potassium                                                   |               | %         | 107      |          |  | 80-120            | Pass        |                 |
| Sodium                                                      |               | %         | 109      |          |  | 80-120            | Pass        |                 |
| <b>LCS - % Recovery</b>                                     |               |           |          |          |  |                   |             |                 |
| <b>Heavy Metals</b>                                         |               |           |          |          |  |                   |             |                 |
| Arsenic                                                     |               | %         | 103      |          |  | 80-120            | Pass        |                 |
| Cadmium                                                     |               | %         | 100      |          |  | 80-120            | Pass        |                 |
| Chromium                                                    |               | %         | 99       |          |  | 80-120            | Pass        |                 |
| Copper                                                      |               | %         | 100      |          |  | 80-120            | Pass        |                 |
| Lead                                                        |               | %         | 98       |          |  | 80-120            | Pass        |                 |
| Mercury                                                     |               | %         | 94       |          |  | 80-120            | Pass        |                 |
| Nickel                                                      |               | %         | 100      |          |  | 80-120            | Pass        |                 |
| Zinc                                                        |               | %         | 103      |          |  | 80-120            | Pass        |                 |
| Test                                                        | Lab Sample ID | QA Source | Units    | Result 1 |  | Acceptance Limits | Pass Limits | Qualifying Code |
| <b>Spike - % Recovery</b>                                   |               |           |          |          |  |                   |             |                 |
| <b>Total Recoverable Hydrocarbons</b>                       |               |           |          | Result 1 |  |                   |             |                 |
| TRH C6-C9                                                   | M24-Ma0003029 | NCP       | %        | 73       |  | 70-130            | Pass        |                 |
| TRH C10-C14                                                 | M24-Ma0006308 | NCP       | %        | 103      |  | 70-130            | Pass        |                 |
| TRH C6-C10                                                  | M24-Ma0003029 | NCP       | %        | 71       |  | 70-130            | Pass        |                 |
| TRH >C10-C16                                                | M24-Ma0006308 | NCP       | %        | 100      |  | 70-130            | Pass        |                 |
| <b>Spike - % Recovery</b>                                   |               |           |          |          |  |                   |             |                 |
| <b>BTEX</b>                                                 |               |           |          | Result 1 |  |                   |             |                 |

| Test                                                        | Lab Sample ID | QA Source | Units | Result 1 |          |     | Acceptance Limits | Pass Limits | Qualifying Code |
|-------------------------------------------------------------|---------------|-----------|-------|----------|----------|-----|-------------------|-------------|-----------------|
| Benzene                                                     | M24-Ma0003029 | NCP       | %     | 77       |          |     | 70-130            | Pass        |                 |
| Toluene                                                     | M24-Ma0003029 | NCP       | %     | 75       |          |     | 70-130            | Pass        |                 |
| Ethylbenzene                                                | M24-Ma0003029 | NCP       | %     | 73       |          |     | 70-130            | Pass        |                 |
| m&p-Xylenes                                                 | M24-Ma0003029 | NCP       | %     | 73       |          |     | 70-130            | Pass        |                 |
| o-Xylene                                                    | M24-Ma0003029 | NCP       | %     | 77       |          |     | 70-130            | Pass        |                 |
| Xylenes - Total*                                            | M24-Ma0003029 | NCP       | %     | 74       |          |     | 70-130            | Pass        |                 |
| <b>Spike - % Recovery</b>                                   |               |           |       |          |          |     |                   |             |                 |
| <b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b> |               |           |       | Result 1 |          |     |                   |             |                 |
| Naphthalene                                                 | M24-Ma0003029 | NCP       | %     | 75       |          |     | 70-130            | Pass        |                 |
| <b>Spike - % Recovery</b>                                   |               |           |       |          |          |     |                   |             |                 |
|                                                             |               |           |       | Result 1 |          |     |                   |             |                 |
| Total Suspended Solids Dried at 103 °C to 105 °C            | M24-Fe0075337 | NCP       | %     | 107      |          |     | 70-130            | Pass        |                 |
| <b>Spike - % Recovery</b>                                   |               |           |       |          |          |     |                   |             |                 |
|                                                             |               |           |       | Result 1 |          |     |                   |             |                 |
| Nitrate & Nitrite (as N)                                    | M24-Fe0074330 | CP        | %     | 125      |          |     | 70-130            | Pass        |                 |
| Nitrite (as N)                                              | M24-Fe0074330 | CP        | %     | 123      |          |     | 70-130            | Pass        |                 |
| Total Kjeldahl Nitrogen (as N)                              | S24-Fe0072154 | NCP       | %     | 112      |          |     | 70-130            | Pass        |                 |
| Phosphate total (as P)                                      | M24-Fe0075965 | NCP       | %     | 94       |          |     | 70-130            | Pass        |                 |
| <b>Spike - % Recovery</b>                                   |               |           |       |          |          |     |                   |             |                 |
|                                                             |               |           |       | Result 1 |          |     |                   |             |                 |
| <b>Heavy Metals</b>                                         |               |           |       |          |          |     |                   |             |                 |
|                                                             |               |           |       | Result 1 |          |     |                   |             |                 |
| Arsenic                                                     | M24-Fe0074963 | NCP       | %     | 120      |          |     | 75-125            | Pass        |                 |
| Cadmium                                                     | M24-Fe0074963 | NCP       | %     | 115      |          |     | 75-125            | Pass        |                 |
| Chromium                                                    | M24-Fe0074963 | NCP       | %     | 112      |          |     | 75-125            | Pass        |                 |
| Copper                                                      | M24-Fe0074963 | NCP       | %     | 115      |          |     | 75-125            | Pass        |                 |
| Lead                                                        | M24-Fe0074963 | NCP       | %     | 107      |          |     | 75-125            | Pass        |                 |
| Mercury                                                     | M24-Fe0074963 | NCP       | %     | 118      |          |     | 75-125            | Pass        |                 |
| Nickel                                                      | M24-Fe0074963 | NCP       | %     | 113      |          |     | 75-125            | Pass        |                 |
| Zinc                                                        | M24-Fe0074963 | NCP       | %     | 118      |          |     | 75-125            | Pass        |                 |
| Test                                                        | Lab Sample ID | QA Source | Units | Result 1 |          |     | Acceptance Limits | Pass Limits | Qualifying Code |
| <b>Duplicate</b>                                            |               |           |       |          |          |     |                   |             |                 |
| <b>Total Recoverable Hydrocarbons</b>                       |               |           |       | Result 1 | Result 2 | RPD |                   |             |                 |
| TRH C6-C9                                                   | M24-Ma0002512 | NCP       | mg/L  | < 0.02   | < 0.02   | <1  | 30%               | Pass        |                 |
| TRH C10-C14                                                 | M24-Ma0001797 | NCP       | mg/L  | < 0.05   | < 0.05   | <1  | 30%               | Pass        |                 |
| TRH C15-C28                                                 | M24-Ma0001797 | NCP       | mg/L  | < 0.1    | < 0.1    | <1  | 30%               | Pass        |                 |
| TRH C29-C36                                                 | M24-Ma0001797 | NCP       | mg/L  | < 0.1    | < 0.1    | <1  | 30%               | Pass        |                 |
| TRH C6-C10                                                  | M24-Ma0002512 | NCP       | mg/L  | < 0.02   | < 0.02   | <1  | 30%               | Pass        |                 |
| TRH >C10-C16                                                | M24-Ma0001797 | NCP       | mg/L  | < 0.05   | < 0.05   | <1  | 30%               | Pass        |                 |
| TRH >C16-C34                                                | M24-Ma0001797 | NCP       | mg/L  | < 0.1    | < 0.1    | <1  | 30%               | Pass        |                 |
| TRH >C34-C40                                                | M24-Ma0001797 | NCP       | mg/L  | < 0.1    | < 0.1    | <1  | 30%               | Pass        |                 |
| <b>Duplicate</b>                                            |               |           |       |          |          |     |                   |             |                 |
| <b>BTEX</b>                                                 |               |           |       | Result 1 | Result 2 | RPD |                   |             |                 |
| Benzene                                                     | M24-Ma0002512 | NCP       | mg/L  | < 0.001  | < 0.001  | <1  | 30%               | Pass        |                 |
| Toluene                                                     | M24-Ma0002512 | NCP       | mg/L  | < 0.001  | < 0.001  | <1  | 30%               | Pass        |                 |
| Ethylbenzene                                                | M24-Ma0002512 | NCP       | mg/L  | < 0.001  | < 0.001  | <1  | 30%               | Pass        |                 |
| m&p-Xylenes                                                 | M24-Ma0002512 | NCP       | mg/L  | < 0.002  | < 0.002  | <1  | 30%               | Pass        |                 |
| o-Xylene                                                    | M24-Ma0002512 | NCP       | mg/L  | < 0.001  | < 0.001  | <1  | 30%               | Pass        |                 |
| Xylenes - Total*                                            | M24-Ma0002512 | NCP       | mg/L  | < 0.003  | < 0.003  | <1  | 30%               | Pass        |                 |
| <b>Duplicate</b>                                            |               |           |       |          |          |     |                   |             |                 |
| <b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b> |               |           |       | Result 1 | Result 2 | RPD |                   |             |                 |
| Naphthalene                                                 | M24-Ma0002512 | NCP       | mg/L  | < 0.01   | < 0.01   | <1  | 30%               | Pass        |                 |

| <b>Duplicate</b>                                 |               |     |          |          |          |      |     |      |
|--------------------------------------------------|---------------|-----|----------|----------|----------|------|-----|------|
|                                                  |               |     |          | Result 1 | Result 2 | RPD  |     |      |
| Ammonia (as N)                                   | B24-Fe0069502 | NCP | mg/L     | 0.08     | 0.08     | 11   | 30% | Pass |
| Biochemical Oxygen Demand (BOD-5 Day)            | M24-Ma0002077 | NCP | mg/L     | 840      | 860      | 1.7  | 30% | Pass |
| Chloride                                         | B24-Fe0063372 | NCP | mg/L     | 14       | 14       | 3.8  | 30% | Pass |
| Sulphate (as SO4)                                | B24-Fe0063372 | NCP | mg/L     | < 5      | < 5      | <1   | 30% | Pass |
| Total Dissolved Solids Dried at 180 °C ± 2 °C    | M24-Fe0075339 | NCP | mg/L     | 1400     | 1300     | 5.5  | 30% | Pass |
| Total Suspended Solids Dried at 103 °C to 105 °C | M24-Fe0075339 | NCP | mg/L     | 96       | 87       | 9.6  | 30% | Pass |
| <b>Duplicate</b>                                 |               |     |          |          |          |      |     |      |
| <b>Alkali Metals</b>                             |               |     |          | Result 1 | Result 2 | RPD  |     |      |
| Calcium                                          | B24-Fe0063537 | NCP | mg/L     | 36       | 36       | <1   | 30% | Pass |
| Magnesium                                        | B24-Fe0063537 | NCP | mg/L     | < 0.5    | < 0.5    | <1   | 30% | Pass |
| Potassium                                        | B24-Fe0063537 | NCP | mg/L     | 9.2      | 9.1      | <1   | 30% | Pass |
| Sodium                                           | B24-Fe0063537 | NCP | mg/L     | 51       | 50       | <1   | 30% | Pass |
| <b>Duplicate</b>                                 |               |     |          |          |          |      |     |      |
|                                                  |               |     |          | Result 1 | Result 2 | RPD  |     |      |
| Conductivity (at 25 °C)                          | B24-Fe0063537 | NCP | uS/cm    | 450      | 490      | <1   | 30% | Pass |
| Nitrate & Nitrite (as N)                         | B24-Fe0069502 | NCP | mg/L     | < 0.05   | < 0.05   | <1   | 30% | Pass |
| Nitrite (as N)                                   | B24-Fe0069502 | NCP | mg/L     | < 0.02   | < 0.02   | <1   | 30% | Pass |
| pH (at 25 °C)                                    | B24-Fe0063537 | NCP | pH Units | 11       | 11       | pass | 30% | Pass |
| Total Kjeldahl Nitrogen (as N)                   | M24-Ma0002470 | NCP | mg/L     | 140      | 130      | 2.8  | 30% | Pass |
| Phosphate total (as P)                           | M24-Fe0074330 | CP  | mg/L     | 0.03     | 0.03     | 13   | 30% | Pass |
| <b>Duplicate</b>                                 |               |     |          |          |          |      |     |      |
| <b>Heavy Metals</b>                              |               |     |          | Result 1 | Result 2 | RPD  |     |      |
| Arsenic                                          | B24-Fe0068040 | NCP | mg/L     | 0.004    | 0.004    | 4.4  | 30% | Pass |
| Cadmium                                          | B24-Fe0068040 | NCP | mg/L     | < 0.0002 | < 0.0002 | <1   | 30% | Pass |
| Chromium                                         | B24-Fe0068040 | NCP | mg/L     | < 0.001  | < 0.001  | <1   | 30% | Pass |
| Copper                                           | B24-Fe0068040 | NCP | mg/L     | 0.001    | < 0.001  | 14   | 30% | Pass |
| Lead                                             | B24-Fe0068040 | NCP | mg/L     | < 0.001  | < 0.001  | <1   | 30% | Pass |
| Mercury                                          | B24-Fe0068040 | NCP | mg/L     | < 0.0001 | < 0.0001 | <1   | 30% | Pass |
| Nickel                                           | B24-Fe0068040 | NCP | mg/L     | < 0.001  | 0.001    | 8.3  | 30% | Pass |
| Zinc                                             | B24-Fe0068040 | NCP | mg/L     | < 0.005  | < 0.005  | <1   | 30% | Pass |

**Comments**
**Sample Integrity**

|                                                                         |     |
|-------------------------------------------------------------------------|-----|
| Custody Seals Intact (if used)                                          | N/A |
| Attempt to Chill was evident                                            | Yes |
| Sample correctly preserved                                              | Yes |
| Appropriate sample containers have been used                            | Yes |
| Sample containers for volatile analysis received with minimal headspace | Yes |
| Samples received within HoldingTime                                     | Yes |
| Some samples have been subcontracted                                    | No  |

**Qualifier Codes/Comments**

| Code | Description                                                                                                                                                                                                                                                                                                                                                                                                            |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| N01  | F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).                                                                                                                                                                                                                   |
| N02  | Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid. |
| N04  | F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.                                                                                                                              |

**Authorised by:**

|                 |                             |
|-----------------|-----------------------------|
| Amy Meunier     | Analytical Services Manager |
| Edward Lee      | Senior Analyst-Organic      |
| Emily Rosenberg | Senior Analyst-Metal        |
| Joseph Edouard  | Senior Analyst-Organic      |
| Joseph Edouard  | Senior Analyst-Volatile     |
| Mary Makarios   | Senior Analyst-Inorganic    |
| Mary Makarios   | Senior Analyst-Metal        |



**Glenn Jackson**  
**Managing Director**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



**Eurofins Environment Testing Australia Pty Ltd**

ABN: 50 005 085 521

| Melbourne                                                                                     | Geelong                                                                                      | Sydney                                                                                    | Canberra                                                                                      | Brisbane                                                                                                           | Newcastle                                                                                            |
|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| 6 Monterey Road<br>Dandenong South<br>VIC 3175<br>+61 3 8564 5000<br>NATA# 1261<br>Site# 1254 | 19/8 Lewalan Street<br>Grovedale<br>VIC 3216<br>+61 3 8564 5000<br>NATA# 1261<br>Site# 25403 | 179 Magowar Road<br>Girraween<br>NSW 2145<br>+61 2 9900 8400<br>NATA# 1261<br>Site# 18217 | Unit 1,2 Dacre Street<br>Mitchell<br>ACT 2911<br>+61 2 6113 8091<br>NATA# 1261<br>Site# 25466 | 1/21 Smallwood Place<br>Murarrie<br>QLD 4172<br>T: +61 7 3902 4600<br>+61 2 4968 8448<br>NATA# 1261<br>Site# 20794 | 1/2 Frost Drive<br>Mayfield West<br>NSW 2304<br>+61 2 4968 8448<br>NATA# 1261<br>Site# 25079 & 25289 |

**Eurofins ARL Pty Ltd**

ABN: 91 05 0159 898

| Perth                                                                                     |
|-------------------------------------------------------------------------------------------|
| 46-48 Banksia Road<br>Welshpool<br>WA 6106<br>+61 8 6253 4444<br>NATA# 2377<br>Site# 2370 |

**Eurofins Environment Testing NZ Ltd**

NZBN: 9429046024954

| Auckland                                                                     | Auckland (Asb)                                                                                | Christchurch                                                                        | Tauranga                                                                        |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| 35 O'Rorke Road<br>Penrose,<br>Auckland 1061<br>+64 9 526 4551<br>IANZ# 1327 | Unit C1/4 Pacific Rise,<br>Mount Wellington,<br>Auckland 1061<br>+64 9 525 0568<br>IANZ# 1308 | 43 Detroit Drive<br>Rolleston,<br>Christchurch 7675<br>+64 3 343 5201<br>IANZ# 1290 | 1277 Cameron Road,<br>Gate Pa,<br>Tauranga 3112<br>+64 9 525 0568<br>IANZ# 1402 |

## Sample Receipt Advice

|                           |                        |
|---------------------------|------------------------|
| <b>Company name:</b>      | LWC Management Pty Ltd |
| <b>Contact name:</b>      | James Fox              |
| <b>Project name:</b>      | BE-72                  |
| <b>Project ID:</b>        | Not provided           |
| <b>Turnaround time:</b>   | 5 Day                  |
| <b>Date/Time received</b> | Feb 29, 2024 11:33 AM  |
| <b>Eurofins reference</b> | 1073558                |

## Sample Information

- ✓ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ✓ All samples have been received as described on the above COC.
- ✓ COC has been completed correctly.
- ✓ Attempt to chill was evident.
- ✓ Appropriately preserved sample containers have been used.
- ✓ All samples were received in good condition.
- ✓ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ✓ Appropriate sample containers have been used.
- ✓ Sample containers for volatile analysis received with zero headspace.
- ✗ Split sample sent to requested external lab.
- ✗ Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

## Notes

## Contact

If you have any questions with respect to these samples, please contact your Analytical Services Manager:

**Amy Meunier on phone : or by email: [AmyMeunier@eurofins.com](mailto:AmyMeunier@eurofins.com)**

Results will be delivered electronically via email to James Fox - [jfox@lwconsulting.com.au](mailto:jfox@lwconsulting.com.au).

CHAIN OF CUSTODY FORM



Eurofins

Sample Analysis

From : Land & Water Consulting Pty Ltd  
 Suite 3, 4-8 Goodwood Road, WAYVILLE, SA, 5034  
 ph: (08) 8271 5255 fax: (08) 8357 1307

LAB Quote Number:

LWC Project No:

BE-72

LWC Contact Information:

Contact Name:

James Fox

Contact Email:

laboratoryresults@lwconsulting.com.au

jfox@lwconsulting.com.au

Phone Number:

08 8271 5255

Project Manager:

James Fox

Date Samples Sent:

29/2/24

COC Checked by:

A Vaughan

|                               |                                   |                                                    |                         |  |  |  |  |  |  |  |      |
|-------------------------------|-----------------------------------|----------------------------------------------------|-------------------------|--|--|--|--|--|--|--|------|
| SW Control + Discharge Suite* | Vertical Gravity Separator Suite* | BOD, Major Cations + Anions (including Alkalinity) | Tripblank C6-C10/ BTEXN |  |  |  |  |  |  |  | HOLD |
|-------------------------------|-----------------------------------|----------------------------------------------------|-------------------------|--|--|--|--|--|--|--|------|

| Lab ID | Date    | Matrix | Sample ID | No. Jars | Tick required analytes |   |   |   |   |  |  |  |
|--------|---------|--------|-----------|----------|------------------------|---|---|---|---|--|--|--|
|        | 28/2/24 | W      | DUPI      | 6        |                        | X | X |   |   |  |  |  |
|        | ↓       | ↓      | SW_DUPI   | 7        | X                      |   |   |   |   |  |  |  |
|        |         |        | Tripblank | 2        |                        |   |   |   | X |  |  |  |
|        |         |        |           | TOTAL    | 15                     | 1 | 1 | 1 | 1 |  |  |  |

ADDITIONAL COMMENTS:

SW Control+Discharge Suite\*: pH, TDS/EC, TSS, Nutrients (ammonia, nitrite, TKN, total nitrogen, total phosphorous - B19D), 8 metals/ TRH/TPH/BTEX (B5)

Vertical Gravity Separator Suite\*: TDS, TSS, major cations and anions (including alkalinity suite), ammonia, TRH/TPH/BTEX (B1), BOD.

29/02/2024 11:33 #1073558

# ATTACHMENT D

## DATA QUALITY ASSESSMENT

## DATA QUALITY ASSESSMENT

The quality of analytical data produced for this project has been assessed with reference to the following issues:

- Sampling technique;
- Preservation and storage of samples upon collection and during transport to the laboratory;
- Sample holding times;
- Analytical procedures;
- Laboratory limits of reporting;
- Field duplicate agreement;
- Laboratory quality assurance/quality control (QA/QC) procedures; and
- The occurrence of apparently unusual or anomalous results.

RPDs were assessed where the reported concentrations were greater than the laboratory limits of reporting in accordance with the following acceptance criteria:

- Where both reported concentrations are greater than 20 times the LOR: RPD% <30%;
- Where the higher of the two concentrations is between 10 and 20 times the LOR: RPD% <50%; and
- Where both concentrations are less than 10 times the LOR: RPD% has no limit.

The overall assessment of data quality was undertaken in accordance with the Data Quality Objective (DQO) and Data Quality Indicator (DQI) processes.

Laboratory QA/QC procedures and results are detailed in the certified laboratory results contained in Attachment C. A summary of the data quality assessment and a summary of the field duplicate sample relative percentage differences (RPD) are included at the rear of this appendix. A review of the quality assurance and control data is presented in Table 1-1.

Laboratory data is considered suitably robust for the purposes of the assessment, subject to the comments and limitations outlined above and in the relevant appendices.

It is considered that quality control information indicates an acceptable degree of QA/QC information was collected and reported for waters providing confidence in the accuracy and precision of reported results subject to the limitations discussed.

Table 1-1 Summary of Quality Assurance and Control

| Component                                                                                                                                                    | Frequency                                    | Frequency Acceptable? | Acceptance Criteria                                                                                                                   | Criteria met?                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Reference/<br>Appendix     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| <b>Field QC</b>                                                                                                                                              |                                              |                       |                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                            |
| Field Replicate (intra)                                                                                                                                      | 1 in 20 primary samples or 1 per batch.      | ✓                     | RPD <30% if both results >20 LOR<br>RPD <50% if the higher of the two results <>10-20 LOR<br>No limit for RPD if both results <10 LOR | The RPD criteria was exceeded between the primary and intra-laboratory duplicate sample SW_DUP1 for the following analytes: <ul style="list-style-type: none"> <li>• Ammonia (50%)</li> </ul> This breach is not considered to significantly impact upon the overall interpretation of results as the analyte is an indicator species and not a chemical of concern. Further, no guideline criterion applies to this analyte.                                                                                                                             | At rear of this Attachment |
| Field Replicate (inter)                                                                                                                                      | 1 in 20 primary samples or 1 per batch.      | ✓                     | RPD <30% if both results >20 LOR<br>RPD <50% if the higher of the two results <>10-20 LOR<br>No limit for RPD if both results <10 LOR | The RPD criteria was exceeded between the primary and inter-laboratory duplicate sample DUP1_VGS for the following analytes: <ul style="list-style-type: none"> <li>• TKN (60%)</li> <li>• Total Nitrogen (60%)</li> </ul> These breaches are not considered to significantly impact upon the overall interpretation of results as either: <ul style="list-style-type: none"> <li>• The analyte is an indicator species and not a chemical of concern; and/ or</li> <li>• The results are generally consistent with historical concentrations.</li> </ul> | At rear of this Attachment |
| Rinsate Blanks                                                                                                                                               | 1 per day, per matrix, per item of equipment | ✓                     | <LOR                                                                                                                                  | Rinsate blanks were not required as dedicated disposable plastic bailers were utilised during the sampling program.                                                                                                                                                                                                                                                                                                                                                                                                                                       | At rear of this Attachment |
| Trip Blanks<br>(water samples for volatile organic marker compounds only – to assess potential for contamination of the samples by volatile compounds during | 1 per esky or 1 per laboratory batch.        | ✓                     | <LOR                                                                                                                                  | Trip blanks were scheduled for TRH C <sub>6</sub> -C <sub>10</sub> fractions and BTEXN as assessment of volatile organic markers. Such compounds were reported below the laboratory LOR indicating that cross contamination during the transport of the samples to the laboratory did not occur.                                                                                                                                                                                                                                                          | At rear of this Attachment |

| Component                                     | Frequency                                             | Frequency Acceptable?                                                                                                                                                                                                                                                                                               | Acceptance Criteria                           | Criteria met?                                                                                                                                                                                                                                                                                                                    | Reference/<br>Appendix |
|-----------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| transfer to the laboratory)                   |                                                       |                                                                                                                                                                                                                                                                                                                     |                                               |                                                                                                                                                                                                                                                                                                                                  |                        |
| <b>Laboratory QC</b>                          |                                                       |                                                                                                                                                                                                                                                                                                                     |                                               |                                                                                                                                                                                                                                                                                                                                  |                        |
| Primary Laboratory Batch Reference            |                                                       |                                                                                                                                                                                                                                                                                                                     |                                               |                                                                                                                                                                                                                                                                                                                                  | ES2406577              |
| Secondary Laboratory Batch Reference          |                                                       |                                                                                                                                                                                                                                                                                                                     |                                               |                                                                                                                                                                                                                                                                                                                                  | 1073558                |
| Analysis undertaken in specific holding times |                                                       |                                                                                                                                                                                                                                                                                                                     | Variable depending on the chemical substance. | <b>ALS Laboratory Report 1073558</b><br>Holding time breaches were recorded for pH and biochemical oxygen demand. Given the relatively short holding time of these analytes and regional nature of the sampling program, these breaches are not considered to significantly impact on the overall interpretation of the results. | Attachment C           |
| Method blanks                                 | 1 analysed per process batch of 20 samples.           | ✓                                                                                                                                                                                                                                                                                                                   | <LOR                                          | ✓                                                                                                                                                                                                                                                                                                                                | Attachment C           |
| Duplicates                                    | 1 in 10 primary samples or 2 per batch of 20 samples. | <b>ALS Laboratory Report 1073558</b><br>The frequency of laboratory duplicates analysed did not meet the required criteria for TRH semi volatile fraction. This was not considered to significantly impact upon the overall interpretation of results due to the small number of samples analysed within the batch. | RPD <50% if results >10 LOR                   | ✓                                                                                                                                                                                                                                                                                                                                | Attachment C           |
| Matrix spikes                                 | 1 analysed per process batch of 20 samples.           | <b>ALS Laboratory Report 1073558</b><br>The frequency of matrix spikes analysed did not meet the required criteria for TRH semi volatile fraction. This was not considered to significantly impact upon the overall interpretation of results due to the small number of samples analysed within the batch.         | Recovery 70 -130%                             | ✓                                                                                                                                                                                                                                                                                                                                | Attachment C           |
| Laboratory control sample spikes              | 1 analysed per process batch of 20 samples.           | ✓                                                                                                                                                                                                                                                                                                                   | Recovery 70 -130%                             | ✓                                                                                                                                                                                                                                                                                                                                | Attachment C           |

| Component        | Frequency                                                                      | Frequency Acceptable? | Acceptance Criteria | Criteria met? | Reference/<br>Appendix |
|------------------|--------------------------------------------------------------------------------|-----------------------|---------------------|---------------|------------------------|
| Surrogate spikes | Each analysis undertaken by GC-MS (all organics except TRH >C <sub>10</sub> ). | ✓                     | Recovery 50 – 150%  | ✓             | Attachment C           |

Summary of RPD Results

Project: Katherine Depot, Surface Water Sampling

Job: BE-72

Client: Cleanaway Waste Management Limited

|                                                                                                  |            |            |                  |      |                  |      |
|--------------------------------------------------------------------------------------------------|------------|------------|------------------|------|------------------|------|
| Exceedance of RPD% Criterion of 30% of mean concentration where higher concentration >20 x LOR   | Field ID   | SWD        | SW_DUP1          | RPD% | SW_DUP1          | RPD% |
|                                                                                                  | Lab Report | ES2406577  | ES2406577        |      | 1073558          |      |
| Exceedance of RPD% Criterion of 50% of mean concentration where higher concentration 10-20 x LOR | Lab Name   | ALS        | ALS              | RPD% | Eurofins         | RPD% |
|                                                                                                  | Date       | 28/02/2024 | 28/02/2024       |      | 28/02/2024       |      |
|                                                                                                  | Duplicate  | Primary    | Intra-Laboratory |      | Inter-Laboratory |      |

| Analyte                                                     | Units | ALS LOR | MGT LOR |         |         |     |          |     |  |
|-------------------------------------------------------------|-------|---------|---------|---------|---------|-----|----------|-----|--|
| <b>General</b>                                              |       |         |         |         |         |     |          |     |  |
| Total Dissolved Solids                                      | mg/L  | 10      | 10      | 67      | 95      | 35  | 90       | 29  |  |
| Total Suspended Solids                                      | mg/L  | 5       | 5       | 34      | 8       | 124 | < 5      | 149 |  |
| Biochemical Oxygen Demand                                   | mg/L  | 2       | 5       | -       | -       | -   | -        | -   |  |
| Electrical Conductivity                                     | µS/cm | 1       | 1       | 122     | 122     | 0   | 130      | 6   |  |
| pH Value                                                    | pH    | 0.01    | 0.01    | 9.46    | 9.47    | 0   | 9.6      | 1   |  |
| <b>Metals</b>                                               |       |         |         |         |         |     |          |     |  |
| Arsenic                                                     | mg/L  | 0.001   | 0.001   | <0.001  | <0.001  | -   | 0.001    | 0   |  |
| Cadmium                                                     | mg/L  | 0.0001  | 0.0001  | <0.0001 | <0.0001 | -   | < 0.0002 | -   |  |
| Chromium                                                    | mg/L  | 0.001   | 0.001   | <0.001  | <0.001  | -   | < 0.001  | -   |  |
| Copper                                                      | mg/L  | 0.001   | 0.001   | 0.007   | 0.008   | 13  | 0.008    | 13  |  |
| Lead                                                        | mg/L  | 0.001   | 0.001   | <0.001  | <0.001  | -   | 0.002    | 67  |  |
| Mercury                                                     | mg/L  | 0.0001  | 0.0001  | <0.0001 | <0.0001 | -   | < 0.0001 | -   |  |
| Nickel                                                      | mg/L  | 0.001   | 0.001   | <0.001  | 0.001   | 0   | < 0.001  | -   |  |
| Zinc                                                        | mg/L  | 0.005   | 0.001   | 0.008   | 0.011   | 32  | 0.013    | 48  |  |
| <b>Nutrients</b>                                            |       |         |         |         |         |     |          |     |  |
| Ammonia as N                                                | mg/L  | 0.01    | 0.01    | 0.09    | 0.15    | 50  | 0.08     | 12  |  |
| Nitrite as N                                                | mg/L  | 0.1     | 0.02    | <0.01   | <0.01   | -   | < 0.02   | -   |  |
| Nitrate as N                                                | mg/L  | 0.1     | 0.02    | 0.02    | 0.03    | 40  | < 0.02   | 0   |  |
| Nitrite + Nitrate as N                                      | mg/L  | 0.1     | 0.05    | 0.02    | 0.03    | 40  | < 0.05   | 86  |  |
| Total Kjeldahl Nitrogen as N                                | mg/L  | 0.1     | 0.1     | 1.3     | 1.2     | 8   | 0.7      | 60  |  |
| Total Nitrogen as N                                         | mg/L  | 0.1     | 0.1     | 1.3     | 1.2     | 8   | 0.7      | 60  |  |
| Total Phosphorus as P                                       | mg/L  | 0.01    | 0.01    | 0.06    | 0.06    | 0   | 0.03     | 67  |  |
| <b>Total Petroleum Hydrocarbons - NEPM 1999 Fractions</b>   |       |         |         |         |         |     |          |     |  |
| C6 - C9 Fraction                                            | µg/L  | 20      | 20      | <20     | <20     | -   | <20      | -   |  |
| C10 - C14 Fraction                                          | µg/L  | 50      | 50      | <50     | <50     | -   | <50      | -   |  |
| C15 - C28 Fraction                                          | µg/L  | 100     | 100     | <100    | <100    | -   | <100     | -   |  |
| C29 - C36 Fraction                                          | µg/L  | 50      | 100     | <50     | <50     | -   | <100     | -   |  |
| C10 - C36 Fraction (sum)                                    | µg/L  | 50      | 100     | <50     | <50     | -   | <100     | 67  |  |
| <b>Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b> |       |         |         |         |         |     |          |     |  |
| C6 - C10 Fraction                                           | µg/L  | 20      | 20      | <20     | <20     | -   | <20      | -   |  |
| C6 - C10 Fraction minus BTEX (F1)                           | µg/L  | 20      | 20      | <20     | <20     | -   | <20      | -   |  |
| C10 - C16 Fraction                                          | µg/L  | 100     | 50      | <100    | <100    | -   | <50      | -   |  |
| C16 - C34 Fraction                                          | µg/L  | 100     | 100     | <100    | <100    | -   | <100     | -   |  |
| C34 - C40 Fraction                                          | µg/L  | 100     | 100     | <100    | <100    | -   | <100     | -   |  |
| C10 - C40 Fraction (sum)                                    | µg/L  | 100     | 100     | <100    | <100    | -   | <100     | -   |  |
| C10 - C16 Fraction minus Naphthalene (F2)                   | µg/L  | 100     | 50      | <100    | <100    | -   | <50      | -   |  |
| <b>BTEXN</b>                                                |       |         |         |         |         |     |          |     |  |
| Benzene                                                     | µg/L  | 1       | 1       | <1      | <1      | -   | <1       | -   |  |
| Toluene                                                     | µg/L  | 2       | 1       | <2      | <2      | -   | <1       | -   |  |
| Ethylbenzene                                                | µg/L  | 2       | 1       | <2      | <2      | -   | <1       | -   |  |
| meta- & para-Xylene                                         | µg/L  | 2       | 2       | <2      | <2      | -   | <2       | -   |  |
| ortho-Xylene                                                | µg/L  | 2       | 1       | <2      | <2      | -   | <1       | -   |  |
| Total Xylenes                                               | µg/L  | 2       | 3       | <2      | <2      | -   | <3       | -   |  |
| Sum of BTEX                                                 | µg/L  | 1       | -       | <1      | <1      | -   | -        | -   |  |
| Naphthalene                                                 | µg/L  | 5       | 10      | <5      | <5      | -   | <10      | -   |  |

**Summary of Tripblank Results**

**Project:** Katherine Depot, Stormwater Sampling  
**Job:** BE-72  
**Client:** Cleanaway Waste Management Limited

|                   |            |            |
|-------------------|------------|------------|
| <b>Field ID</b>   | Tripblank  | Tripblank  |
| <b>Date</b>       | 28/02/2024 | 28/02/2024 |
| <b>Lab Report</b> | ES2406577  | 1073558    |
| <b>Lab Name</b>   | ALS        | Eurofins   |

| Analyte                | ALS LOR | MGT LOR | Units |        |        |
|------------------------|---------|---------|-------|--------|--------|
| <b>BTEX</b>            |         |         |       |        |        |
| Benzene                | 0.001   | 0.001   | mg/L  | <0.001 | <0.001 |
| Ethylbenzene           | 0.002   | 0.001   | mg/L  | <0.002 | <0.001 |
| Meta&Para-Xylene       | 0.002   | 0.002   | mg/L  | <0.002 | <0.002 |
| Ortho-Xylene           | 0.002   | 0.001   | mg/L  | <0.002 | <0.001 |
| Toluene                | 0.002   | 0.001   | mg/L  | <0.002 | <0.001 |
| Xylenes - Total        | 0.002   | 0.003   | mg/L  | <0.002 | <0.003 |
| Sum of BTEX            | 0.001   | -       | mg/L  | <0.001 | -      |
| <b>TRHs</b>            |         |         |       |        |        |
| TRH C6-C9              | 0.02    | 0.02    | mg/L  | <0.02  | -      |
| TRH C6-C10             | 0.02    | 0.02    | mg/L  | <0.02  | <0.02  |
| TRH C6-C10 Fraction F1 | 0.02    | 0.02    | mg/L  | <0.02  | -      |
| Naphthalene            | 0.005   | 0.01    | mg/L  | <0.005 | <0.01  |

# ATTACHMENT E

## STATEMENT OF LIMITATIONS

## STATEMENT OF LIMITATIONS & IMPORTANT INFORMATION REGARDING YOUR REPORT

### INTRODUCTION

This report has been prepared by Land & Water Consulting for you, as Land & Water Consulting's client, in accordance with our agreed purpose, scope, schedule and budget.

The report has been prepared using accepted procedures and practices of the consulting profession at the time it was prepared, and the opinions, recommendations and conclusions set out in the report are made in accordance with generally accepted principles and practices of that profession.

The report is based on information gained from environmental conditions (including assessment of some or all of soil, groundwater, vapour and surface water) and supplemented by reported data of the local area and professional experience. Assessment has been scoped with consideration to industry standards, regulations, guidelines and your specific requirements, including budget and timing. The characterisation of site conditions is an interpretation of information collected during assessment, in accordance with industry practice.

This interpretation is not a complete description of all material on or in the vicinity of the site, due to the inherent variation in spatial and temporal patterns of contaminant presence and impact in the natural environment. Land & Water Consulting may have also relied on data and other information provided by you and other qualified individuals in preparing this report. Land & Water Consulting has not verified the accuracy or completeness of such data or information except as otherwise stated in the report. For these reasons the report must be regarded as interpretative, in accordance with industry standards and practice, rather than being a definitive record.

No warranty or guarantee of the site conditions is intended.

This report was prepared for the sole use of you, the Client and may not contain sufficient information for purposes of other parties or for other uses. Any reliance on this report by third parties shall be at such parties sole risk. This report shall only be presented in full and may not be used to support any other objectives than those set out in the report, except where written approval with comments are provided by Land & Water Consulting.

The report does not include the evaluation or assessment of potential geotechnical engineering constraints of the site.

### LIMITATIONS OF THE REPORT

The scope of works undertaken and the report prepared to complete the assessment was in accordance with the information provided by the client and the specifications for works required under the contract. As such, works undertaken and statements made are based on those specifications (such as levels of risks and significance of any contamination) and should be considered and interpreted within this context. The analyses, evaluations, opinions and conclusions presented in this report are based on that purpose and scope, requirements, data or information, and they could change if such requirements or data are inaccurate or incomplete.

Your environmental report should not be used without reference to Land & Water Consulting in the first instance:

- When the nature of the proposed development is changed, for example if a residential development is proposed instead of a commercial one;
- When the size or configuration of the proposed development is altered;
- When the location or orientation of the proposed structures are modified;
- When there is a change in ownership;
- For application to an adjacent site.

In addition, advancements in professional practice regarding contaminated land and changes in applicable statutes and/or guidelines may affect the validity of this report. Consequently, the currency of conclusions and recommendations in this report should be verified if you propose to use this report more than 6 months after its date of issue.

#### **ENVIRONMENTAL ASSESSMENT “FINDINGS” ARE PROFESSIONAL ESTIMATES**

The information in this report is considered to be accurate with respect to conditions encountered at the site at the time of investigation and considering the inherent limitations associated with extrapolating information from a sample set. Note however that site assessment identifies actual subsurface conditions only at those specific points where samples are taken, when they are taken. Environmental data derived through sampling and analysis are interpreted by consultants who then render an opinion about overall subsurface conditions, the nature and extent of contamination and potential impacts on the use of the land. Actual conditions may differ from those inferred to exist as no professional and no subsurface assessment program can reveal every detail within the ground across a site. Subsurface conditions can vary across a particular site and no practical degree of sampling can ever eliminate the possibility that conditions may be present at a site that have not been represented through sampling.

#### **SUBSURFACE CONDITIONS CAN CHANGE**

This report is valid as of the date of preparation. The condition of the site (including subsurface conditions) and extent or nature of contamination or other environmental hazards can change over time, as a result of either natural processes or human influence. Land & Water Consulting should be kept apprised of any such events and should be consulted for further investigations if any changes are noted, particularly during construction activities where excavations often reveal subsurface conditions. Since subsurface conditions (including contamination concentrations) can change within a limited period of time and space, this inherent limitation to the representation of site conditions provided by this report should always be taken into consideration particularly if the report is used after a delay in time.

#### **DATA SHOULD NOT BE SEPARATED FROM THE REPORT**

The report as a whole presents the findings of the site assessment and the report should not be copied in part or altered in any way. Logs, figures, laboratory data, drawings, etc. are customarily included in our reports and are developed by scientists or engineers based on their interpretation of field logs, field testing and laboratory evaluation of samples. This information should not under any circumstances be redrawn for inclusion in other documents or separated from the report in any way.

This report should be reproduced in full. No responsibility is accepted for use of any part of this report in any other context or for any other purpose or by third parties.

#### **RESPONSIBILITY**

Environmental reporting relies on interpretation of factual information using professional judgement and opinion and has a level of uncertainty attached to it, which is much less exact than other design disciplines. As noted earlier, the recommendations and findings set out in this report should only be regarded as interpretive and should not be taken as accurate and complete information about all environmental media at all depths and locations across the site.



16 April 2024

Mr Tom Robertson  
Senior Environmental Business Partner – SA NT VIC TAS  
Cleanaway Waste Management Limited  
20 George Street  
Wingfield, South Australia 5013

**RE: February 2024 VGS Sampling Event – Cleanaway Depot, 2 Murray Street, Katherine, Northern Territory**

Dear Tom,

Land & Water Consulting (LWC) was engaged by Cleanaway Waste Management Limited (Cleanaway) to undertake a vertical gravity separator (VGS) sampling event at the Cleanaway Depot located at 2 Murray Street, Katherine, Northern Territory (the Site).

**1. SCOPE OF WORKS, APPROACH AND METHODOLOGY**

The adopted scope of works comprised the following:

- Development of a site-specific Work Health and Safety Management Plan (WHSMP) including Job Safety Environmental Analysis (JSEA);
- Collection of a sample of water treated by the vertical gravity separator (VGS); and
- Preparation of a factual report including a summary of the sampling methodology, comparison of laboratory results against trade waste criteria and a data quality assessment.

A sample was collected from water treated by the vertical gravity separator (VGS) as shown in Figure 1-1 on 28 February 2024. Field parameters including pH, electrical conductivity, redox and temperature were recorded prior to sampling using a calibrated water quality metre. Refer to Attachment A for the water quality metre calibration certificate and Attachment B for the field sampling records.

The adopted analytical schedule for the VGS sample included total dissolved solids, total suspended solids, major cations and anions, ammonia, TRH, BTEX compounds and biochemical oxygen demand.

**2. RESULTS/ FIELD OBSERVATIONS**

The water sampled from the VGS was light brown with low to moderate turbidity. The water exhibited a moderate hydrocarbon odour and sheen.

The certified laboratory analytical results are presented as Attachment C, with a summary of VGS analytical data compared to trade waste agreement criteria presented as Table 1 at the rear of this document. Interpretation of these results was outside the scope of works.



**Figure 1-1 Vertical Gravity Separator (February 2024)**

### **3. DATA QUALITY ASSESSMENT**

The quality of analytical data produced for this project has been assessed with reference to the following issues:

- Sampling technique;
- Preservation and storage of samples upon collection and during transport to the laboratory;
- Sample holding times;
- Analytical procedures;
- Laboratory limits of reporting;
- Field duplicate agreement;
- Laboratory quality assurance/quality control (QA/QC) procedures; and
- The occurrence of apparently unusual or anomalous results.

RPDs were assessed where the reported concentrations were greater than the laboratory limits of reporting in accordance with the following acceptance criteria:

- Where both reported concentrations are greater than 20 times the LOR: RPD% <30%;
- Where the higher of the two concentrations is between 10 and 20 times the LOR: RPD% <50%; and
- Where both concentrations are less than 10 times the LOR: RPD% has no limit.

The overall assessment of data quality was undertaken in accordance with the Data Quality Objective (DQO) and Data Quality Indicator (DQI) processes.

Laboratory QA/QC procedures and results are detailed in the certified laboratory results contained in Attachment C. A summary of the data quality assessment and a summary of the field duplicate sample relative percentage differences (RPD) are included as Attachment D.

Laboratory data was considered suitably robust for the purposes of the assessment, subject to the comments and limitations in Attachment D.

#### **4. CONCLUSION**

A sampling event was undertaken at the Site on 28 February 2024. Primary and intra-laboratory duplication samples were collected from water treated by the vertical gravity consistent with previous monitoring events. Laboratory results were considered to be of a suitable quality for interpretation.

A statement of limitations is provided as Attachment E.

If you require further information, please do not hesitate to contact the undersigned.

Yours sincerely,

#### **Land & Water Consulting**



**Vanessa De Chellis**  
**Senior Environmental Engineer**

Land & Water Consulting  
4-8 Goodwood Road, WAYVILLE, SA 5034  
P: +61 8 8271 5255  
M: +61 439 007 274  
vdechellis@lwconsulting.com.au

#### **Tables**

Table 1 - Summary of Analytical Data Compared Against Trade Waste Criteria

#### **Attachments**

Attachment A – Equipment Calibration Certificate  
Attachment B – Field Sampling Sheets  
Attachment C – Certified Laboratory Analytical Results  
Attachment D – Data Quality Assessment  
Attachment E – Statement of Limitations

# TABLE

Table 1 - Summary of Analytical Data Compared Against Trade Waste Criteria

Project: Katherine Depot, VGS Monitoring  
 Job: BE-72  
 Client: Cleanaway Waste Management Limited

| Analyte                                                                          | Units | ALS LOR | MGT LOR | Trade Waste Agreement Criteria | Sample Name                          |           |                  | Sample Name      |            |                  | Sample Name      |            |                  |                  |         |      |      |      |    |
|----------------------------------------------------------------------------------|-------|---------|---------|--------------------------------|--------------------------------------|-----------|------------------|------------------|------------|------------------|------------------|------------|------------------|------------------|---------|------|------|------|----|
|                                                                                  |       |         |         |                                | VGS                                  | DUP1      | DUP1             | VGS              | DUP1_VGS   | DUP1_VGS         | VGS              | DUP1_VGS   | DUP1_VGS         |                  |         |      |      |      |    |
|                                                                                  |       |         |         |                                | Date                                 | 8/03/2023 | 8/03/2023        | 8/03/2023        | 27/09/2023 | 27/09/2023       | 27/09/2023       | 28/02/2024 | 28/02/2024       | 28/02/2024       |         |      |      |      |    |
|                                                                                  |       |         |         |                                | Laboratory                           | ALS       | ALS              | Eurofins         | ALS        | ALS              | Eurofins         | ALS        | ALS              | Eurofins         |         |      |      |      |    |
|                                                                                  |       |         |         |                                | Report No                            | ES2307810 | ES2307810        | 970342           | ES2333339  | ES2333339        | 1030040          | ES2406577  | ES2406577        | 1073558          |         |      |      |      |    |
|                                                                                  |       |         |         |                                | Duplicate                            | Primary   | Intra-Laboratory | Inter-Laboratory | Primary    | Intra-Laboratory | Inter-Laboratory | Primary    | Intra-Laboratory | Inter-Laboratory |         |      |      |      |    |
| <b>General</b>                                                                   |       |         |         |                                | Total Dissolved Solids               | mg/L      | 10               | 10               | 2,000      | 396              | 414              | 670        | 1790             | 1700             | 880     | 162  | 168  | 160  |    |
|                                                                                  |       |         |         |                                | Total Suspended Solids               | mg/L      | 5                | 1                | 600        | 239              | 259              | 94         | 467              | 530              | 250     | 13   | 17   | 8.5  |    |
|                                                                                  |       |         |         |                                | Biochemical Oxygen Demand            | mg/L      | 2                | 5                | 600        | 192              | 204              | 190        | 489              | 498              | 620     | 188  | 133  | 17   |    |
| <b>Alkalinity</b>                                                                |       |         |         |                                | Hydroxide Alkalinity as CaCO3        | mg/L      | 1                | -                | <1         | <1               | <1               | <1         | <1               | <1               | <1      | <1   | <1   | <20  |    |
|                                                                                  |       |         |         |                                | Carbonate Alkalinity as CaCO3        | mg/L      | 1                | 10               | <1         | <1               | <10              | <1         | <1               | <10              | <1      | <1   | <1   | <10  |    |
|                                                                                  |       |         |         |                                | Bicarbonate Alkalinity as CaCO3      | mg/L      | 1                | 20               | 189        | 204              | 160              | 1120       | 1090             | 850              | 111     | 114  | 140  | 140  |    |
|                                                                                  |       |         |         |                                | Total Alkalinity as CaCO3            | mg/L      | 1                | 20               | 189        | 204              | -                | 1120       | 1090             | 850              | 111     | 114  | 140  | 140  |    |
| <b>Major Cations and Anions</b>                                                  |       |         |         |                                | Calcium                              | mg/L      | 1                | 0.5              | 36         | 38               | 28               | 204        | 218              | 170              | 29      | 29   | 31   | 31   |    |
|                                                                                  |       |         |         |                                | Magnesium                            | mg/L      | 1                | 0.5              | 7          | 8                | 4.3              | 42         | 45               | 35               | 10      | 11   | 13   | 13   |    |
|                                                                                  |       |         |         |                                | Sodium                               | mg/L      | 1                | 0.5              | 47         | 57               | 49               | 189        | 201              | 160              | 8       | 9    | 1.8  | 1.8  |    |
|                                                                                  |       |         |         |                                | Potassium                            | mg/L      | 1                | 0.5              | 12         | 12               | 10               | 60         | 66               | 52               | 2       | 2    | 9.6  | 9.6  |    |
|                                                                                  |       |         |         |                                | Chloride                             | mg/L      | 1                | 1                | 10         | 17               | 17               | 17         | 71               | 70               | 41      | 7    | 7    | 6.5  |    |
|                                                                                  |       |         |         |                                | Sulfate as SO4 - Turbidimetric       | mg/L      | 1                | 5                | 100        | <10              | <10              | <5         | <10              | <10              | <50     | 8    | 8    | 12   |    |
|                                                                                  |       |         |         |                                | Total Anions                         | meq/L     | 0.01             | -                | 4.26       | 4.56             | -                | 24.4       | 23.8             | -                | 2.58    | 2.64 | -    | -    |    |
|                                                                                  |       |         |         |                                | Total Cations                        | meq/L     | 0.01             | -                | 4.72       | 5.34             | -                | 23.4       | 25               | -                | 2.67    | 2.80 | -    | -    |    |
|                                                                                  |       |         |         |                                | Ionic Balance                        | %         | 0.01             | -                | 5.21       | 7.94             | -                | 2.07       | 2.58             | -                | -       | -    | -    | -    |    |
| <b>Nutrients</b>                                                                 |       |         |         |                                | Ammonia as N                         | mg/L      | 0.01             | 0.01             | 100        | 5.75             | 5.82             | 6          | 56.5             | 63               | 59      | 0.23 | 0.18 | 0.04 |    |
| <b>Total Petroleum Hydrocarbons - NEPM 1999 Fractions</b>                        |       |         |         |                                | C6 - C9 Fraction                     | µg/L      | 20               | 20               | 1,000      | 280              | 320              | 270        | 110              | 100              | 280     | 30   | 30   | 40   | 40 |
|                                                                                  |       |         |         |                                | C10 - C14 Fraction                   | µg/L      | 50               | 50               | 1750       | 1770             | 4300             | 7830       | 10400            | 78000            | 50      | <50  | 840  | 840  |    |
|                                                                                  |       |         |         |                                | C15 - C28 Fraction                   | µg/L      | 100              | 100              | 12800      | 14000            | 27000            | 104000     | 116000           | 650000           | 1990    | 2000 | 4600 | 4600 |    |
|                                                                                  |       |         |         |                                | C29 - C36 Fraction                   | µg/L      | 50               | 100              | 14600      | 14400            | 32000            | 65100      | 51800            | 550000           | 1340    | 1410 | 3600 | 3600 |    |
|                                                                                  |       |         |         |                                | C10 - C36 Fraction (sum)             | µg/L      | 50               | 100              | 30,000     | 29200            | 30200            | 63300      | 177000           | 178000           | 1278000 | 3380 | 3410 | 9040 |    |
| <b>Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>                      |       |         |         |                                | C6 - C10 Fraction                    | µg/L      | 20               | 20               | 510        | 590              | 810              | 140        | 140              | 340              | 30      | 40   | 40   | 40   |    |
|                                                                                  |       |         |         |                                | C6 - C10 Fraction minus BTEX (F1)    | µg/L      | 20               | 20               | 380        | 450              | 630              | 100        | 110              | 300              | 20      | 30   | 40   | 40   |    |
|                                                                                  |       |         |         |                                | C10 - C16 Fraction                   | µg/L      | 100              | 50               | 2420       | 2640             | 5900             | 18400      | 17300            | 150000           | 340     | 280  | 940  | 940  |    |
|                                                                                  |       |         |         |                                | C16 - C34 Fraction                   | µg/L      | 100              | 100              | 20500      | 21500            | 50000            | 140000     | 153000           | 950000           | 2730    | 2820 | 6600 | 6600 |    |
|                                                                                  |       |         |         |                                | C34 - C40 Fraction                   | µg/L      | 100              | 100              | 10900      | 10400            | 24000            | 23200      | 21500            | 300000           | 580     | 610  | 1100 | 1100 |    |
|                                                                                  |       |         |         |                                | C10 - C40 Fraction (sum)             | µg/L      | 100              | 100              | 33800      | 34500            | 79900            | 182000     | 192000           | 1400000          | 3650    | 3710 | 8640 | 8640 |    |
|                                                                                  |       |         |         |                                | C10 - C16 Fraction minus Naphthalene | µg/L      | 100              | 50               | 2410       | 2630             | 5900             | 18400      | 17300            | 150000           | 340     | 280  | 940  | 940  |    |
| <b>Total Petroleum Hydrocarbons - SV Silica gel cleanup</b>                      |       |         |         |                                | C10 - C14 Fraction                   | µg/L      | 50               | -                | 290        | -                | -                | 5270       | -                | -                | -       | -    | -    | -    |    |
|                                                                                  |       |         |         |                                | C15 - C28 Fraction                   | µg/L      | 100              | -                | 4230       | -                | -                | 66600      | -                | -                | -       | -    | -    | -    |    |
|                                                                                  |       |         |         |                                | C29 - C36 Fraction                   | µg/L      | 50               | -                | 5310       | -                | -                | 36000      | -                | -                | -       | -    | -    | -    |    |
|                                                                                  |       |         |         |                                | C10 - C36 Fraction (sum)             | µg/L      | 50               | -                | 30,000     | 9830             | -                | 108000     | -                | -                | -       | -    | -    | -    |    |
| <b>Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b> |       |         |         |                                | C10 - C16 Fraction                   | µg/L      | 100              | -                | 460        | -                | -                | 8430       | -                | -                | -       | -    | -    | -    |    |
|                                                                                  |       |         |         |                                | C16 - C34 Fraction                   | µg/L      | 100              | -                | 7530       | -                | -                | 89100      | -                | -                | -       | -    | -    | -    |    |
|                                                                                  |       |         |         |                                | C34 - C40 Fraction                   | µg/L      | 100              | -                | 3450       | -                | -                | 22000      | -                | -                | -       | -    | -    | -    |    |
|                                                                                  |       |         |         |                                | C10 - C40 Fraction (sum)             | µg/L      | 100              | -                | 11400      | -                | -                | 120000     | -                | -                | -       | -    | -    | -    |    |
| <b>BTEXN</b>                                                                     |       |         |         |                                | Benzene                              | µg/L      | 1                | 1                | 1,000      | <1               | <1               | <10        | <5               | <5               | <10     | <1   | <1   | <1   | <1 |
|                                                                                  |       |         |         |                                | Toluene                              | µg/L      | 2                | 1                | 2,000      | 11               | 12               | 17         | 12               | 11               | 13      | 4    | 4    | 3    |    |
|                                                                                  |       |         |         |                                | Ethylbenzene                         | µg/L      | 2                | 1                | 2,000      | 11               | 12               | 17         | <5               | <5               | 3       | <2   | <2   | <1   |    |
|                                                                                  |       |         |         |                                | meta- & para-Xylene                  | µg/L      | 2                | 2                | 70         | 77               | 100              | 16         | 14               | 15               | 2       | 2    | <2   |      |    |
|                                                                                  |       |         |         |                                | ortho-Xylene                         | µg/L      | 2                | 1                | 34         | 37               | 49               | 8          | 8                | 9                | <2      | <2   | 1    |      |    |
|                                                                                  |       |         |         |                                | Total Xylenes                        | µg/L      | 2                | 3                | 2,000      | 104              | 114              | 150        | 24               | 22               | 24      | 2    | 2    | <3   |    |
|                                                                                  |       |         |         |                                | Sum of BTEX                          | µg/L      | 1                | -                | 126        | 138              | -                | 36         | 33               | -                | 6       | 6    | -    |      |    |
|                                                                                  |       |         |         |                                | Naphthalene                          | µg/L      | 5                | 10               | 6          | 7                | <10              | 6          | <5               | <10              | <5      | <5   | <10  | <10  |    |

# ATTACHMENT A

## EQUIPMENT CALIBRATION CERTIFICATE

Len



# EQUIPMENT CERTIFICATION REPORT


PGN9003871 WATER QUALITY METER - MULTIFUNCTION (YSI PRO PLUS)

Plant Number: 113076 Serial Number: 234106858

| SENSOR           | CONCENTRATION         | SPAN 1                | SPAN 2      | TRACEABILITY                   | PASS                                |
|------------------|-----------------------|-----------------------|-------------|--------------------------------|-------------------------------------|
| pH               | pH 7.00 / pH 4.00     | 7.00 pH               | 4.00 pH     | pH 4 - 380327<br>pH 7 - 330737 | <input checked="" type="checkbox"/> |
| Conductivity     | 12.88 mS/cm           | 12.88 mS/cm           |             | 399853                         | <input checked="" type="checkbox"/> |
| Dissolved Oxygen | Sodium Sulphite / Air | 0% In Sodium Sulphite | 100% in Air | 123302                         | <input checked="" type="checkbox"/> |
| ORP              | 240mV @ 20°C          | 240mV                 |             | 337308                         | <input type="checkbox"/>            |

|                                |                            |
|--------------------------------|----------------------------|
| Battery Status <u>100</u> %    | Temperature <u>23.5</u> °C |
| Electrodes Cleaned and Checked |                            |

Note: Calibration solution traceability information is available upon request.

Checked By: ECB Date: 23/2/24 Signed: 

### Accessories List:

|                         |                            |                          |
|-------------------------|----------------------------|--------------------------|
| User's Manual           | pH Sensor                  | Conductivity/Temp Sensor |
| Dissolved Oxygen Sensor | Redox (ORP) sensor         | Flow Cell                |
| User Guide              | Stainless Steel Restrictor | Spare Batteries          |
| Calibration Cup         |                            |                          |



Make your job EASY!

135 135 | kennards.com.au

# ATTACHMENT B

## FIELD SAMPLING SHEETS

# Surface Water Sampling Data Sheet

| General Information |                                    |                    |     |
|---------------------|------------------------------------|--------------------|-----|
| Project:            | Katherine Depot                    |                    |     |
| Job Number:         | BE-72                              | Site Locked (Y/N): | N   |
| Client:             | Cleanaway Waste Management Limited | Sample ID:         | VGS |
| Location:           | Katherine Depot                    | Equip Calibrated:  | Yes |

| Weather Conditions   |      |
|----------------------|------|
| Rain:                | -    |
| Wind Direction:      | -    |
| Temperature:         | 33.8 |
| Wind Speed:          | -    |
| Cloud Cover:         | 95%  |
| Upwind Activities:   | -    |
| Location Conditions: | N/A  |

| Purging Information     |                    |      |                       |            |                        |           |                                         |
|-------------------------|--------------------|------|-----------------------|------------|------------------------|-----------|-----------------------------------------|
| Date:                   | 28/2/24            |      |                       |            |                        |           |                                         |
| Name:                   | A Vaughan          |      |                       |            |                        |           |                                         |
| Method:                 | Bailer             |      |                       |            |                        |           |                                         |
| Sampling Material:      |                    |      |                       |            |                        |           |                                         |
| Pump Depth:             | -                  |      |                       |            |                        |           |                                         |
| Start Time:             | 12:30              |      |                       |            |                        |           |                                         |
| Finish Time:            | 12:45              |      |                       |            |                        |           |                                         |
| Pumping Details:        | -                  |      |                       |            |                        |           |                                         |
| Sample Volume (L):      | 4                  |      |                       |            |                        |           |                                         |
| No Times Sampled:       | 4                  |      |                       |            |                        |           |                                         |
| Total Volumes (litres): | 4                  |      |                       |            |                        |           |                                         |
| Time                    | Volume Removed (L) | pH   | E.C. (µS/cm or mS/cm) | Redox (mV) | Dissolved Oxygen (ppm) | Temp (°C) | Appearance (Colour / Odour / Turbidity) |
| 12:30                   | 1                  | 7.42 | 319.5                 | 36.0       | 5.81                   | 31.9      | light grey, low                         |
| 12:32                   | 1                  | 7.41 | 318.8                 | 40.5       | 5.52                   | 31.9      | mod turb, low                           |
| 12:34                   | 1                  | 7.39 | 319.9                 | 45.6       | 5.48                   | 31.9      | sheen / slight                          |
| 12:36                   | 1                  | 7.38 | 321.2                 | 43.3       | 5.50                   | 31.9      | HA odour                                |
|                         |                    |      |                       |            |                        |           |                                         |
|                         |                    |      |                       |            |                        |           |                                         |
|                         |                    |      |                       |            |                        |           |                                         |
|                         |                    |      |                       |            |                        |           |                                         |
|                         |                    |      |                       |            |                        |           | *DUPI                                   |

Purging should continue until measurements for pH are within 0.05 pH unit; conductivity within 3%, DO within 10%, Redox within 10 mV and Temperature is within 0.5 degC over three successive measurements

# ATTACHMENT C

## CERTIFIED LABORATORY ANALYTICAL RESULTS



## CERTIFICATE OF ANALYSIS

|                         |                                                              |                         |                                                       |
|-------------------------|--------------------------------------------------------------|-------------------------|-------------------------------------------------------|
| Work Order              | : ES2406577-AB                                               | Page                    | : 1 of 5                                              |
| Amendment               | : 1                                                          |                         |                                                       |
| Client                  | : LWC MANAGEMENT PTY LTD                                     | Laboratory              | : Environmental Division Sydney                       |
| Contact                 | : MR JAMES FOX                                               | Contact                 | : Kieren Burns                                        |
| Address                 | : SUITE 3 4-8 GOODWOOD ROAD<br>WAYVILLE SOUTH AUSTRALIA 5034 | Address                 | : 277-289 Woodpark Road Smithfield NSW Australia 2164 |
| Telephone               | : ----                                                       | Telephone               | : +61881625130                                        |
| Project                 | : BE-72                                                      | Date Samples Received   | : 01-Mar-2024 14:30                                   |
| Order number            | : ----                                                       | Date Analysis Commenced | : 01-Mar-2024                                         |
| C-O-C number            | : ----                                                       | Issue Date              | : 08-Apr-2024 17:49                                   |
| Sampler                 | : ALISTAIR VAUGHAN                                           |                         |                                                       |
| Site                    | : ----                                                       |                         |                                                       |
| Quote number            | : EN/111                                                     |                         |                                                       |
| No. of samples received | : 3                                                          |                         |                                                       |
| No. of samples analysed | : 3                                                          |                         |                                                       |



Accreditation No. 825  
Accredited for compliance with  
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

| Signatories     | Position                    | Accreditation Category             |
|-----------------|-----------------------------|------------------------------------|
| Ankit Joshi     | Senior Chemist - Inorganics | Sydney Inorganics, Smithfield, NSW |
| Edwandy Fadjar  | Organic Coordinator         | Sydney Organics, Smithfield, NSW   |
| Ivan Taylor     | Analyst                     | Sydney Inorganics, Smithfield, NSW |
| Sanjeshni Jyoti | Senior Chemist Volatiles    | Sydney Organics, Smithfield, NSW   |



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
ø = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EP080: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- As per QWI – EN55-3 Data Interpreting Procedures, Ionic balances are typically calculated using Major Anions - Chloride, Alkalinity and Sulfate; and Major Cations - Calcium, Magnesium, Potassium and Sodium. Where applicable and dependent upon sample matrix, the Ionic Balance may also include the additional contribution of Ammonia, Dissolved Metals by ICPMS and H+ to the Cations and Nitrate, SiO<sub>2</sub> and Fluoride to the Anions.
- TDS by method EA-015 may bias high for sample 5 due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.
- Amendment (08/04/2024): This report has been amended following the request to report specific samples ES2406577 and sample number/s 001, 004 & 006 on a separate COA, received from Alistair Vaughan on 08/04/2024.
- Sodium Adsorption Ratio (where reported): Where results for Na, Ca or Mg are <LOR, a concentration at half the reported LOR is incorporated into the SAR calculation. This represents a conservative approach for Na relative to the assumption that <LOR = zero concentration and a conservative approach for Ca & Mg relative to the assumption that <LOR is equivalent to the LOR concentration.
- ED045G: The presence of Thiocyanate, Thiosulfate and Sulfite can positively contribute to the chloride result, thereby may bias results higher than expected. Results should be scrutinised accordingly.



## Analytical Results

| Sub-Matrix: WATER<br>(Matrix: WATER)                     |             |      |       | Sample ID         | VGS               | DUP1              | Tripblank | ----  | ---- |
|----------------------------------------------------------|-------------|------|-------|-------------------|-------------------|-------------------|-----------|-------|------|
| Sampling date / time                                     |             |      |       | 28-Feb-2024 00:00 | 28-Feb-2024 00:00 | 28-Feb-2024 00:00 | ----      | ----  |      |
| Compound                                                 | CAS Number  | LOR  | Unit  | ES2406577-001     | ES2406577-004     | ES2406577-006     | -----     | ----- |      |
|                                                          |             |      |       | Result            | Result            | Result            | ----      | ----  |      |
| <b>EA015: Total Dissolved Solids dried at 180 ± 5 °C</b> |             |      |       |                   |                   |                   |           |       |      |
| Total Dissolved Solids @180°C                            | ----        | 10   | mg/L  | <b>162</b>        | <b>168</b>        | ----              | ----      | ----  |      |
| <b>EA025: Total Suspended Solids dried at 104 ± 2°C</b>  |             |      |       |                   |                   |                   |           |       |      |
| Suspended Solids (SS)                                    | ----        | 5    | mg/L  | <b>13</b>         | <b>17</b>         | ----              | ----      | ----  |      |
| <b>ED037P: Alkalinity by PC Titrator</b>                 |             |      |       |                   |                   |                   |           |       |      |
| Hydroxide Alkalinity as CaCO3                            | DMO-210-001 | 1    | mg/L  | <1                | <1                | ----              | ----      | ----  |      |
| Carbonate Alkalinity as CaCO3                            | 3812-32-6   | 1    | mg/L  | <1                | <1                | ----              | ----      | ----  |      |
| Bicarbonate Alkalinity as CaCO3                          | 71-52-3     | 1    | mg/L  | <b>111</b>        | <b>114</b>        | ----              | ----      | ----  |      |
| Total Alkalinity as CaCO3                                | ----        | 1    | mg/L  | <b>111</b>        | <b>114</b>        | ----              | ----      | ----  |      |
| <b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>   |             |      |       |                   |                   |                   |           |       |      |
| Sulfate as SO4 - Turbidimetric                           | 14808-79-8  | 1    | mg/L  | <b>8</b>          | <b>8</b>          | ----              | ----      | ----  |      |
| <b>ED045G: Chloride by Discrete Analyser</b>             |             |      |       |                   |                   |                   |           |       |      |
| Chloride                                                 | 16887-00-6  | 1    | mg/L  | <b>7</b>          | <b>7</b>          | ----              | ----      | ----  |      |
| <b>ED093F: Dissolved Major Cations</b>                   |             |      |       |                   |                   |                   |           |       |      |
| Calcium                                                  | 7440-70-2   | 1    | mg/L  | <b>29</b>         | <b>29</b>         | ----              | ----      | ----  |      |
| Magnesium                                                | 7439-95-4   | 1    | mg/L  | <b>10</b>         | <b>11</b>         | ----              | ----      | ----  |      |
| Sodium                                                   | 7440-23-5   | 1    | mg/L  | <b>8</b>          | <b>9</b>          | ----              | ----      | ----  |      |
| Potassium                                                | 7440-09-7   | 1    | mg/L  | <b>2</b>          | <b>2</b>          | ----              | ----      | ----  |      |
| <b>EK055G: Ammonia as N by Discrete Analyser</b>         |             |      |       |                   |                   |                   |           |       |      |
| Ammonia as N                                             | 7664-41-7   | 0.01 | mg/L  | <b>0.23</b>       | <b>0.18</b>       | ----              | ----      | ----  |      |
| <b>EN055: Ionic Balance</b>                              |             |      |       |                   |                   |                   |           |       |      |
| ∅ Total Anions                                           | ----        | 0.01 | meq/L | <b>2.58</b>       | <b>2.64</b>       | ----              | ----      | ----  |      |
| ∅ Total Cations                                          | ----        | 0.01 | meq/L | <b>2.67</b>       | <b>2.80</b>       | ----              | ----      | ----  |      |
| <b>EP030: Biochemical Oxygen Demand (BOD)</b>            |             |      |       |                   |                   |                   |           |       |      |
| Biochemical Oxygen Demand                                | ----        | 2    | mg/L  | <b>188</b>        | <b>133</b>        | ----              | ----      | ----  |      |
| <b>EP080/071: Total Petroleum Hydrocarbons</b>           |             |      |       |                   |                   |                   |           |       |      |
| C6 - C9 Fraction                                         | ----        | 20   | µg/L  | <b>30</b>         | <b>30</b>         | <20               | ----      | ----  |      |
| C10 - C14 Fraction                                       | ----        | 50   | µg/L  | <b>50</b>         | <50               | ----              | ----      | ----  |      |
| C15 - C28 Fraction                                       | ----        | 100  | µg/L  | <b>1990</b>       | <b>2000</b>       | ----              | ----      | ----  |      |



## Analytical Results

| Sub-Matrix: WATER<br>(Matrix: WATER)                                   |                   |     |      | Sample ID         | VGS               | DUP1              | Tripblank | ----  | ---- |
|------------------------------------------------------------------------|-------------------|-----|------|-------------------|-------------------|-------------------|-----------|-------|------|
| Sampling date / time                                                   |                   |     |      | 28-Feb-2024 00:00 | 28-Feb-2024 00:00 | 28-Feb-2024 00:00 | ----      | ----  |      |
| Compound                                                               | CAS Number        | LOR | Unit | ES2406577-001     | ES2406577-004     | ES2406577-006     | -----     | ----- |      |
|                                                                        |                   |     |      | Result            | Result            | Result            | ----      | ----  |      |
| <b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>             |                   |     |      |                   |                   |                   |           |       |      |
| C29 - C36 Fraction                                                     | ----              | 50  | µg/L | 1340              | 1410              | ----              | ----      | ----  |      |
| <sup>^</sup> C10 - C36 Fraction (sum)                                  | ----              | 50  | µg/L | 3380              | 3410              | ----              | ----      | ----  |      |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b> |                   |     |      |                   |                   |                   |           |       |      |
| C6 - C10 Fraction                                                      | C6_C10            | 20  | µg/L | 30                | 40                | <20               | ----      | ----  |      |
| <sup>^</sup> C6 - C10 Fraction minus BTEX (F1)                         | C6_C10-BTEX       | 20  | µg/L | 20                | 30                | <20               | ----      | ----  |      |
| >C10 - C16 Fraction                                                    | ----              | 100 | µg/L | 340               | 280               | ----              | ----      | ----  |      |
| >C16 - C34 Fraction                                                    | ----              | 100 | µg/L | 2730              | 2820              | ----              | ----      | ----  |      |
| >C34 - C40 Fraction                                                    | ----              | 100 | µg/L | 580               | 610               | ----              | ----      | ----  |      |
| <sup>^</sup> >C10 - C40 Fraction (sum)                                 | ----              | 100 | µg/L | 3650              | 3710              | ----              | ----      | ----  |      |
| <sup>^</sup> >C10 - C16 Fraction minus Naphthalene (F2)                | ----              | 100 | µg/L | 340               | 280               | ----              | ----      | ----  |      |
| <b>EP080: BTEXN</b>                                                    |                   |     |      |                   |                   |                   |           |       |      |
| Benzene                                                                | 71-43-2           | 1   | µg/L | <1                | <1                | <1                | ----      | ----  |      |
| Toluene                                                                | 108-88-3          | 2   | µg/L | 4                 | 4                 | <2                | ----      | ----  |      |
| Ethylbenzene                                                           | 100-41-4          | 2   | µg/L | <2                | <2                | <2                | ----      | ----  |      |
| meta- & para-Xylene                                                    | 108-38-3 106-42-3 | 2   | µg/L | 2                 | 2                 | <2                | ----      | ----  |      |
| ortho-Xylene                                                           | 95-47-6           | 2   | µg/L | <2                | <2                | <2                | ----      | ----  |      |
| <sup>^</sup> Total Xylenes                                             | ----              | 2   | µg/L | 2                 | 2                 | <2                | ----      | ----  |      |
| <sup>^</sup> Sum of BTEX                                               | ----              | 1   | µg/L | 6                 | 6                 | <1                | ----      | ----  |      |
| Naphthalene                                                            | 91-20-3           | 5   | µg/L | <5                | <5                | <5                | ----      | ----  |      |
| <b>EP080S: TPH(V)/BTEX Surrogates</b>                                  |                   |     |      |                   |                   |                   |           |       |      |
| 1,2-Dichloroethane-D4                                                  | 17060-07-0        | 2   | %    | 112               | 109               | 98.1              | ----      | ----  |      |
| Toluene-D8                                                             | 2037-26-5         | 2   | %    | 128               | 125               | 104               | ----      | ----  |      |
| 4-Bromofluorobenzene                                                   | 460-00-4          | 2   | %    | 125               | 122               | 116               | ----      | ----  |      |



### Surrogate Control Limits

| Sub-Matrix: WATER                     |            | Recovery Limits (%) |      |
|---------------------------------------|------------|---------------------|------|
| Compound                              | CAS Number | Low                 | High |
| <b>EP080S: TPH(V)/BTEX Surrogates</b> |            |                     |      |
| 1,2-Dichloroethane-D4                 | 17060-07-0 | 72                  | 143  |
| Toluene-D8                            | 2037-26-5  | 75                  | 131  |
| 4-Bromofluorobenzene                  | 460-00-4   | 73                  | 137  |



## Automated Guideline Comparison Report

|                         |                                                              |               |                                                       |
|-------------------------|--------------------------------------------------------------|---------------|-------------------------------------------------------|
| Work Order              | : ES2406577-AB                                               | Page          | : 1 of 2                                              |
| Amendment               | : 1                                                          |               |                                                       |
| Client                  | : LWC MANAGEMENT PTY LTD                                     | Laboratory    | : Environmental Division Sydney                       |
| Contact                 | : MR JAMES FOX                                               |               |                                                       |
| Address                 | : SUITE 3 4-8 GOODWOOD ROAD<br>WAYVILLE SOUTH AUSTRALIA 5034 | Address       | : 277-289 Woodpark Road Smithfield NSW Australia 2164 |
| E-mail                  | : jfox@lwconsulting.com.au                                   | E-mail        | : kieren.burns@alsglobal.com                          |
| Telephone               | : ----                                                       | Telephone     | : +61881625130                                        |
| Facsimile               | : ----                                                       | Facsimile     | : +61-2-8784 8500                                     |
| Project                 | : BE-72                                                      | Date Received | : 01-Mar-2024 14:30                                   |
| Order number            | : ----                                                       | Date Analysed | : 01-Mar-2024                                         |
| C-O-C number            | : ----                                                       | Date Issued   | : 08-Apr-2024 17:22                                   |
| No. of samples received | : 3                                                          |               |                                                       |
| No. of samples analysed | : 3                                                          | Quote number  | : EN/111                                              |

### General Comments

Additional information pertinent to this report will be found in the following separate attachments: Certificate of Analysis, Quality Control Report, QA/QC Compliance Assessment to Assist with Quality Review and Sample Receipt Notification.





## QUALITY CONTROL REPORT

Work Order : **ES2406577-AB**

Page : 1 of 7

Amendment : **1**

Client : **LWC MANAGEMENT PTY LTD**

Laboratory : Environmental Division Sydney

Contact : MR JAMES FOX

Contact : Kieren Burns

Address : SUITE 3 4-8 GOODWOOD ROAD  
WAYVILLE SOUTH AUSTRALIA 5034

Address : 277-289 Woodpark Road Smithfield NSW Australia 2164

Telephone : ----

Telephone : +61881625130

Project : BE-72

Date Samples Received : 01-Mar-2024

Order number : ----

Date Analysis Commenced : 01-Mar-2024

C-O-C number : ----

Issue Date : 08-Apr-2024

Sampler : ALISTAIR VAUGHAN

Site : ----

Quote number : EN/111

No. of samples received : 3

No. of samples analysed : 3



Accreditation No. 825  
Accredited for compliance with  
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

| Signatories     | Position                    | Accreditation Category             |
|-----------------|-----------------------------|------------------------------------|
| Ankit Joshi     | Senior Chemist - Inorganics | Sydney Inorganics, Smithfield, NSW |
| Edwandy Fadjar  | Organic Coordinator         | Sydney Organics, Smithfield, NSW   |
| Ivan Taylor     | Analyst                     | Sydney Inorganics, Smithfield, NSW |
| Sanjeshni Jyoti | Senior Chemist Volatiles    | Sydney Organics, Smithfield, NSW   |



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **WATER**

|                                                                            |           |                                          |             | Laboratory Duplicate (DUP) Report |      |                 |                  |         |                    |
|----------------------------------------------------------------------------|-----------|------------------------------------------|-------------|-----------------------------------|------|-----------------|------------------|---------|--------------------|
| Laboratory sample ID                                                       | Sample ID | Method: Compound                         | CAS Number  | LOR                               | Unit | Original Result | Duplicate Result | RPD (%) | Acceptable RPD (%) |
| <b>EA015: Total Dissolved Solids dried at 180 ± 5 °C (QC Lot: 5639283)</b> |           |                                          |             |                                   |      |                 |                  |         |                    |
| ES2406506-008                                                              | Anonymous | EA015H: Total Dissolved Solids @180°C    | ----        | 10                                | mg/L | 496             | 500              | 0.9     | 0% - 20%           |
| ES2406549-010                                                              | Anonymous | EA015H: Total Dissolved Solids @180°C    | ----        | 10                                | mg/L | 362             | 337              | 7.3     | 0% - 20%           |
| ES2406615-004                                                              | Anonymous | EA015H: Total Dissolved Solids @180°C    | ----        | 10                                | mg/L | <10             | 12               | 20.2    | No Limit           |
| ES2406618-009                                                              | Anonymous | EA015H: Total Dissolved Solids @180°C    | ----        | 10                                | mg/L | 37              | 37               | 0.0     | No Limit           |
| <b>EA025: Total Suspended Solids dried at 104 ± 2°C (QC Lot: 5639282)</b>  |           |                                          |             |                                   |      |                 |                  |         |                    |
| ES2406506-008                                                              | Anonymous | EA025H: Suspended Solids (SS)            | ----        | 5                                 | mg/L | <5              | <5               | 0.0     | No Limit           |
| ES2406549-010                                                              | Anonymous | EA025H: Suspended Solids (SS)            | ----        | 5                                 | mg/L | 156             | 163              | 4.5     | 0% - 20%           |
| ES2406615-004                                                              | Anonymous | EA025H: Suspended Solids (SS)            | ----        | 5                                 | mg/L | 7               | 6                | 14.8    | No Limit           |
| ES2406618-009                                                              | Anonymous | EA025H: Suspended Solids (SS)            | ----        | 5                                 | mg/L | 16              | 18               | 5.9     | No Limit           |
| <b>ED037P: Alkalinity by PC Titrator (QC Lot: 5639309)</b>                 |           |                                          |             |                                   |      |                 |                  |         |                    |
| ES2406613-001                                                              | Anonymous | ED037-P: Hydroxide Alkalinity as CaCO3   | DMO-210-001 | 1                                 | mg/L | <1              | <1               | 0.0     | No Limit           |
|                                                                            |           | ED037-P: Carbonate Alkalinity as CaCO3   | 3812-32-6   | 1                                 | mg/L | <1              | <1               | 0.0     | No Limit           |
|                                                                            |           | ED037-P: Bicarbonate Alkalinity as CaCO3 | 71-52-3     | 1                                 | mg/L | 8               | 6                | 30.1    | No Limit           |
|                                                                            |           | ED037-P: Total Alkalinity as CaCO3       | ----        | 1                                 | mg/L | 8               | 6                | 30.1    | No Limit           |
| ES2406571-001                                                              | Anonymous | ED037-P: Hydroxide Alkalinity as CaCO3   | DMO-210-001 | 1                                 | mg/L | <1              | <1               | 0.0     | No Limit           |
|                                                                            |           | ED037-P: Carbonate Alkalinity as CaCO3   | 3812-32-6   | 1                                 | mg/L | 514             | 517              | 0.7     | 0% - 20%           |
|                                                                            |           | ED037-P: Bicarbonate Alkalinity as CaCO3 | 71-52-3     | 1                                 | mg/L | 434             | 441              | 1.7     | 0% - 20%           |
|                                                                            |           | ED037-P: Total Alkalinity as CaCO3       | ----        | 1                                 | mg/L | 947             | 958              | 1.2     | 0% - 20%           |
| <b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QC Lot: 5641777)</b>   |           |                                          |             |                                   |      |                 |                  |         |                    |
| ES2406577-001                                                              | VGS       | ED041G: Sulfate as SO4 - Turbidimetric   | 14808-79-8  | 1                                 | mg/L | 8               | 8                | 0.0     | No Limit           |
| ME2400392-005                                                              | Anonymous | ED041G: Sulfate as SO4 - Turbidimetric   | 14808-79-8  | 1                                 | mg/L | 4410            | 4430             | 0.4     | 0% - 20%           |
| <b>ED045G: Chloride by Discrete Analyser (QC Lot: 5641778)</b>             |           |                                          |             |                                   |      |                 |                  |         |                    |



| Sub-Matrix: WATER                                                                        |           |                                  |            | Laboratory Duplicate (DUP) Report |      |                 |                  |         |                    |  |
|------------------------------------------------------------------------------------------|-----------|----------------------------------|------------|-----------------------------------|------|-----------------|------------------|---------|--------------------|--|
| Laboratory sample ID                                                                     | Sample ID | Method: Compound                 | CAS Number | LOR                               | Unit | Original Result | Duplicate Result | RPD (%) | Acceptable RPD (%) |  |
| <b>ED045G: Chloride by Discrete Analyser (QC Lot: 5641778) - continued</b>               |           |                                  |            |                                   |      |                 |                  |         |                    |  |
| ES2406577-001                                                                            | VGS       | ED045G: Chloride                 | 16887-00-6 | 1                                 | mg/L | 7               | 7                | 0.0     | No Limit           |  |
| ME2400392-005                                                                            | Anonymous | ED045G: Chloride                 | 16887-00-6 | 1                                 | mg/L | 1700            | 1770             | 4.0     | 0% - 20%           |  |
| <b>ED093F: Dissolved Major Cations (QC Lot: 5640885)</b>                                 |           |                                  |            |                                   |      |                 |                  |         |                    |  |
| ES2406558-001                                                                            | Anonymous | ED093F: Calcium                  | 7440-70-2  | 1                                 | mg/L | 191             | 196              | 2.7     | 0% - 20%           |  |
|                                                                                          |           | ED093F: Magnesium                | 7439-95-4  | 1                                 | mg/L | 80              | 82               | 2.6     | 0% - 20%           |  |
|                                                                                          |           | ED093F: Sodium                   | 7440-23-5  | 1                                 | mg/L | 142             | 145              | 2.0     | 0% - 20%           |  |
|                                                                                          |           | ED093F: Potassium                | 7440-09-7  | 1                                 | mg/L | 1               | 1                | 0.0     | No Limit           |  |
| EW2400799-002                                                                            | Anonymous | ED093F: Calcium                  | 7440-70-2  | 1                                 | mg/L | 27              | 26               | 4.7     | 0% - 20%           |  |
|                                                                                          |           | ED093F: Magnesium                | 7439-95-4  | 1                                 | mg/L | 6               | 5                | 0.0     | No Limit           |  |
|                                                                                          |           | ED093F: Sodium                   | 7440-23-5  | 1                                 | mg/L | 21              | 19               | 11.3    | 0% - 20%           |  |
|                                                                                          |           | ED093F: Potassium                | 7440-09-7  | 1                                 | mg/L | 2               | 1                | 0.0     | No Limit           |  |
| <b>EK055G: Ammonia as N by Discrete Analyser (QC Lot: 5637223)</b>                       |           |                                  |            |                                   |      |                 |                  |         |                    |  |
| ES2406577-001                                                                            | VGS       | EK055G: Ammonia as N             | 7664-41-7  | 0.01                              | mg/L | 0.23            | 0.22             | 0.0     | 0% - 20%           |  |
| <b>EP030: Biochemical Oxygen Demand (BOD) (QC Lot: 5637308)</b>                          |           |                                  |            |                                   |      |                 |                  |         |                    |  |
| ES2406610-001                                                                            | Anonymous | EP030: Biochemical Oxygen Demand | ----       | 2                                 | mg/L | <2              | 10               | 133     | No Limit           |  |
| ES2406814-001                                                                            | Anonymous | EP030: Biochemical Oxygen Demand | ----       | 2                                 | mg/L | 3               | 3                | 0.0     | No Limit           |  |
| <b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 5636633)</b>                         |           |                                  |            |                                   |      |                 |                  |         |                    |  |
| ES2406576-001                                                                            | Anonymous | EP080: C6 - C9 Fraction          | ----       | 20                                | µg/L | <20             | <20              | 0.0     | No Limit           |  |
| ES2406605-004                                                                            | Anonymous | EP080: C6 - C9 Fraction          | ----       | 20                                | µg/L | <20             | <20              | 0.0     | No Limit           |  |
| <b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 5638058)</b>                         |           |                                  |            |                                   |      |                 |                  |         |                    |  |
| ES2406836-003                                                                            | Anonymous | EP080: C6 - C9 Fraction          | ----       | 20                                | µg/L | <0.02 mg/L      | <20              | 0.0     | No Limit           |  |
| ES2406826-001                                                                            | Anonymous | EP080: C6 - C9 Fraction          | ----       | 20                                | µg/L | <20             | <20              | 0.0     | No Limit           |  |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 5636633)</b> |           |                                  |            |                                   |      |                 |                  |         |                    |  |
| ES2406576-001                                                                            | Anonymous | EP080: C6 - C10 Fraction         | C6_C10     | 20                                | µg/L | <20             | <20              | 0.0     | No Limit           |  |
| ES2406605-004                                                                            | Anonymous | EP080: C6 - C10 Fraction         | C6_C10     | 20                                | µg/L | <20             | <20              | 0.0     | No Limit           |  |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 5638058)</b> |           |                                  |            |                                   |      |                 |                  |         |                    |  |
| ES2406836-003                                                                            | Anonymous | EP080: C6 - C10 Fraction         | C6_C10     | 20                                | µg/L | <0.02 mg/L      | <20              | 0.0     | No Limit           |  |
| ES2406826-001                                                                            | Anonymous | EP080: C6 - C10 Fraction         | C6_C10     | 20                                | µg/L | <20             | <20              | 0.0     | No Limit           |  |
| <b>EP080: BTEXN (QC Lot: 5636633)</b>                                                    |           |                                  |            |                                   |      |                 |                  |         |                    |  |
| ES2406576-001                                                                            | Anonymous | EP080: Benzene                   | 71-43-2    | 1                                 | µg/L | <1              | <1               | 0.0     | No Limit           |  |
|                                                                                          |           | EP080: Toluene                   | 108-88-3   | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |  |
|                                                                                          |           | EP080: Ethylbenzene              | 100-41-4   | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |  |
|                                                                                          |           | EP080: meta- & para-Xylene       | 108-38-3   | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |  |
|                                                                                          |           |                                  | 106-42-3   |                                   |      |                 |                  |         |                    |  |
|                                                                                          |           | EP080: ortho-Xylene              | 95-47-6    | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |  |
| ES2406605-004                                                                            | Anonymous | EP080: Naphthalene               | 91-20-3    | 5                                 | µg/L | <5              | <5               | 0.0     | No Limit           |  |
|                                                                                          |           | EP080: Benzene                   | 71-43-2    | 1                                 | µg/L | <1              | <1               | 0.0     | No Limit           |  |



| Sub-Matrix: WATER                                 |           |                            |                      | Laboratory Duplicate (DUP) Report |      |                 |                  |         |                    |
|---------------------------------------------------|-----------|----------------------------|----------------------|-----------------------------------|------|-----------------|------------------|---------|--------------------|
| Laboratory sample ID                              | Sample ID | Method: Compound           | CAS Number           | LOR                               | Unit | Original Result | Duplicate Result | RPD (%) | Acceptable RPD (%) |
| <b>EP080: BTEXN (QC Lot: 5636633) - continued</b> |           |                            |                      |                                   |      |                 |                  |         |                    |
| ES2406605-004                                     | Anonymous | EP080: Toluene             | 108-88-3             | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: Ethylbenzene        | 100-41-4             | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: meta- & para-Xylene | 108-38-3<br>106-42-3 | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: ortho-Xylene        | 95-47-6              | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: Naphthalene         | 91-20-3              | 5                                 | µg/L | <5              | <5               | 0.0     | No Limit           |
| <b>EP080: BTEXN (QC Lot: 5638058)</b>             |           |                            |                      |                                   |      |                 |                  |         |                    |
| ES2406836-003                                     | Anonymous | EP080: Benzene             | 71-43-2              | 1                                 | µg/L | <0.001 mg/L     | <1               | 0.0     | No Limit           |
|                                                   |           | EP080: Toluene             | 108-88-3             | 2                                 | µg/L | <0.002 mg/L     | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: Ethylbenzene        | 100-41-4             | 2                                 | µg/L | <0.002 mg/L     | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: meta- & para-Xylene | 108-38-3<br>106-42-3 | 2                                 | µg/L | <0.002 mg/L     | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: ortho-Xylene        | 95-47-6              | 2                                 | µg/L | <0.002 mg/L     | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: Naphthalene         | 91-20-3              | 5                                 | µg/L | <0.005 mg/L     | <5               | 0.0     | No Limit           |
| ES2406826-001                                     | Anonymous | EP080: Benzene             | 71-43-2              | 1                                 | µg/L | <1              | <1               | 0.0     | No Limit           |
|                                                   |           | EP080: Toluene             | 108-88-3             | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: Ethylbenzene        | 100-41-4             | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: meta- & para-Xylene | 108-38-3<br>106-42-3 | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: ortho-Xylene        | 95-47-6              | 2                                 | µg/L | <2              | <2               | 0.0     | No Limit           |
|                                                   |           | EP080: Naphthalene         | 91-20-3              | 5                                 | µg/L | <5              | <5               | 0.0     | No Limit           |



### Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **WATER**

| Method: Compound                                                          | CAS Number | LOR  | Unit | Method Blank (MB) Report | Laboratory Control Spike (LCS) Report |                    |                       |      |
|---------------------------------------------------------------------------|------------|------|------|--------------------------|---------------------------------------|--------------------|-----------------------|------|
|                                                                           |            |      |      | Result                   | Spike Concentration                   | Spike Recovery (%) | Acceptable Limits (%) |      |
|                                                                           |            |      |      |                          |                                       | LCS                | Low                   | High |
| <b>EA015: Total Dissolved Solids dried at 180 ± 5 °C (QCLot: 5639283)</b> |            |      |      |                          |                                       |                    |                       |      |
| EA015H: Total Dissolved Solids @180°C                                     | ----       | 10   | mg/L | <10                      | 2000 mg/L                             | 103                | 87.0                  | 109  |
|                                                                           |            |      |      | <10                      | 293 mg/L                              | 122                | 75.2                  | 126  |
|                                                                           |            |      |      | <10                      | 2410 mg/L                             | 101                | 83.0                  | 124  |
| <b>EA025: Total Suspended Solids dried at 104 ± 2°C (QCLot: 5639282)</b>  |            |      |      |                          |                                       |                    |                       |      |
| EA025H: Suspended Solids (SS)                                             | ----       | 5    | mg/L | <5                       | 150 mg/L                              | 102                | 83.0                  | 129  |
|                                                                           |            |      |      | <5                       | 1000 mg/L                             | 87.8               | 82.0                  | 110  |
|                                                                           |            |      |      | <5                       | 928 mg/L                              | 95.8               | 83.0                  | 118  |
| <b>ED037P: Alkalinity by PC Titrator (QCLot: 5639309)</b>                 |            |      |      |                          |                                       |                    |                       |      |
| ED037-P: Total Alkalinity as CaCO3                                        | ----       | ---- | mg/L | ----                     | 200 mg/L                              | 99.6               | 81.0                  | 115  |
|                                                                           |            |      |      | ----                     | 50 mg/L                               | 105                | 80.0                  | 120  |
| <b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 5641777)</b>   |            |      |      |                          |                                       |                    |                       |      |
| ED041G: Sulfate as SO4 - Turbidimetric                                    | 14808-79-8 | 1    | mg/L | <1                       | 25 mg/L                               | 99.4               | 82.0                  | 122  |
|                                                                           |            |      |      | <1                       | 500 mg/L                              | 104                | 82.0                  | 122  |
| <b>ED045G: Chloride by Discrete Analyser (QCLot: 5641778)</b>             |            |      |      |                          |                                       |                    |                       |      |
| ED045G: Chloride                                                          | 16887-00-6 | 1    | mg/L | <1                       | 50 mg/L                               | 104                | 80.9                  | 127  |
|                                                                           |            |      |      | <1                       | 1000 mg/L                             | 106                | 80.9                  | 127  |
| <b>ED093F: Dissolved Major Cations (QCLot: 5640885)</b>                   |            |      |      |                          |                                       |                    |                       |      |
| ED093F: Calcium                                                           | 7440-70-2  | 1    | mg/L | <1                       | 50 mg/L                               | 104                | 80.0                  | 114  |
| ED093F: Magnesium                                                         | 7439-95-4  | 1    | mg/L | <1                       | 50 mg/L                               | 101                | 90.0                  | 116  |
| ED093F: Sodium                                                            | 7440-23-5  | 1    | mg/L | <1                       | 50 mg/L                               | 105                | 82.0                  | 120  |
| ED093F: Potassium                                                         | 7440-09-7  | 1    | mg/L | <1                       | 50 mg/L                               | 101                | 85.0                  | 113  |
| <b>EK055G: Ammonia as N by Discrete Analyser (QCLot: 5637223)</b>         |            |      |      |                          |                                       |                    |                       |      |
| EK055G: Ammonia as N                                                      | 7664-41-7  | 0.01 | mg/L | <0.01                    | 1 mg/L                                | 106                | 90.0                  | 114  |
| <b>EP030: Biochemical Oxygen Demand (BOD) (QCLot: 5637308)</b>            |            |      |      |                          |                                       |                    |                       |      |
| EP030: Biochemical Oxygen Demand                                          | ----       | 2    | mg/L | <2                       | 200 mg/L                              | 105                | 74.0                  | 112  |
| <b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 5636633)</b>           |            |      |      |                          |                                       |                    |                       |      |
| EP080: C6 - C9 Fraction                                                   | ----       | 20   | µg/L | <20                      | 260 µg/L                              | 88.2               | 75.0                  | 127  |
| <b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 5636874)</b>           |            |      |      |                          |                                       |                    |                       |      |
| EP071: C10 - C14 Fraction                                                 | ----       | 50   | µg/L | <50                      | 400 µg/L                              | 82.7               | 53.7                  | 97.0 |
| EP071: C15 - C28 Fraction                                                 | ----       | 100  | µg/L | <100                     | 600 µg/L                              | 79.7               | 63.3                  | 107  |



Sub-Matrix: **WATER**

|                                                                                         |                      |     |      | Method Blank (MB) Report | Laboratory Control Spike (LCS) Report |                    |      |                       |
|-----------------------------------------------------------------------------------------|----------------------|-----|------|--------------------------|---------------------------------------|--------------------|------|-----------------------|
|                                                                                         |                      |     |      |                          | Spike Concentration                   | Spike Recovery (%) |      | Acceptable Limits (%) |
| Method: Compound                                                                        | CAS Number           | LOR | Unit | Result                   |                                       | LCS                | Low  | High                  |
| <b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 5636874) - continued</b>             |                      |     |      |                          |                                       |                    |      |                       |
| EP071: C29 - C36 Fraction                                                               | ----                 | 50  | µg/L | <50                      | 400 µg/L                              | 86.5               | 58.3 | 120                   |
| <b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 5638058)</b>                         |                      |     |      |                          |                                       |                    |      |                       |
| EP080: C6 - C9 Fraction                                                                 | ----                 | 20  | µg/L | <20                      | 260 µg/L                              | 80.2               | 75.0 | 127                   |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 5636633)</b> |                      |     |      |                          |                                       |                    |      |                       |
| EP080: C6 - C10 Fraction                                                                | C6_C10               | 20  | µg/L | <20                      | 310 µg/L                              | 86.5               | 75.0 | 127                   |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 5636874)</b> |                      |     |      |                          |                                       |                    |      |                       |
| EP071: >C10 - C16 Fraction                                                              | ----                 | 100 | µg/L | <100                     | 500 µg/L                              | 84.9               | 53.9 | 95.5                  |
| EP071: >C16 - C34 Fraction                                                              | ----                 | 100 | µg/L | <100                     | 700 µg/L                              | 81.9               | 57.8 | 110                   |
| EP071: >C34 - C40 Fraction                                                              | ----                 | 100 | µg/L | <100                     | 300 µg/L                              | 83.4               | 50.5 | 115                   |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 5638058)</b> |                      |     |      |                          |                                       |                    |      |                       |
| EP080: C6 - C10 Fraction                                                                | C6_C10               | 20  | µg/L | <20                      | 310 µg/L                              | 77.1               | 75.0 | 127                   |
| <b>EP080: BTEXN (QCLot: 5636633)</b>                                                    |                      |     |      |                          |                                       |                    |      |                       |
| EP080: Benzene                                                                          | 71-43-2              | 1   | µg/L | <1                       | 10 µg/L                               | 102                | 68.3 | 119                   |
| EP080: Toluene                                                                          | 108-88-3             | 2   | µg/L | <2                       | 10 µg/L                               | 105                | 73.5 | 120                   |
| EP080: Ethylbenzene                                                                     | 100-41-4             | 2   | µg/L | <2                       | 10 µg/L                               | 114                | 73.8 | 122                   |
| EP080: meta- & para-Xylene                                                              | 108-38-3<br>106-42-3 | 2   | µg/L | <2                       | 10 µg/L                               | 122                | 73.0 | 122                   |
| EP080: ortho-Xylene                                                                     | 95-47-6              | 2   | µg/L | <2                       | 10 µg/L                               | 109                | 76.4 | 123                   |
| EP080: Naphthalene                                                                      | 91-20-3              | 5   | µg/L | <5                       | 10 µg/L                               | 116                | 75.5 | 124                   |
| <b>EP080: BTEXN (QCLot: 5638058)</b>                                                    |                      |     |      |                          |                                       |                    |      |                       |
| EP080: Benzene                                                                          | 71-43-2              | 1   | µg/L | <1                       | 10 µg/L                               | 97.3               | 68.3 | 119                   |
| EP080: Toluene                                                                          | 108-88-3             | 2   | µg/L | <2                       | 10 µg/L                               | 98.6               | 73.5 | 120                   |
| EP080: Ethylbenzene                                                                     | 100-41-4             | 2   | µg/L | <2                       | 10 µg/L                               | 103                | 73.8 | 122                   |
| EP080: meta- & para-Xylene                                                              | 108-38-3<br>106-42-3 | 2   | µg/L | <2                       | 10 µg/L                               | 106                | 73.0 | 122                   |
| EP080: ortho-Xylene                                                                     | 95-47-6              | 2   | µg/L | <2                       | 10 µg/L                               | 109                | 76.4 | 123                   |
| EP080: Naphthalene                                                                      | 91-20-3              | 5   | µg/L | <5                       | 10 µg/L                               | 106                | 75.5 | 124                   |

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **WATER**

|                      |           |                  |            | Matrix Spike (MS) Report |                    |                       |  |
|----------------------|-----------|------------------|------------|--------------------------|--------------------|-----------------------|--|
|                      |           |                  |            | Spike Concentration      | Spike Recovery (%) | Acceptable Limits (%) |  |
| Laboratory sample ID | Sample ID | Method: Compound | CAS Number | MS                       | Low                | High                  |  |



Sub-Matrix: WATER

|                                                                                         |                    |                                        |            | Matrix Spike (MS) Report |                  |                       |      |  |
|-----------------------------------------------------------------------------------------|--------------------|----------------------------------------|------------|--------------------------|------------------|-----------------------|------|--|
|                                                                                         |                    |                                        |            | Spike                    | SpikeRecovery(%) | Acceptable Limits (%) |      |  |
| Laboratory sample ID                                                                    | Sample ID          | Method: Compound                       | CAS Number | Concentration            | MS               | Low                   | High |  |
| <b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 5641777)</b>                 |                    |                                        |            |                          |                  |                       |      |  |
| ES2406577-001                                                                           | VGS                | ED041G: Sulfate as SO4 - Turbidimetric | 14808-79-8 | 10 mg/L                  | 98.3             | 70.0                  | 130  |  |
| <b>ED045G: Chloride by Discrete Analyser (QCLot: 5641778)</b>                           |                    |                                        |            |                          |                  |                       |      |  |
| ES2406577-001                                                                           | VGS                | ED045G: Chloride                       | 16887-00-6 | 250 mg/L                 | 95.2             | 70.0                  | 130  |  |
| <b>EK055G: Ammonia as N by Discrete Analyser (QCLot: 5637223)</b>                       |                    |                                        |            |                          |                  |                       |      |  |
| ES2406577-001                                                                           | VGS                | EK055G: Ammonia as N                   | 7664-41-7  | 1 mg/L                   | 106              | 70.0                  | 130  |  |
| <b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 5636633)</b>                         |                    |                                        |            |                          |                  |                       |      |  |
| ES2406576-001                                                                           | Anonymous          | EP080: C6 - C9 Fraction                | ----       | 325 µg/L                 | 88.7             | 70.0                  | 130  |  |
| <b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 5638058)</b>                         |                    |                                        |            |                          |                  |                       |      |  |
| ES2406836-003                                                                           | Anonymous          | EP080: C6 - C9 Fraction                | ----       | 325 µg/L                 | 86.2             | 70.0                  | 130  |  |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 5636633)</b> |                    |                                        |            |                          |                  |                       |      |  |
| ES2406576-001                                                                           | Anonymous          | EP080: C6 - C10 Fraction               | C6_C10     | 375 µg/L                 | 91.6             | 70.0                  | 130  |  |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 5638058)</b> |                    |                                        |            |                          |                  |                       |      |  |
| ES2406836-003                                                                           | Anonymous          | EP080: C6 - C10 Fraction               | C6_C10     | 375 µg/L                 | 78.4             | 70.0                  | 130  |  |
| <b>EP080: BTEXN (QCLot: 5636633)</b>                                                    |                    |                                        |            |                          |                  |                       |      |  |
| ES2406576-001                                                                           | Anonymous          | EP080: Benzene                         | 71-43-2    | 25 µg/L                  | 89.7             | 70.0                  | 130  |  |
|                                                                                         |                    | EP080: Toluene                         | 108-88-3   | 25 µg/L                  | 104              | 70.0                  | 130  |  |
|                                                                                         |                    | EP080: Ethylbenzene                    | 100-41-4   | 25 µg/L                  | 121              | 70.0                  | 130  |  |
|                                                                                         |                    | EP080: meta- & para-Xylene             | 108-38-3   | 25 µg/L                  | 127              | 70.0                  | 130  |  |
|                                                                                         |                    |                                        | 106-42-3   |                          |                  |                       |      |  |
|                                                                                         |                    | EP080: ortho-Xylene                    | 95-47-6    | 25 µg/L                  | 112              | 70.0                  | 130  |  |
|                                                                                         | EP080: Naphthalene | 91-20-3                                | 25 µg/L    | 107                      | 70.0             | 130                   |      |  |
| <b>EP080: BTEXN (QCLot: 5638058)</b>                                                    |                    |                                        |            |                          |                  |                       |      |  |
| ES2406836-003                                                                           | Anonymous          | EP080: Benzene                         | 71-43-2    | 25 µg/L                  | 101              | 70.0                  | 130  |  |
|                                                                                         |                    | EP080: Toluene                         | 108-88-3   | 25 µg/L                  | 97.6             | 70.0                  | 130  |  |
|                                                                                         |                    | EP080: Ethylbenzene                    | 100-41-4   | 25 µg/L                  | 102              | 70.0                  | 130  |  |
|                                                                                         |                    | EP080: meta- & para-Xylene             | 108-38-3   | 25 µg/L                  | 105              | 70.0                  | 130  |  |
|                                                                                         |                    |                                        | 106-42-3   |                          |                  |                       |      |  |
|                                                                                         |                    | EP080: ortho-Xylene                    | 95-47-6    | 25 µg/L                  | 106              | 70.0                  | 130  |  |
|                                                                                         | EP080: Naphthalene | 91-20-3                                | 25 µg/L    | 106                      | 70.0             | 130                   |      |  |



## QA/QC Compliance Assessment to assist with Quality Review

|              |                          |                         |                                 |
|--------------|--------------------------|-------------------------|---------------------------------|
| Work Order   | : ES2406577              | Page                    | : 1 of 9                        |
| Amendment    | : 1                      |                         |                                 |
| Client       | : LWC MANAGEMENT PTY LTD | Laboratory              | : Environmental Division Sydney |
| Contact      | : MR JAMES FOX           | Telephone               | : +61881625130                  |
| Project      | : BE-72                  | Date Samples Received   | : 01-Mar-2024                   |
| Site         | : ----                   | Issue Date              | : 08-Apr-2024                   |
| Sampler      | : ALISTAIR VAUGHAN       | No. of samples received | : 6                             |
| Order number | : ----                   | No. of samples analysed | : 5                             |

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- **NO** Matrix Spike outliers occur.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- Analysis Holding Time Outliers exist - please see following pages for full details.

#### Outliers : Frequency of Quality Control Samples

- Quality Control Sample Frequency Outliers exist - please see following pages for full details.



### Outliers : Analysis Holding Time Compliance

Matrix: WATER

| Method                                         | Extraction / Preparation        |                |                    | Analysis     |               |                  |              |
|------------------------------------------------|---------------------------------|----------------|--------------------|--------------|---------------|------------------|--------------|
|                                                | Container / Client Sample ID(s) | Date extracted | Due for extraction | Days overdue | Date analysed | Due for analysis | Days overdue |
| <b>EA005P: pH by PC Titrator</b>               |                                 |                |                    |              |               |                  |              |
| Clear Plastic Bottle - Natural<br>SWD, SW_DUP1 | ----                            | ----           | ----               |              | 04-Mar-2024   | 28-Feb-2024      | 5            |
| <b>EP030: Biochemical Oxygen Demand (BOD)</b>  |                                 |                |                    |              |               |                  |              |
| Clear Plastic Bottle - Natural<br>VGS, DUP1    | ----                            | ----           | ----               |              | 02-Mar-2024   | 01-Mar-2024      | 1            |

### Outliers : Frequency of Quality Control Samples

Matrix: WATER

| Quality Control Sample Type        | Method | Count |         | Rate (%) |          | Quality Control Specification  |
|------------------------------------|--------|-------|---------|----------|----------|--------------------------------|
|                                    |        | QC    | Regular | Actual   | Expected |                                |
| <b>Laboratory Duplicates (DUP)</b> |        |       |         |          |          |                                |
| TRH - Semivolatle Fraction         | EP071  | 0     | 20      | 0.00     | 10.00    | NEPM 2013 B3 & ALS QC Standard |
| <b>Matrix Spikes (MS)</b>          |        |       |         |          |          |                                |
| TRH - Semivolatle Fraction         | EP071  | 0     | 20      | 0.00     | 5.00     | NEPM 2013 B3 & ALS QC Standard |

### Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results. This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein. Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters. Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: WATER

Evaluation: ✘ = Holding time breach ; ✔ = Within holding time.

| Method                                                             | Sample Date | Extraction / Preparation        |                |                    | Analysis    |               |                  |
|--------------------------------------------------------------------|-------------|---------------------------------|----------------|--------------------|-------------|---------------|------------------|
|                                                                    |             | Container / Client Sample ID(s) | Date extracted | Due for extraction | Evaluation  | Date analysed | Due for analysis |
| <b>EA005P: pH by PC Titrator</b>                                   |             |                                 |                |                    |             |               |                  |
| Clear Plastic Bottle - Natural (EA005-P)<br>SWD, SW_DUP1           | 28-Feb-2024 | ----                            | ----           | ----               | 04-Mar-2024 | 28-Feb-2024   | ✘                |
| <b>EA010P: Conductivity by PC Titrator</b>                         |             |                                 |                |                    |             |               |                  |
| Clear Plastic Bottle - Natural (EA010-P)<br>SWD, SW_DUP1           | 28-Feb-2024 | ----                            | ----           | ----               | 04-Mar-2024 | 27-Mar-2024   | ✔                |
| <b>EA015: Total Dissolved Solids dried at 180 ± 5 °C</b>           |             |                                 |                |                    |             |               |                  |
| Clear Plastic Bottle - Natural (EA015H)<br>VGS, SWD, DUP1, SW_DUP1 | 28-Feb-2024 | ----                            | ----           | ----               | 04-Mar-2024 | 06-Mar-2024   | ✔                |



Matrix: **WATER** Evaluation: \* = Holding time breach ; ✓ = Within holding time.

| Method<br>Container / Client Sample ID(s)                           | Sample Date     | Extraction / Preparation |                    |             | Analysis      |                  |             |   |
|---------------------------------------------------------------------|-----------------|--------------------------|--------------------|-------------|---------------|------------------|-------------|---|
|                                                                     |                 | Date extracted           | Due for extraction | Evaluation  | Date analysed | Due for analysis | Evaluation  |   |
| <b>EA025: Total Suspended Solids dried at 104 ± 2°C</b>             |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (EA025H)<br>VGS,<br>DUP1,            | SWD,<br>SW_DUP1 | 28-Feb-2024              | ----               | ----        | ----          | 04-Mar-2024      | 06-Mar-2024 | ✓ |
| <b>ED037P: Alkalinity by PC Titrator</b>                            |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (ED037-P)<br>VGS,                    | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 04-Mar-2024      | 13-Mar-2024 | ✓ |
| <b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>              |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (ED041G)<br>VGS,                     | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 05-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>ED045G: Chloride by Discrete Analyser</b>                        |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (ED045G)<br>VGS,                     | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 05-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>ED093F: Dissolved Major Cations</b>                              |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (ED093F)<br>VGS,                     | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 05-Mar-2024      | 06-Mar-2024 | ✓ |
| <b>EG020T: Total Metals by ICP-MS</b>                               |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Unfiltered; Lab-acidified (EG020A-T)<br>SWD, | SW_DUP1         | 28-Feb-2024              | 05-Mar-2024        | 26-Aug-2024 | ✓             | 05-Mar-2024      | 26-Aug-2024 | ✓ |
| <b>EG035T: Total Recoverable Mercury by FIMS</b>                    |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Unfiltered; Lab-acidified (EG035T)<br>SWD,   | SW_DUP1         | 28-Feb-2024              | ----               | ----        | ----          | 05-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>EK055G: Ammonia as N by Discrete Analyser</b>                    |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Sulfuric Acid (EK055G)<br>VGS,               | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 01-Mar-2024      | 27-Mar-2024 | ✓ |
| Clear Plastic Bottle - Sulfuric Acid (EK055G)<br>SWD,               | SW_DUP1         | 28-Feb-2024              | ----               | ----        | ----          | 04-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>EK057G: Nitrite as N by Discrete Analyser</b>                    |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (EK057G)<br>SWD,                     | SW_DUP1         | 28-Feb-2024              | ----               | ----        | ----          | 01-Mar-2024      | 01-Mar-2024 | ✓ |
| <b>EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser</b> |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Sulfuric Acid (EK059G)<br>SWD,               | SW_DUP1         | 28-Feb-2024              | ----               | ----        | ----          | 04-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>EK061G: Total Kjeldahl Nitrogen By Discrete Analyser</b>         |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Sulfuric Acid (EK061G)<br>SWD,               | SW_DUP1         | 28-Feb-2024              | 04-Mar-2024        | 27-Mar-2024 | ✓             | 04-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>EK067G: Total Phosphorus as P by Discrete Analyser</b>           |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Sulfuric Acid (EK067G)<br>SWD,               | SW_DUP1         | 28-Feb-2024              | 04-Mar-2024        | 27-Mar-2024 | ✓             | 04-Mar-2024      | 27-Mar-2024 | ✓ |
| <b>EP030: Biochemical Oxygen Demand (BOD)</b>                       |                 |                          |                    |             |               |                  |             |   |
| Clear Plastic Bottle - Natural (EP030)<br>VGS,                      | DUP1            | 28-Feb-2024              | ----               | ----        | ----          | 02-Mar-2024      | 01-Mar-2024 | * |



Matrix: **WATER** Evaluation: \* = Holding time breach ; ✓ = Within holding time.

| Method<br>Container / Client Sample ID(s)                              | Sample Date     | Extraction / Preparation |                    |             | Analysis      |                  |             |   |
|------------------------------------------------------------------------|-----------------|--------------------------|--------------------|-------------|---------------|------------------|-------------|---|
|                                                                        |                 | Date extracted           | Due for extraction | Evaluation  | Date analysed | Due for analysis | Evaluation  |   |
| <b>EP080/071: Total Petroleum Hydrocarbons</b>                         |                 |                          |                    |             |               |                  |             |   |
| Amber Glass Bottle - Unpreserved (EP071)<br>VGS,<br>DUP1,              | SWD,<br>SW_DUP1 | 28-Feb-2024              | 05-Mar-2024        | 06-Mar-2024 | ✓             | 06-Mar-2024      | 14-Apr-2024 | ✓ |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>VGS,<br>DUP1,                | SWD,<br>SW_DUP1 | 28-Feb-2024              | 01-Mar-2024        | 13-Mar-2024 | ✓             | 02-Mar-2024      | 13-Mar-2024 | ✓ |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>Tripblank                    |                 | 28-Feb-2024              | 04-Mar-2024        | 13-Mar-2024 | ✓             | 04-Mar-2024      | 13-Mar-2024 | ✓ |
| <b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b> |                 |                          |                    |             |               |                  |             |   |
| Amber Glass Bottle - Unpreserved (EP071)<br>VGS,<br>DUP1,              | SWD,<br>SW_DUP1 | 28-Feb-2024              | 05-Mar-2024        | 06-Mar-2024 | ✓             | 06-Mar-2024      | 14-Apr-2024 | ✓ |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>VGS,<br>DUP1,                | SWD,<br>SW_DUP1 | 28-Feb-2024              | 01-Mar-2024        | 13-Mar-2024 | ✓             | 02-Mar-2024      | 13-Mar-2024 | ✓ |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>Tripblank                    |                 | 28-Feb-2024              | 04-Mar-2024        | 13-Mar-2024 | ✓             | 04-Mar-2024      | 13-Mar-2024 | ✓ |
| <b>EP080: BTEXN</b>                                                    |                 |                          |                    |             |               |                  |             |   |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>VGS,<br>DUP1,                | SWD,<br>SW_DUP1 | 28-Feb-2024              | 01-Mar-2024        | 13-Mar-2024 | ✓             | 02-Mar-2024      | 13-Mar-2024 | ✓ |
| Amber VOC Vial - Sulfuric Acid (EP080)<br>Tripblank                    |                 | 28-Feb-2024              | 04-Mar-2024        | 13-Mar-2024 | ✓             | 04-Mar-2024      | 13-Mar-2024 | ✓ |



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **WATER**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

| Quality Control Sample Type                            | Method   | Count |         | Rate (%) |          |            | Quality Control Specification  |
|--------------------------------------------------------|----------|-------|---------|----------|----------|------------|--------------------------------|
|                                                        |          | QC    | Reaular | Actual   | Expected | Evaluation |                                |
| <b>Laboratory Duplicates (DUP)</b>                     |          |       |         |          |          |            |                                |
| Alkalinity by Auto Titrator                            | ED037-P  | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Ammonia as N by Discrete analyser                      | EK055G   | 3     | 19      | 15.79    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Biochemical Oxygen Demand (BOD)                        | EP030    | 2     | 17      | 11.76    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Chloride by Discrete Analyser                          | ED045G   | 2     | 12      | 16.67    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Conductivity by Auto Titrator                          | EA010-P  | 2     | 19      | 10.53    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Major Cations - Dissolved                              | ED093F   | 2     | 4       | 50.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser    | EK059G   | 2     | 17      | 11.76    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite as N by Discrete Analyser                      | EK057G   | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| pH by Auto Titrator                                    | EA005-P  | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser | ED041G   | 2     | 12      | 16.67    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Suspended Solids (High Level)                          | EA025H   | 4     | 40      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Dissolved Solids (High Level)                    | EA015H   | 4     | 40      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Kjeldahl Nitrogen as N By Discrete Analyser      | EK061G   | 2     | 17      | 11.76    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Mercury by FIMS                                  | EG035T   | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite A                       | EG020A-T | 2     | 3       | 66.67    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Phosphorus as P By Discrete Analyser             | EK067G   | 2     | 17      | 11.76    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| TRH - Semivolatile Fraction                            | EP071    | 0     | 20      | 0.00     | 10.00    | ✖          | NEPM 2013 B3 & ALS QC Standard |
| TRH Volatiles/BTEX                                     | EP080    | 4     | 39      | 10.26    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| <b>Laboratory Control Samples (LCS)</b>                |          |       |         |          |          |            |                                |
| Alkalinity by Auto Titrator                            | ED037-P  | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Ammonia as N by Discrete analyser                      | EK055G   | 2     | 19      | 10.53    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Biochemical Oxygen Demand (BOD)                        | EP030    | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Chloride by Discrete Analyser                          | ED045G   | 2     | 12      | 16.67    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Conductivity by Auto Titrator                          | EA010-P  | 3     | 19      | 15.79    | 8.33     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Major Cations - Dissolved                              | ED093F   | 1     | 4       | 25.00    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser    | EK059G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite as N by Discrete Analyser                      | EK057G   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| pH by Auto Titrator                                    | EA005-P  | 2     | 20      | 10.00    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser | ED041G   | 2     | 12      | 16.67    | 10.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Suspended Solids (High Level)                          | EA025H   | 5     | 40      | 12.50    | 12.50    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Dissolved Solids (High Level)                    | EA015H   | 5     | 40      | 12.50    | 12.50    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Kjeldahl Nitrogen as N By Discrete Analyser      | EK061G   | 3     | 17      | 17.65    | 15.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Mercury by FIMS                                  | EG035T   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite A                       | EG020A-T | 1     | 3       | 33.33    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Phosphorus as P By Discrete Analyser             | EK067G   | 3     | 17      | 17.65    | 15.00    | ✔          | NEPM 2013 B3 & ALS QC Standard |
| TRH - Semivolatile Fraction                            | EP071    | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |



Matrix: **WATER**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification .

| Quality Control Sample Type                            | Method   | Count |         | Rate (%) |          |            | Quality Control Specification  |
|--------------------------------------------------------|----------|-------|---------|----------|----------|------------|--------------------------------|
|                                                        |          | QC    | Regular | Actual   | Expected | Evaluation |                                |
| <b>Laboratory Control Samples (LCS) - Continued</b>    |          |       |         |          |          |            |                                |
| TRH Volatiles/BTEX                                     | EP080    | 2     | 39      | 5.13     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| <b>Method Blanks (MB)</b>                              |          |       |         |          |          |            |                                |
| Ammonia as N by Discrete analyser                      | EK055G   | 2     | 19      | 10.53    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Biochemical Oxygen Demand (BOD)                        | EP030    | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Chloride by Discrete Analyser                          | ED045G   | 1     | 12      | 8.33     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Conductivity by Auto Titrator                          | EA010-P  | 2     | 19      | 10.53    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Major Cations - Dissolved                              | ED093F   | 1     | 4       | 25.00    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser    | EK059G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite as N by Discrete Analyser                      | EK057G   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser | ED041G   | 1     | 12      | 8.33     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Suspended Solids (High Level)                          | EA025H   | 2     | 40      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Dissolved Solids (High Level)                    | EA015H   | 2     | 40      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Kjeldahl Nitrogen as N By Discrete Analyser      | EK061G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Mercury by FIMS                                  | EG035T   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite A                       | EG020A-T | 1     | 3       | 33.33    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Phosphorus as P By Discrete Analyser             | EK067G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| TRH - Semivolatile Fraction                            | EP071    | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| TRH Volatiles/BTEX                                     | EP080    | 2     | 39      | 5.13     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| <b>Matrix Spikes (MS)</b>                              |          |       |         |          |          |            |                                |
| Ammonia as N by Discrete analyser                      | EK055G   | 2     | 19      | 10.53    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Chloride by Discrete Analyser                          | ED045G   | 1     | 12      | 8.33     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser    | EK059G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Nitrite as N by Discrete Analyser                      | EK057G   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser | ED041G   | 1     | 12      | 8.33     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Kjeldahl Nitrogen as N By Discrete Analyser      | EK061G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Mercury by FIMS                                  | EG035T   | 1     | 20      | 5.00     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Metals by ICP-MS - Suite A                       | EG020A-T | 1     | 3       | 33.33    | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| Total Phosphorus as P By Discrete Analyser             | EK067G   | 1     | 17      | 5.88     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |
| TRH - Semivolatile Fraction                            | EP071    | 0     | 20      | 0.00     | 5.00     | ✖          | NEPM 2013 B3 & ALS QC Standard |
| TRH Volatiles/BTEX                                     | EP080    | 2     | 39      | 5.13     | 5.00     | ✔          | NEPM 2013 B3 & ALS QC Standard |



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

| Analytical Methods                                     | Method   | Matrix | Method Descriptions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------|----------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pH by Auto Titrator                                    | EA005-P  | WATER  | In house: Referenced to APHA 4500 H+ B. This procedure determines pH of water samples by automated ISE. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                         |
| Conductivity by Auto Titrator                          | EA010-P  | WATER  | In house: Referenced to APHA 2510 B. This procedure determines conductivity by automated ISE. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                   |
| Total Dissolved Solids (High Level)                    | EA015H   | WATER  | In house: Referenced to APHA 2540C. A gravimetric procedure that determines the amount of 'filterable' residue in an aqueous sample. A well-mixed sample is filtered through a glass fibre filter (1.2um). The filtrate is evaporated to dryness and dried to constant weight at 180+/-5C. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                      |
| Suspended Solids (High Level)                          | EA025H   | WATER  | In house: Referenced to APHA 2540D. A gravimetric procedure employed to determine the amount of 'non-filterable' residue in a aqueous sample. The prescribed GFC (1.2um) filter is rinsed with deionised water, oven dried and weighed prior to analysis. A well-mixed sample is filtered through a glass fibre filter (1.2um). The residue on the filter paper is dried at 104+/-2C . This method is compliant with NEPM Schedule B(3)                                                                          |
| Alkalinity by Auto Titrator                            | ED037-P  | WATER  | In house: Referenced to APHA 2320 B This procedure determines alkalinity by automated measurement (e.g. PC Titrate) on a settled supernatant aliquot of the sample using pH 4.5 for indicating the total alkalinity end-point. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                  |
| Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser | ED041G   | WATER  | In house: Referenced to APHA 4500-SO4. Dissolved sulfate is determined in a 0.45um filtered sample. Sulfate ions are converted to a barium sulfate suspension in an acetic acid medium with barium chloride. Light absorbance of the BaSO4 suspension is measured by a photometer and the SO4-2 concentration is determined by comparison of the reading with a standard curve. This method is compliant with NEPM Schedule B(3)                                                                                 |
| Chloride by Discrete Analyser                          | ED045G   | WATER  | In house: Referenced to APHA 4500 Cl - G.The thiocyanate ion is liberated from mercuric thiocyanate through sequestration of mercury by the chloride ion to form non-ionised mercuric chloride. In the presence of ferric ions the liberated thiocyanate forms highly-coloured ferric thiocyanate which is measured at 480 nm.                                                                                                                                                                                   |
| Major Cations - Dissolved                              | ED093F   | WATER  | In house: Referenced to APHA 3120 and 3125; USEPA SW 846 - 6010 and 6020; Cations are determined by either ICP-AES or ICP-MS techniques. This method is compliant with NEPM Schedule B(3) Sodium Adsorption Ratio is calculated from Ca, Mg and Na which determined by ALS in house method QWI-EN/ED093F. This method is compliant with NEPM Schedule B(3) Hardness parameters are calculated based on APHA 2340 B. This method is compliant with NEPM Schedule B(3)                                             |
| Total Metals by ICP-MS - Suite A                       | EG020A-T | WATER  | In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector.                                                                                                                                           |
| Total Mercury by FIMS                                  | EG035T   | WATER  | In house: Referenced to APHA 3112 Hg - B (Flow-injection (SnCl2)(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. A bromate/bromide reagent is used to oxidise any organic mercury compounds in the unfiltered sample. The ionic mercury is reduced online to atomic mercury vapour by SnCl2 which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3). |



| Analytical Methods                                   | Method       | Matrix | Method Descriptions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------|--------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ammonia as N by Discrete analyser                    | EK055G       | WATER  | In house: Referenced to APHA 4500-NH3 G Ammonia is determined by direct colorimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                                                 |
| Nitrite as N by Discrete Analyser                    | EK057G       | WATER  | In house: Referenced to APHA 4500-NO2- B. Nitrite is determined by direct colourimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                                              |
| Nitrate as N by Discrete Analyser                    | EK058G       | WATER  | In house: Referenced to APHA 4500-NO3- F. Nitrate is reduced to nitrite by way of a chemical reduction followed by quantification by Discrete Analyser. Nitrite is determined seperately by direct colourimetry and result for Nitrate calculated as the difference between the two results. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                              |
| Nitrite and Nitrate as N (NOx) by Discrete Analyser  | EK059G       | WATER  | In house: Referenced to APHA 4500-NO3- F. Combined oxidised Nitrogen (NO2+NO3) is determined by Chemical Reduction and direct colourimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                          |
| Total Kjeldahl Nitrogen as N By Discrete Analyser    | EK061G       | WATER  | In house: Referenced to APHA 4500-Norg D (In house). An aliquot of sample is digested using a high temperature Kjeldahl digestion to convert nitrogenous compounds to ammonia. Ammonia is determined colorimetrically by discrete analyser. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                               |
| Total Nitrogen as N (TKN + Nox) By Discrete Analyser | EK062G       | WATER  | In house: Referenced to APHA 4500-Norg / 4500-NO3-. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Total Phosphorus as P By Discrete Analyser           | EK067G       | WATER  | In house: Referenced to APHA 4500-P H, Jirka et al, Zhang et al. This procedure involves sulphuric acid digestion of a sample aliquot to break phosphorus down to orthophosphate. The orthophosphate reacts with ammonium molybdate and antimony potassium tartrate to form a complex which is then reduced and its concentration measured at 880nm using discrete analyser. This method is compliant with NEPM Schedule B(3)                                                                                                                              |
| Ionic Balance by PCT DA and Turbi SO4 DA             | * EN055 - PG | WATER  | In house: Referenced to APHA 1030F. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Biochemical Oxygen Demand (BOD)                      | EP030        | WATER  | In house: Referenced to APHA 5210 B. The 5-Day BOD test provides an empirical measure of the oxygen consumption capacity of a given water. A portion of the sample is diluted into oxygenated, nutrient rich water, and a seed added to begin biological decay. The initial dissolved oxygen content is measured, then the bottle is sealed and incubated for five days. The remaining dissolved oxygen is measured, and from the difference, the demand for oxygen, by biological decay, is determined. This method is compliant with NEPM Schedule B(3). |
| TRH - Semivolatle Fraction                           | EP071        | WATER  | In house: Referenced to USEPA SW 846 - 8015 The sample extract is analysed by Capillary GC/FID and quantification is by comparison against an established 5 point calibration curve of n-Alkane standards. This method is compliant with the QC requirements of NEPM Schedule B(3)                                                                                                                                                                                                                                                                         |
| TRH Volatiles/BTEX                                   | EP080        | WATER  | In house: Referenced to USEPA SW 846 - 8260 Water samples are directly purged prior to analysis by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. Alternatively, a sample is equilibrated in a headspace vial and a portion of the headspace determined by GCMS analysis. This method is compliant with the QC requirements of NEPM Schedule B(3)                                                                                                                                                   |
| Preparation Methods                                  | Method       | Matrix | Method Descriptions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| TKN/TP Digestion                                     | EK061/EK067  | WATER  | In house: Referenced to APHA 4500 Norg - D; APHA 4500 P - H. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Digestion for Total Recoverable Metals               | EN25         | WATER  | In house: Referenced to USEPA SW846-3005. Method 3005 is a Nitric/Hydrochloric acid digestion procedure used to prepare surface and ground water samples for analysis by ICPAES or ICPMS. This method is compliant with NEPM Schedule B(3)                                                                                                                                                                                                                                                                                                                 |

Page : 9 of 9  
Work Order : ES2406577 Amendment 1  
Client : LWC MANAGEMENT PTY LTD  
Project : BE-72



| <i>Preparation Methods</i>              | <i>Method</i> | <i>Matrix</i> | <i>Method Descriptions</i>                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------|---------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Separatory Funnel Extraction of Liquids | ORG14         | WATER         | In house: Referenced to USEPA SW 846 - 3510 100 mL to 1L of sample is transferred to a separatory funnel and serially extracted three times using DCM for each extract. The resultant extracts are combined, dehydrated and concentrated for analysis. This method is compliant with NEPM Schedule B(3) . ALS default excludes sediment which may be resident in the container. |
| Volatiles Water Preparation             | ORG16-W       | WATER         | A 5 mL aliquot or 5 mL of a diluted sample is added to a 40 mL VOC vial for purging.                                                                                                                                                                                                                                                                                            |

CHAIN OF CUSTODY FORM

From : Land & Water Consulting Pty Ltd  
 Suite 3, 4-8 Goodwood Road, WAYVILLE, SA, 5034  
 ph: (08) 8271 5255 fax: (08) 8357 1307



ALS

Sample Analysis

LAB Quote Number: ME-221-18

LWC Project No:

BE-72

LWC Contact Information:

Contact Name:

James Fox

Contact Email:

laboratoryresults@lwconsulting.com.au  
 jfox@lwconsulting.com.au

Project Manager:

James Fox

Date Samples Sent:


29/2/24

COC Checked by:

A Vaughan

Phone Number:

08 8271 5255

| Lab ID | Date    | Matrix | Sample ID | No. Jars | SW Control + Discharge Suite*                                                                                                                                                                                                                                                                                                                                                                    | Vertical Gravity Separator Suite* | BOD, Major Cations + Anions (including Alkalinity) | Tripblank C6-C10/ BTEXN | HOLD |   |
|--------|---------|--------|-----------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|----------------------------------------------------|-------------------------|------|---|
| 1      | 28/2/24 | w      | VGS       | 6        | X                                                                                                                                                                                                                                                                                                                                                                                                | X                                 | X                                                  |                         |      |   |
| 2      |         |        | SWD       | 7        | X                                                                                                                                                                                                                                                                                                                                                                                                |                                   |                                                    |                         |      |   |
| 3      |         |        | SWC       | 7        |                                                                                                                                                                                                                                                                                                                                                                                                  |                                   |                                                    |                         |      |   |
| 4      |         |        | DUPI      | 6        | X                                                                                                                                                                                                                                                                                                                                                                                                | X                                 | X                                                  |                         |      |   |
| 5      |         |        | SW-DUPI   | 7        | X                                                                                                                                                                                                                                                                                                                                                                                                |                                   |                                                    |                         |      |   |
| 6      |         |        | Tripblank | 2        |                                                                                                                                                                                                                                                                                                                                                                                                  |                                   |                                                    | X                       |      |   |
|        |         |        |           |          | Environmental Division<br>Sydney<br>Work Order Reference<br><b>ES2406577</b><br><br>Telephone : + 61-2-9764 0555<br><div style="border: 1px solid black; padding: 5px; display: inline-block; margin-top: 10px;">                     LAB OF ORIGIN:<br/>                     DARWIN                 </div> |                                   |                                                    |                         |      |   |
| TOTAL  |         |        |           |          | 35                                                                                                                                                                                                                                                                                                                                                                                               | 2                                 | 2                                                  | 2                       | 1    | 1 |

ADDITIONAL COMMENTS:

SW Control+Discharge Suite\*: pH, TDS/EC, TSS, Nutrients (ammonia, nitrite, TKN, total nitrogen, total phosphorous - B19D), 8 metals/ TRH/TPH/BTEX (B5)

Vertical Gravity Separator Suite\*: TDS, TSS, major cations and anions (including alkalinity suite), ammonia, TRH/TPH/BTEX (B1), BOD.

*Santha*  
 1/3/24 1500

LWC Management Pty Ltd  
 Suite 3/ 4-8 Goodwood Road  
 Wayville  
 SA 5034



NATA Accredited  
 Accreditation Number 1261  
 Site Number 1254

Accredited for compliance with ISO/IEC 17025 – Testing  
 NATA is a signatory to the ILAC Mutual Recognition  
 Arrangement for the mutual recognition of the  
 equivalence of testing, medical testing, calibration,  
 inspection, proficiency testing scheme providers and  
 reference materials producers reports and certificates.

Attention: **James Fox**  
 Report **1073558-W**  
 Project name **BE-72**  
 Received Date **Feb 29, 2024**

| Client Sample ID                                            |       |          | DUP1              | SW_DUP1           | TripBlank         |
|-------------------------------------------------------------|-------|----------|-------------------|-------------------|-------------------|
| Sample Matrix                                               |       |          | Water             | Water             | Water             |
| Eurofins Sample No.                                         |       |          | M24-<br>Fe0074329 | M24-<br>Fe0074330 | M24-<br>Fe0074331 |
| Date Sampled                                                |       |          | Feb 28, 2024      | Feb 28, 2024      | Feb 28, 2024      |
| Test/Reference                                              | LOR   | Unit     |                   |                   |                   |
| <b>Total Recoverable Hydrocarbons</b>                       |       |          |                   |                   |                   |
| TRH C6-C9                                                   | 0.02  | mg/L     | 0.04              | < 0.02            | -                 |
| TRH C10-C14                                                 | 0.05  | mg/L     | 0.84              | < 0.05            | -                 |
| TRH C15-C28                                                 | 0.1   | mg/L     | 4.6               | < 0.1             | -                 |
| TRH C29-C36                                                 | 0.1   | mg/L     | 3.6               | < 0.1             | -                 |
| TRH C10-C36 (Total)                                         | 0.1   | mg/L     | 9.04              | < 0.1             | -                 |
| TRH C6-C10                                                  | 0.02  | mg/L     | 0.04              | < 0.02            | < 0.02            |
| TRH C6-C10 less BTEX (F1) <sup>N04</sup>                    | 0.02  | mg/L     | 0.04              | < 0.02            | -                 |
| TRH >C10-C16                                                | 0.05  | mg/L     | 0.94              | < 0.05            | -                 |
| TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>           | 0.05  | mg/L     | 0.94              | < 0.05            | -                 |
| TRH >C16-C34                                                | 0.1   | mg/L     | 6.6               | < 0.1             | -                 |
| TRH >C34-C40                                                | 0.1   | mg/L     | 1.1               | < 0.1             | -                 |
| TRH >C10-C40 (total)*                                       | 0.1   | mg/L     | 8.64              | < 0.1             | -                 |
| <b>BTEX</b>                                                 |       |          |                   |                   |                   |
| Benzene                                                     | 0.001 | mg/L     | < 0.001           | < 0.001           | < 0.001           |
| Toluene                                                     | 0.001 | mg/L     | 0.003             | < 0.001           | < 0.001           |
| Ethylbenzene                                                | 0.001 | mg/L     | < 0.001           | < 0.001           | < 0.001           |
| m&p-Xylenes                                                 | 0.002 | mg/L     | < 0.002           | < 0.002           | < 0.002           |
| o-Xylene                                                    | 0.001 | mg/L     | 0.001             | < 0.001           | < 0.001           |
| Xylenes - Total*                                            | 0.003 | mg/L     | < 0.003           | < 0.003           | < 0.003           |
| 4-Bromofluorobenzene (surr.)                                | 1     | %        | 94                | 103               | 83                |
| <b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b> |       |          |                   |                   |                   |
| Naphthalene <sup>N02</sup>                                  | 0.01  | mg/L     | < 0.01            | < 0.01            | -                 |
| <b>Ammonia and Nutrients</b>                                |       |          |                   |                   |                   |
| Ammonia (as N)                                              | 0.01  | mg/L     | 0.04              | 0.08              | -                 |
| Biochemical Oxygen Demand (BOD-5 Day)                       | 5     | mg/L     | 17                | -                 | -                 |
| Chloride                                                    | 1     | mg/L     | 6.5               | -                 | -                 |
| Sulphate (as SO4)                                           | 5     | mg/L     | 12                | -                 | -                 |
| Total Dissolved Solids Dried at 180 °C ± 2 °C               | 10    | mg/L     | 160               | 90                | -                 |
| Total Suspended Solids Dried at 103 °C to 105 °C            | 5     | mg/L     | 8.5               | < 5               | -                 |
| Conductivity (at 25 °C)                                     | 10    | uS/cm    | -                 | 130               | -                 |
| Nitrate & Nitrite (as N)                                    | 0.05  | mg/L     | -                 | < 0.05            | -                 |
| Nitrate (as N)                                              | 0.02  | mg/L     | -                 | < 0.02            | -                 |
| Nitrite (as N)                                              | 0.02  | mg/L     | -                 | < 0.02            | -                 |
| Organic Nitrogen (as N)*                                    | 0.2   | mg/L     | -                 | 0.62              | -                 |
| pH (at 25 °C)                                               | 0.1   | pH Units | -                 | 9.6               | -                 |
| Total Kjeldahl Nitrogen (as N)                              | 0.2   | mg/L     | -                 | 0.7               | -                 |

| Client Sample ID                               |        |      | DUP1              | SW_DUP1           | TripBlank         |
|------------------------------------------------|--------|------|-------------------|-------------------|-------------------|
| Sample Matrix                                  |        |      | Water             | Water             | Water             |
| Eurofins Sample No.                            |        |      | M24-<br>Fe0074329 | M24-<br>Fe0074330 | M24-<br>Fe0074331 |
| Date Sampled                                   |        |      | Feb 28, 2024      | Feb 28, 2024      | Feb 28, 2024      |
| Test/Reference                                 | LOR    | Unit |                   |                   |                   |
| Total Nitrogen (as N)*                         | 0.2    | mg/L | -                 | 0.7               | -                 |
| Phosphate total (as P)                         | 0.01   | mg/L | -                 | 0.03              | -                 |
| <b>Alkalinity (speciated)</b>                  |        |      |                   |                   |                   |
| Bicarbonate Alkalinity (as CaCO <sub>3</sub> ) | 20     | mg/L | 140               | -                 | -                 |
| Carbonate Alkalinity (as CaCO <sub>3</sub> )   | 10     | mg/L | < 10              | -                 | -                 |
| Hydroxide Alkalinity (as CaCO <sub>3</sub> )   | 20     | mg/L | < 20              | -                 | -                 |
| Total Alkalinity (as CaCO <sub>3</sub> )       | 20     | mg/L | 140               | -                 | -                 |
| <b>Alkali Metals</b>                           |        |      |                   |                   |                   |
| Calcium                                        | 0.5    | mg/L | 31                | -                 | -                 |
| Magnesium                                      | 0.5    | mg/L | 13                | -                 | -                 |
| Potassium                                      | 0.5    | mg/L | 1.8               | -                 | -                 |
| Sodium                                         | 0.5    | mg/L | 9.6               | -                 | -                 |
| <b>Heavy Metals</b>                            |        |      |                   |                   |                   |
| Arsenic                                        | 0.001  | mg/L | -                 | 0.001             | -                 |
| Cadmium                                        | 0.0002 | mg/L | -                 | < 0.0002          | -                 |
| Chromium                                       | 0.001  | mg/L | -                 | < 0.001           | -                 |
| Copper                                         | 0.001  | mg/L | -                 | 0.008             | -                 |
| Lead                                           | 0.001  | mg/L | -                 | 0.002             | -                 |
| Mercury                                        | 0.0001 | mg/L | -                 | < 0.0001          | -                 |
| Nickel                                         | 0.001  | mg/L | -                 | < 0.001           | -                 |
| Zinc                                           | 0.005  | mg/L | -                 | 0.013             | -                 |
| <b>Volatile Organics</b>                       |        |      |                   |                   |                   |
| Naphthalene <sup>N02</sup>                     | 0.01   | mg/L | -                 | -                 | < 0.01            |

## Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

| Description                                                                                                                                                           | Testing Site | Extracted    | Holding Time |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------|--------------|
| <b>Eurofins Suite B5</b>                                                                                                                                              |              |              |              |
| Total Recoverable Hydrocarbons - 1999 NEPM Fractions<br>- Method: LTM-ORG-2010 TRH C6-C40                                                                             | Melbourne    | Mar 01, 2024 | 7 Days       |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions<br>- Method: LTM-ORG-2010 TRH C6-C40                                                                             | Melbourne    | Mar 01, 2024 | 7 Days       |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions<br>- Method: LTM-ORG-2010 TRH C6-C40                                                                             | Melbourne    | Mar 01, 2024 | 7 Days       |
| <b>BTEX</b><br>- Method: LTM-ORG-2010 BTEX and Volatile TRH                                                                                                           | Melbourne    | Mar 01, 2024 | 14 Days      |
| <b>Metals M7</b><br>- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS                                                                              | Melbourne    | Mar 01, 2024 | 180 Days     |
| <b>Total Recoverable Hydrocarbons</b><br>- Method: LTM-ORG-2010 TRH C6-C40                                                                                            | Melbourne    | Mar 01, 2024 | 7 Days       |
| <b>Biochemical Oxygen Demand (BOD-5 Day)</b><br>- Method: LTM-INO-4010 Biochemical Oxygen Demand (BOD5) in Water                                                      | Melbourne    | Mar 01, 2024 | 2 Days       |
| <b>Total Suspended Solids Dried at 103 °C to 105 °C</b><br>- Method: LTM-INO-4070 Analysis of Suspended Solids in Water by Gravimetry                                 | Melbourne    | Mar 01, 2024 | 7 Days       |
| <b>Conductivity (at 25 °C)</b><br>- Method: LTM-INO-4030 Conductivity                                                                                                 | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>pH (at 25 °C)</b><br>- Method: LTM-GEN-7090 pH in water by ISE                                                                                                     | Melbourne    | Mar 01, 2024 | 0 Hours      |
| <b>Phosphate total (as P)</b><br>- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS                                                                 | Melbourne    | Mar 06, 2024 | 28 Days      |
| <b>Eurofins Suite B11C: Na/K/Ca/Mg</b><br>- Method: LTM-MET-3040 METALS IN WATERS, SOLIDS,                                                                            | Melbourne    | Mar 01, 2024 | 180 Days     |
| <b>Metals M8</b><br>- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS                                                                              | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Eurofins Suite B19D: Total N, TKN, NOx, NO2, NO3, NH3, Total P Ammonia (as N)</b><br>- Method: LTM-INO-4450 Determination of Nitrogen Species by Discrete Analyser | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Nitrate &amp; Nitrite (as N)</b><br>- Method: LTM-INO-4450 Determination of Nitrogen Species by Discrete Analyser                                                  | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Nitrate (as N)</b><br>- Method: LTM-INO-4450 Determination of Nitrogen Species by Discrete Analyser                                                                | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Nitrite (as N)</b><br>- Method: LTM-INO-4450 Determination of Nitrogen Species by Discrete Analyser                                                                | Melbourne    | Mar 01, 2024 | 2 Days       |
| <b>Organic Nitrogen (as N)*</b><br>- Method: APHA 4500 Organic Nitrogen (N)                                                                                           | Melbourne    | Feb 29, 2024 | 7 Days       |
| <b>Total Kjeldahl Nitrogen (as N)</b><br>- Method: APHA 4500-Norg B,D Total Kjeldahl Nitrogen by FIA                                                                  | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Eurofins Suite B11E: Cl/SO4/Alkalinity</b>                                                                                                                         |              |              |              |
| <b>Chloride</b><br>- Method: LTM-INO-4270 Anions by Ion Chromatography                                                                                                | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Sulphate (as SO4)</b><br>- Method: LTM-INO-4270 Anions by Ion Chromatography                                                                                       | Melbourne    | Mar 01, 2024 | 28 Days      |
| <b>Alkalinity (speciated)</b><br>- Method: LTM-INO-4250 Alkalinity by Electrometric Titration                                                                         | Melbourne    | Mar 01, 2024 | 14 Days      |
| <b>Total Dissolved Solids Dried at 180 °C ± 2 °C</b><br>- Method: LTM-INO-4170 Total Dissolved Solids in Water                                                        | Melbourne    | Mar 01, 2024 | 28 Days      |

web: www.eurofins.com.au  
 email: EnviroSales@eurofins.com

|                                                                                                                   |                                                                                                                |                                                                                                            |                                                                                                                  |                                                                                                                   |                                                                                                                          |                                                                                                           |                                                                                                 |                                                                                                                        |                                                                                                            |                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| <b>Melbourne</b><br>6 Monterey Road<br>Dandenong South<br>VIC 3175<br>+61 3 8564 5000<br>NATA# 1261<br>Site# 1254 | <b>Geelong</b><br>19/8 Lewalan Street<br>Grovedale<br>VIC 3216<br>+61 3 8564 5000<br>NATA# 1261<br>Site# 25403 | <b>Sydney</b><br>179 Magowar Road<br>Girraween<br>NSW 2145<br>+61 2 9900 8400<br>NATA# 1261<br>Site# 18217 | <b>Canberra</b><br>Unit 1,2 Dacre Street<br>Mitchell<br>ACT 2911<br>+61 2 6113 8091<br>NATA# 1261<br>Site# 25466 | <b>Brisbane</b><br>1/21 Smallwood Place<br>Murarie<br>QLD 4172<br>T: +61 7 3902 4600<br>NATA# 1261<br>Site# 20794 | <b>Newcastle</b><br>1/2 Frost Drive<br>Mayfield West<br>NSW 2304<br>+61 2 4968 8448<br>NATA# 1261<br>Site# 25079 & 25289 | <b>Perth</b><br>46-48 Banksia Road<br>Welshpool<br>WA 6106<br>+61 8 6253 4444<br>NATA# 2377<br>Site# 2370 | <b>Auckland</b><br>35 O'Rorke Road<br>Penrose,<br>Auckland 1061<br>+64 9 526 4551<br>IANZ# 1327 | <b>Auckland (Asb)</b><br>Unit C1/4 Pacific Rise,<br>Mount Wellington,<br>Auckland 1061<br>+64 9 525 0568<br>IANZ# 1308 | <b>Christchurch</b><br>43 Detroit Drive<br>Rolleston,<br>Christchurch 7675<br>+64 3 343 5201<br>IANZ# 1290 | <b>Tauranga</b><br>1277 Cameron Road,<br>Gate Pa,<br>Tauranga 3112<br>+64 9 525 0568<br>IANZ# 1402 |
|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|

|                                                           |                                                   |                   |              |                      |                       |
|-----------------------------------------------------------|---------------------------------------------------|-------------------|--------------|----------------------|-----------------------|
| <b>Company Name:</b>                                      | LWC Management Pty Ltd                            | <b>Order No.:</b> |              | <b>Received:</b>     | Feb 29, 2024 11:33 AM |
| <b>Address:</b>                                           | Suite 3/ 4-8 Goodwood Road<br>Wayville<br>SA 5034 | <b>Report #:</b>  | 1073558      | <b>Due:</b>          | Mar 7, 2024           |
| <b>Project Name:</b>                                      | BE-72                                             | <b>Phone:</b>     | 08 8271 5255 | <b>Priority:</b>     | 5 Day                 |
|                                                           |                                                   | <b>Fax:</b>       |              | <b>Contact Name:</b> | James Fox             |
| <b>Eurofins Analytical Services Manager : Amy Meunier</b> |                                                   |                   |              |                      |                       |

| Sample Detail                                         |           |              |               |        |               | Ammonia (as N) | Biochemical Oxygen Demand (BOD-5 Day) | Conductivity (at 25 °C) | pH (at 25 °C) | Total Suspended Solids Dried at 103 °C to 105 °C | TRH C6-C10 | Metals M8 | BTEX and Naphthalene | Eurofins Suite B1 | Eurofins Suite B5 | Eurofins Suite B19D: Total N, TKN, NOx, NO2, NO3, NH3, Total P | Eurofins Suite B11E: Cl/SO4/Alkalinity | Eurofins Suite B11C: Na/K/Ca/Mg | Total Dissolved Solids Dried at 180 °C ± 2 °C |
|-------------------------------------------------------|-----------|--------------|---------------|--------|---------------|----------------|---------------------------------------|-------------------------|---------------|--------------------------------------------------|------------|-----------|----------------------|-------------------|-------------------|----------------------------------------------------------------|----------------------------------------|---------------------------------|-----------------------------------------------|
| <b>Melbourne Laboratory - NATA # 1261 Site # 1254</b> |           |              |               |        |               | X              | X                                     | X                       | X             | X                                                | X          | X         | X                    | X                 | X                 | X                                                              | X                                      | X                               | X                                             |
| <b>External Laboratory</b>                            |           |              |               |        |               |                |                                       |                         |               |                                                  |            |           |                      |                   |                   |                                                                |                                        |                                 |                                               |
| No                                                    | Sample ID | Sample Date  | Sampling Time | Matrix | LAB ID        |                |                                       |                         |               |                                                  |            |           |                      |                   |                   |                                                                |                                        |                                 |                                               |
| 1                                                     | DUP1      | Feb 28, 2024 |               | Water  | M24-Fe0074329 | X              | X                                     |                         |               | X                                                |            |           |                      | X                 |                   |                                                                | X                                      | X                               | X                                             |
| 2                                                     | SW_DUP1   | Feb 28, 2024 |               | Water  | M24-Fe0074330 |                |                                       | X                       | X             | X                                                |            | X         |                      |                   | X                 | X                                                              |                                        |                                 | X                                             |
| 3                                                     | TripBlank | Feb 28, 2024 |               | Water  | M24-Fe0074331 |                |                                       |                         |               |                                                  | X          |           | X                    |                   |                   |                                                                |                                        |                                 |                                               |
| <b>Test Counts</b>                                    |           |              |               |        |               | 1              | 1                                     | 1                       | 1             | 2                                                | 1          | 1         | 1                    | 1                 | 1                 | 1                                                              | 1                                      | 1                               | 2                                             |

## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follow guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013. They are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry weight basis unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion unless otherwise stated.
- For CEC results where the sample's origin is unknown or environmentally contaminated, the results should be used advisedly.
- Actual LORs are matrix dependent. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters is performed on homogenised, unfiltered samples unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified in this report with blue colour indicates data provided by customers that may have an impact on the results.
- This report replaces any interim results previously issued.

### Holding Times

Please refer to the 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours before sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and despite any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling; therefore, compliance with these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether, the holding time is 7 days; however, for all other VOCs, such as BTEX or C6-10 TRH, the holding time is 14 days.

### Units

|                                                  |                                           |                                                                          |
|--------------------------------------------------|-------------------------------------------|--------------------------------------------------------------------------|
| <b>mg/kg:</b> milligrams per kilogram            | <b>mg/L:</b> milligrams per litre         | <b>ppm:</b> parts per million                                            |
| <b>µg/L:</b> micrograms per litre                | <b>ppb:</b> parts per billion             | <b>%:</b> Percentage                                                     |
| <b>org/100 mL:</b> Organisms per 100 millilitres | <b>NTU:</b> Nephelometric Turbidity Units | <b>MPN/100 mL:</b> Most Probable Number of organisms per 100 millilitres |
| <b>CFU:</b> Colony forming unit                  | <b>Colour:</b> Pt-Co Units                |                                                                          |

### Terms

|                         |                                                                                                                                                                                                                                                                                                  |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>APHA</b>             | American Public Health Association                                                                                                                                                                                                                                                               |
| <b>CEC</b>              | Cation Exchange Capacity                                                                                                                                                                                                                                                                         |
| <b>COC</b>              | Chain of Custody                                                                                                                                                                                                                                                                                 |
| <b>CP</b>               | Client Parent - QC was performed on samples pertaining to this report                                                                                                                                                                                                                            |
| <b>CRM</b>              | Certified Reference Material (ISO17034) - reported as percent recovery.                                                                                                                                                                                                                          |
| <b>Dry</b>              | Where moisture has been determined on a solid sample, the result is expressed on a dry weight basis.                                                                                                                                                                                             |
| <b>Duplicate</b>        | A second piece of analysis from the same sample and reported in the same units as the result to show comparison.                                                                                                                                                                                 |
| <b>LOR</b>              | Limit of Reporting.                                                                                                                                                                                                                                                                              |
| <b>LCS</b>              | Laboratory Control Sample - reported as percent recovery.                                                                                                                                                                                                                                        |
| <b>Method Blank</b>     | In the case of solid samples, these are performed on laboratory-certified clean sands and in the case of water samples, these are performed on de-ionised water.                                                                                                                                 |
| <b>NCP</b>              | Non-Client Parent - QC performed on samples not pertaining to this report, QC represents the sequence or batch that client samples were analysed within.                                                                                                                                         |
| <b>RPD</b>              | Relative Percent Difference between two Duplicate pieces of analysis.                                                                                                                                                                                                                            |
| <b>SPIKE</b>            | Addition of the analyte to the sample and reported as percentage recovery.                                                                                                                                                                                                                       |
| <b>SRA</b>              | Sample Receipt Advice                                                                                                                                                                                                                                                                            |
| <b>Surr - Surrogate</b> | The addition of a similar compound to the analyte target is reported as percentage recovery. See below for acceptance criteria.                                                                                                                                                                  |
| <b>TBTO</b>             | Tributyltin oxide ( <i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment; however, free tributyltin was measured, and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits. |
| <b>TCLP</b>             | Toxicity Characteristic Leaching Procedure                                                                                                                                                                                                                                                       |
| <b>TEQ</b>              | Toxic Equivalency Quotient or Total Equivalence                                                                                                                                                                                                                                                  |
| <b>QSM</b>              | US Department of Defense Quality Systems Manual Version 5.4                                                                                                                                                                                                                                      |
| <b>US EPA</b>           | United States Environmental Protection Agency                                                                                                                                                                                                                                                    |
| <b>WA DWER</b>          | Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA                                                                                                                                                                                                                    |

### QC - Acceptance Criteria

The acceptance criteria should only be used as a guide and may be different when site-specific Sampling Analysis and Quality Plan (SAQP) have been implemented.

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is ≤30%; however, the following acceptance guidelines are equally applicable:

|                                      |                            |
|--------------------------------------|----------------------------|
| Results <10 times the LOR:           | No Limit                   |
| Results between 10-20 times the LOR: | RPD must lie between 0-50% |
| Results >20 times the LOR:           | RPD must lie between 0-30% |

NOTE: pH duplicates are reported as a range, not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS. SVOCs recoveries 20 – 150%, VOC recoveries 70 – 130%

PFAS field samples containing surrogate recoveries above the QC limit designated in QSM 5.4, where no positive PFAS results have been reported or reviewed, and no data was affected.

### QC Data General Comments

- Where a result is reported as less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown are not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery, the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results, a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data; thus, it is possible to have two sets of data.

**Quality Control Results**

| Test                                                        | Units | Result 1 |  |  | Acceptance Limits | Pass Limits | Qualifying Code |
|-------------------------------------------------------------|-------|----------|--|--|-------------------|-------------|-----------------|
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| <b>Total Recoverable Hydrocarbons</b>                       |       |          |  |  |                   |             |                 |
| TRH C6-C9                                                   | mg/L  | < 0.02   |  |  | 0.02              | Pass        |                 |
| TRH C10-C14                                                 | mg/L  | < 0.05   |  |  | 0.05              | Pass        |                 |
| TRH C15-C28                                                 | mg/L  | < 0.1    |  |  | 0.1               | Pass        |                 |
| TRH C29-C36                                                 | mg/L  | < 0.1    |  |  | 0.1               | Pass        |                 |
| TRH C6-C10                                                  | mg/L  | < 0.02   |  |  | 0.02              | Pass        |                 |
| TRH >C10-C16                                                | mg/L  | < 0.05   |  |  | 0.05              | Pass        |                 |
| TRH >C16-C34                                                | mg/L  | < 0.1    |  |  | 0.1               | Pass        |                 |
| TRH >C34-C40                                                | mg/L  | < 0.1    |  |  | 0.1               | Pass        |                 |
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| <b>BTEX</b>                                                 |       |          |  |  |                   |             |                 |
| Benzene                                                     | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Toluene                                                     | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Ethylbenzene                                                | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| m&p-Xylenes                                                 | mg/L  | < 0.002  |  |  | 0.002             | Pass        |                 |
| o-Xylene                                                    | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Xylenes - Total*                                            | mg/L  | < 0.003  |  |  | 0.003             | Pass        |                 |
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| <b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b> |       |          |  |  |                   |             |                 |
| Naphthalene                                                 | mg/L  | < 0.01   |  |  | 0.01              | Pass        |                 |
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| Ammonia (as N)                                              | mg/L  | < 0.01   |  |  | 0.01              | Pass        |                 |
| Biochemical Oxygen Demand (BOD-5 Day)                       | mg/L  | < 5      |  |  | 5                 | Pass        |                 |
| Chloride                                                    | mg/L  | < 1      |  |  | 1                 | Pass        |                 |
| Sulphate (as SO <sub>4</sub> )                              | mg/L  | < 5      |  |  | 5                 | Pass        |                 |
| Total Dissolved Solids Dried at 180 °C ± 2 °C               | mg/L  | < 10     |  |  | 10                | Pass        |                 |
| Total Suspended Solids Dried at 103 °C to 105 °C            | mg/L  | < 5      |  |  | 5                 | Pass        |                 |
| Nitrate & Nitrite (as N)                                    | mg/L  | < 0.05   |  |  | 0.05              | Pass        |                 |
| Nitrate (as N)                                              | mg/L  | < 0.02   |  |  | 0.02              | Pass        |                 |
| Nitrite (as N)                                              | mg/L  | < 0.02   |  |  | 0.02              | Pass        |                 |
| Total Kjeldahl Nitrogen (as N)                              | mg/L  | < 0.2    |  |  | 0.2               | Pass        |                 |
| Phosphate total (as P)                                      | mg/L  | < 0.01   |  |  | 0.01              | Pass        |                 |
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| <b>Alkali Metals</b>                                        |       |          |  |  |                   |             |                 |
| Calcium                                                     | mg/L  | < 0.5    |  |  | 0.5               | Pass        |                 |
| Magnesium                                                   | mg/L  | < 0.5    |  |  | 0.5               | Pass        |                 |
| Potassium                                                   | mg/L  | < 0.5    |  |  | 0.5               | Pass        |                 |
| Sodium                                                      | mg/L  | < 0.5    |  |  | 0.5               | Pass        |                 |
| <b>Method Blank</b>                                         |       |          |  |  |                   |             |                 |
| <b>Heavy Metals</b>                                         |       |          |  |  |                   |             |                 |
| Arsenic                                                     | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Cadmium                                                     | mg/L  | < 0.0002 |  |  | 0.0002            | Pass        |                 |
| Chromium                                                    | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Copper                                                      | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Lead                                                        | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Mercury                                                     | mg/L  | < 0.0001 |  |  | 0.0001            | Pass        |                 |
| Nickel                                                      | mg/L  | < 0.001  |  |  | 0.001             | Pass        |                 |
| Zinc                                                        | mg/L  | < 0.005  |  |  | 0.005             | Pass        |                 |
| <b>LCS - % Recovery</b>                                     |       |          |  |  |                   |             |                 |
| <b>Total Recoverable Hydrocarbons</b>                       |       |          |  |  |                   |             |                 |
| TRH C6-C9                                                   | %     | 88       |  |  | 70-130            | Pass        |                 |

| Test                                                        | Units         | Result 1  |       |          | Acceptance Limits | Pass Limits       | Qualifying Code |                 |
|-------------------------------------------------------------|---------------|-----------|-------|----------|-------------------|-------------------|-----------------|-----------------|
| TRH C10-C14                                                 | %             | 104       |       |          | 70-130            | Pass              |                 |                 |
| TRH C6-C10                                                  | %             | 78        |       |          | 70-130            | Pass              |                 |                 |
| TRH >C10-C16                                                | %             | 97        |       |          | 70-130            | Pass              |                 |                 |
| <b>LCS - % Recovery</b>                                     |               |           |       |          |                   |                   |                 |                 |
| <b>BTEX</b>                                                 |               |           |       |          |                   |                   |                 |                 |
| Benzene                                                     | %             | 76        |       |          | 70-130            | Pass              |                 |                 |
| Toluene                                                     | %             | 81        |       |          | 70-130            | Pass              |                 |                 |
| Ethylbenzene                                                | %             | 79        |       |          | 70-130            | Pass              |                 |                 |
| m&p-Xylenes                                                 | %             | 78        |       |          | 70-130            | Pass              |                 |                 |
| Xylenes - Total*                                            | %             | 77        |       |          | 70-130            | Pass              |                 |                 |
| <b>LCS - % Recovery</b>                                     |               |           |       |          |                   |                   |                 |                 |
| <b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b> |               |           |       |          |                   |                   |                 |                 |
| Naphthalene                                                 | %             | 78        |       |          | 70-130            | Pass              |                 |                 |
| <b>LCS - % Recovery</b>                                     |               |           |       |          |                   |                   |                 |                 |
| Ammonia (as N)                                              | %             | 115       |       |          | 70-130            | Pass              |                 |                 |
| Biochemical Oxygen Demand (BOD-5 Day)                       | %             | 93        |       |          | 85-115            | Pass              |                 |                 |
| Chloride                                                    | %             | 106       |       |          | 70-130            | Pass              |                 |                 |
| Sulphate (as SO4)                                           | %             | 117       |       |          | 70-130            | Pass              |                 |                 |
| Total Dissolved Solids Dried at 180 °C ± 2 °C               | %             | 96        |       |          | 70-130            | Pass              |                 |                 |
| Total Suspended Solids Dried at 103 °C to 105 °C            | %             | 98        |       |          | 70-130            | Pass              |                 |                 |
| Conductivity (at 25 °C)                                     | %             | 103       |       |          | 70-130            | Pass              |                 |                 |
| Nitrate & Nitrite (as N)                                    | %             | 106       |       |          | 70-130            | Pass              |                 |                 |
| Nitrite (as N)                                              | %             | 108       |       |          | 70-130            | Pass              |                 |                 |
| Total Kjeldahl Nitrogen (as N)                              | %             | 110       |       |          | 70-130            | Pass              |                 |                 |
| Phosphate total (as P)                                      | %             | 90        |       |          | 70-130            | Pass              |                 |                 |
| <b>LCS - % Recovery</b>                                     |               |           |       |          |                   |                   |                 |                 |
| <b>Alkalinity (speciated)</b>                               |               |           |       |          |                   |                   |                 |                 |
| Carbonate Alkalinity (as CaCO3)                             | %             | 89        |       |          | 70-130            | Pass              |                 |                 |
| Total Alkalinity (as CaCO3)                                 | %             | 90        |       |          | 70-130            | Pass              |                 |                 |
| <b>LCS - % Recovery</b>                                     |               |           |       |          |                   |                   |                 |                 |
| <b>Alkali Metals</b>                                        |               |           |       |          |                   |                   |                 |                 |
| Calcium                                                     | %             | 109       |       |          | 80-120            | Pass              |                 |                 |
| Magnesium                                                   | %             | 111       |       |          | 80-120            | Pass              |                 |                 |
| Potassium                                                   | %             | 107       |       |          | 80-120            | Pass              |                 |                 |
| Sodium                                                      | %             | 109       |       |          | 80-120            | Pass              |                 |                 |
| <b>LCS - % Recovery</b>                                     |               |           |       |          |                   |                   |                 |                 |
| <b>Heavy Metals</b>                                         |               |           |       |          |                   |                   |                 |                 |
| Arsenic                                                     | %             | 103       |       |          | 80-120            | Pass              |                 |                 |
| Cadmium                                                     | %             | 100       |       |          | 80-120            | Pass              |                 |                 |
| Chromium                                                    | %             | 99        |       |          | 80-120            | Pass              |                 |                 |
| Copper                                                      | %             | 100       |       |          | 80-120            | Pass              |                 |                 |
| Lead                                                        | %             | 98        |       |          | 80-120            | Pass              |                 |                 |
| Mercury                                                     | %             | 94        |       |          | 80-120            | Pass              |                 |                 |
| Nickel                                                      | %             | 100       |       |          | 80-120            | Pass              |                 |                 |
| Zinc                                                        | %             | 103       |       |          | 80-120            | Pass              |                 |                 |
| Test                                                        | Lab Sample ID | QA Source | Units | Result 1 |                   | Acceptance Limits | Pass Limits     | Qualifying Code |
| <b>Spike - % Recovery</b>                                   |               |           |       |          |                   |                   |                 |                 |
| <b>Total Recoverable Hydrocarbons</b>                       |               |           |       | Result 1 |                   |                   |                 |                 |
| TRH C6-C9                                                   | M24-Ma0003029 | NCP       | %     | 73       |                   | 70-130            | Pass            |                 |
| TRH C10-C14                                                 | M24-Ma0006308 | NCP       | %     | 103      |                   | 70-130            | Pass            |                 |
| TRH C6-C10                                                  | M24-Ma0003029 | NCP       | %     | 71       |                   | 70-130            | Pass            |                 |
| TRH >C10-C16                                                | M24-Ma0006308 | NCP       | %     | 100      |                   | 70-130            | Pass            |                 |
| <b>Spike - % Recovery</b>                                   |               |           |       |          |                   |                   |                 |                 |
| <b>BTEX</b>                                                 |               |           |       | Result 1 |                   |                   |                 |                 |

| Test                                                        | Lab Sample ID | QA Source | Units | Result 1 |          |     | Acceptance Limits | Pass Limits | Qualifying Code |
|-------------------------------------------------------------|---------------|-----------|-------|----------|----------|-----|-------------------|-------------|-----------------|
| Benzene                                                     | M24-Ma0003029 | NCP       | %     | 77       |          |     | 70-130            | Pass        |                 |
| Toluene                                                     | M24-Ma0003029 | NCP       | %     | 75       |          |     | 70-130            | Pass        |                 |
| Ethylbenzene                                                | M24-Ma0003029 | NCP       | %     | 73       |          |     | 70-130            | Pass        |                 |
| m&p-Xylenes                                                 | M24-Ma0003029 | NCP       | %     | 73       |          |     | 70-130            | Pass        |                 |
| o-Xylene                                                    | M24-Ma0003029 | NCP       | %     | 77       |          |     | 70-130            | Pass        |                 |
| Xylenes - Total*                                            | M24-Ma0003029 | NCP       | %     | 74       |          |     | 70-130            | Pass        |                 |
| <b>Spike - % Recovery</b>                                   |               |           |       |          |          |     |                   |             |                 |
| <b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b> |               |           |       | Result 1 |          |     |                   |             |                 |
| Naphthalene                                                 | M24-Ma0003029 | NCP       | %     | 75       |          |     | 70-130            | Pass        |                 |
| <b>Spike - % Recovery</b>                                   |               |           |       |          |          |     |                   |             |                 |
|                                                             |               |           |       | Result 1 |          |     |                   |             |                 |
| Total Suspended Solids Dried at 103 °C to 105 °C            | M24-Fe0075337 | NCP       | %     | 107      |          |     | 70-130            | Pass        |                 |
| <b>Spike - % Recovery</b>                                   |               |           |       |          |          |     |                   |             |                 |
|                                                             |               |           |       | Result 1 |          |     |                   |             |                 |
| Nitrate & Nitrite (as N)                                    | M24-Fe0074330 | CP        | %     | 125      |          |     | 70-130            | Pass        |                 |
| Nitrite (as N)                                              | M24-Fe0074330 | CP        | %     | 123      |          |     | 70-130            | Pass        |                 |
| Total Kjeldahl Nitrogen (as N)                              | S24-Fe0072154 | NCP       | %     | 112      |          |     | 70-130            | Pass        |                 |
| Phosphate total (as P)                                      | M24-Fe0075965 | NCP       | %     | 94       |          |     | 70-130            | Pass        |                 |
| <b>Spike - % Recovery</b>                                   |               |           |       |          |          |     |                   |             |                 |
|                                                             |               |           |       | Result 1 |          |     |                   |             |                 |
| <b>Heavy Metals</b>                                         |               |           |       |          |          |     |                   |             |                 |
|                                                             |               |           |       | Result 1 |          |     |                   |             |                 |
| Arsenic                                                     | M24-Fe0074963 | NCP       | %     | 120      |          |     | 75-125            | Pass        |                 |
| Cadmium                                                     | M24-Fe0074963 | NCP       | %     | 115      |          |     | 75-125            | Pass        |                 |
| Chromium                                                    | M24-Fe0074963 | NCP       | %     | 112      |          |     | 75-125            | Pass        |                 |
| Copper                                                      | M24-Fe0074963 | NCP       | %     | 115      |          |     | 75-125            | Pass        |                 |
| Lead                                                        | M24-Fe0074963 | NCP       | %     | 107      |          |     | 75-125            | Pass        |                 |
| Mercury                                                     | M24-Fe0074963 | NCP       | %     | 118      |          |     | 75-125            | Pass        |                 |
| Nickel                                                      | M24-Fe0074963 | NCP       | %     | 113      |          |     | 75-125            | Pass        |                 |
| Zinc                                                        | M24-Fe0074963 | NCP       | %     | 118      |          |     | 75-125            | Pass        |                 |
| Test                                                        | Lab Sample ID | QA Source | Units | Result 1 |          |     | Acceptance Limits | Pass Limits | Qualifying Code |
| <b>Duplicate</b>                                            |               |           |       |          |          |     |                   |             |                 |
| <b>Total Recoverable Hydrocarbons</b>                       |               |           |       | Result 1 | Result 2 | RPD |                   |             |                 |
| TRH C6-C9                                                   | M24-Ma0002512 | NCP       | mg/L  | < 0.02   | < 0.02   | <1  | 30%               | Pass        |                 |
| TRH C10-C14                                                 | M24-Ma0001797 | NCP       | mg/L  | < 0.05   | < 0.05   | <1  | 30%               | Pass        |                 |
| TRH C15-C28                                                 | M24-Ma0001797 | NCP       | mg/L  | < 0.1    | < 0.1    | <1  | 30%               | Pass        |                 |
| TRH C29-C36                                                 | M24-Ma0001797 | NCP       | mg/L  | < 0.1    | < 0.1    | <1  | 30%               | Pass        |                 |
| TRH C6-C10                                                  | M24-Ma0002512 | NCP       | mg/L  | < 0.02   | < 0.02   | <1  | 30%               | Pass        |                 |
| TRH >C10-C16                                                | M24-Ma0001797 | NCP       | mg/L  | < 0.05   | < 0.05   | <1  | 30%               | Pass        |                 |
| TRH >C16-C34                                                | M24-Ma0001797 | NCP       | mg/L  | < 0.1    | < 0.1    | <1  | 30%               | Pass        |                 |
| TRH >C34-C40                                                | M24-Ma0001797 | NCP       | mg/L  | < 0.1    | < 0.1    | <1  | 30%               | Pass        |                 |
| <b>Duplicate</b>                                            |               |           |       |          |          |     |                   |             |                 |
| <b>BTEX</b>                                                 |               |           |       | Result 1 | Result 2 | RPD |                   |             |                 |
| Benzene                                                     | M24-Ma0002512 | NCP       | mg/L  | < 0.001  | < 0.001  | <1  | 30%               | Pass        |                 |
| Toluene                                                     | M24-Ma0002512 | NCP       | mg/L  | < 0.001  | < 0.001  | <1  | 30%               | Pass        |                 |
| Ethylbenzene                                                | M24-Ma0002512 | NCP       | mg/L  | < 0.001  | < 0.001  | <1  | 30%               | Pass        |                 |
| m&p-Xylenes                                                 | M24-Ma0002512 | NCP       | mg/L  | < 0.002  | < 0.002  | <1  | 30%               | Pass        |                 |
| o-Xylene                                                    | M24-Ma0002512 | NCP       | mg/L  | < 0.001  | < 0.001  | <1  | 30%               | Pass        |                 |
| Xylenes - Total*                                            | M24-Ma0002512 | NCP       | mg/L  | < 0.003  | < 0.003  | <1  | 30%               | Pass        |                 |
| <b>Duplicate</b>                                            |               |           |       |          |          |     |                   |             |                 |
| <b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b> |               |           |       | Result 1 | Result 2 | RPD |                   |             |                 |
| Naphthalene                                                 | M24-Ma0002512 | NCP       | mg/L  | < 0.01   | < 0.01   | <1  | 30%               | Pass        |                 |

| <b>Duplicate</b>                                 |               |     |          |          |          |      |     |      |
|--------------------------------------------------|---------------|-----|----------|----------|----------|------|-----|------|
|                                                  |               |     |          | Result 1 | Result 2 | RPD  |     |      |
| Ammonia (as N)                                   | B24-Fe0069502 | NCP | mg/L     | 0.08     | 0.08     | 11   | 30% | Pass |
| Biochemical Oxygen Demand (BOD-5 Day)            | M24-Ma0002077 | NCP | mg/L     | 840      | 860      | 1.7  | 30% | Pass |
| Chloride                                         | B24-Fe0063372 | NCP | mg/L     | 14       | 14       | 3.8  | 30% | Pass |
| Sulphate (as SO4)                                | B24-Fe0063372 | NCP | mg/L     | < 5      | < 5      | <1   | 30% | Pass |
| Total Dissolved Solids Dried at 180 °C ± 2 °C    | M24-Fe0075339 | NCP | mg/L     | 1400     | 1300     | 5.5  | 30% | Pass |
| Total Suspended Solids Dried at 103 °C to 105 °C | M24-Fe0075339 | NCP | mg/L     | 96       | 87       | 9.6  | 30% | Pass |
| <b>Duplicate</b>                                 |               |     |          |          |          |      |     |      |
| <b>Alkali Metals</b>                             |               |     |          | Result 1 | Result 2 | RPD  |     |      |
| Calcium                                          | B24-Fe0063537 | NCP | mg/L     | 36       | 36       | <1   | 30% | Pass |
| Magnesium                                        | B24-Fe0063537 | NCP | mg/L     | < 0.5    | < 0.5    | <1   | 30% | Pass |
| Potassium                                        | B24-Fe0063537 | NCP | mg/L     | 9.2      | 9.1      | <1   | 30% | Pass |
| Sodium                                           | B24-Fe0063537 | NCP | mg/L     | 51       | 50       | <1   | 30% | Pass |
| <b>Duplicate</b>                                 |               |     |          |          |          |      |     |      |
|                                                  |               |     |          | Result 1 | Result 2 | RPD  |     |      |
| Conductivity (at 25 °C)                          | B24-Fe0063537 | NCP | uS/cm    | 450      | 490      | <1   | 30% | Pass |
| Nitrate & Nitrite (as N)                         | B24-Fe0069502 | NCP | mg/L     | < 0.05   | < 0.05   | <1   | 30% | Pass |
| Nitrite (as N)                                   | B24-Fe0069502 | NCP | mg/L     | < 0.02   | < 0.02   | <1   | 30% | Pass |
| pH (at 25 °C)                                    | B24-Fe0063537 | NCP | pH Units | 11       | 11       | pass | 30% | Pass |
| Total Kjeldahl Nitrogen (as N)                   | M24-Ma0002470 | NCP | mg/L     | 140      | 130      | 2.8  | 30% | Pass |
| Phosphate total (as P)                           | M24-Fe0074330 | CP  | mg/L     | 0.03     | 0.03     | 13   | 30% | Pass |
| <b>Duplicate</b>                                 |               |     |          |          |          |      |     |      |
| <b>Heavy Metals</b>                              |               |     |          | Result 1 | Result 2 | RPD  |     |      |
| Arsenic                                          | B24-Fe0068040 | NCP | mg/L     | 0.004    | 0.004    | 4.4  | 30% | Pass |
| Cadmium                                          | B24-Fe0068040 | NCP | mg/L     | < 0.0002 | < 0.0002 | <1   | 30% | Pass |
| Chromium                                         | B24-Fe0068040 | NCP | mg/L     | < 0.001  | < 0.001  | <1   | 30% | Pass |
| Copper                                           | B24-Fe0068040 | NCP | mg/L     | 0.001    | < 0.001  | 14   | 30% | Pass |
| Lead                                             | B24-Fe0068040 | NCP | mg/L     | < 0.001  | < 0.001  | <1   | 30% | Pass |
| Mercury                                          | B24-Fe0068040 | NCP | mg/L     | < 0.0001 | < 0.0001 | <1   | 30% | Pass |
| Nickel                                           | B24-Fe0068040 | NCP | mg/L     | < 0.001  | 0.001    | 8.3  | 30% | Pass |
| Zinc                                             | B24-Fe0068040 | NCP | mg/L     | < 0.005  | < 0.005  | <1   | 30% | Pass |

**Comments**
**Sample Integrity**

|                                                                         |     |
|-------------------------------------------------------------------------|-----|
| Custody Seals Intact (if used)                                          | N/A |
| Attempt to Chill was evident                                            | Yes |
| Sample correctly preserved                                              | Yes |
| Appropriate sample containers have been used                            | Yes |
| Sample containers for volatile analysis received with minimal headspace | Yes |
| Samples received within HoldingTime                                     | Yes |
| Some samples have been subcontracted                                    | No  |

**Qualifier Codes/Comments**

| Code | Description                                                                                                                                                                                                                                                                                                                                                                                                            |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| N01  | F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).                                                                                                                                                                                                                   |
| N02  | Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid. |
| N04  | F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.                                                                                                                              |

**Authorised by:**

|                 |                             |
|-----------------|-----------------------------|
| Amy Meunier     | Analytical Services Manager |
| Edward Lee      | Senior Analyst-Organic      |
| Emily Rosenberg | Senior Analyst-Metal        |
| Joseph Edouard  | Senior Analyst-Organic      |
| Joseph Edouard  | Senior Analyst-Volatile     |
| Mary Makarios   | Senior Analyst-Inorganic    |
| Mary Makarios   | Senior Analyst-Metal        |



**Glenn Jackson**  
**Managing Director**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



**Eurofins Environment Testing Australia Pty Ltd**

ABN: 50 005 085 521

| Melbourne                                                                                     | Geelong                                                                                      | Sydney                                                                                    | Canberra                                                                                      | Brisbane                                                                                                           | Newcastle                                                                                            |
|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| 6 Monterey Road<br>Dandenong South<br>VIC 3175<br>+61 3 8564 5000<br>NATA# 1261<br>Site# 1254 | 19/8 Lewalan Street<br>Grovedale<br>VIC 3216<br>+61 3 8564 5000<br>NATA# 1261<br>Site# 25403 | 179 Magowar Road<br>Girraween<br>NSW 2145<br>+61 2 9900 8400<br>NATA# 1261<br>Site# 18217 | Unit 1,2 Dacre Street<br>Mitchell<br>ACT 2911<br>+61 2 6113 8091<br>NATA# 1261<br>Site# 25466 | 1/21 Smallwood Place<br>Murarrie<br>QLD 4172<br>T: +61 7 3902 4600<br>+61 2 4968 8448<br>NATA# 1261<br>Site# 20794 | 1/2 Frost Drive<br>Mayfield West<br>NSW 2304<br>+61 2 4968 8448<br>NATA# 1261<br>Site# 25079 & 25289 |

**Eurofins ARL Pty Ltd**

ABN: 91 05 0159 898

| Perth                                                                                     |
|-------------------------------------------------------------------------------------------|
| 46-48 Banksia Road<br>Welshpool<br>WA 6106<br>+61 8 6253 4444<br>NATA# 2377<br>Site# 2370 |

**Eurofins Environment Testing NZ Ltd**

NZBN: 9429046024954

| Auckland                                                                     | Auckland (Asb)                                                                                | Christchurch                                                                        | Tauranga                                                                        |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| 35 O'Rorke Road<br>Penrose,<br>Auckland 1061<br>+64 9 526 4551<br>IANZ# 1327 | Unit C1/4 Pacific Rise,<br>Mount Wellington,<br>Auckland 1061<br>+64 9 525 0568<br>IANZ# 1308 | 43 Detroit Drive<br>Rolleston,<br>Christchurch 7675<br>+64 3 343 5201<br>IANZ# 1290 | 1277 Cameron Road,<br>Gate Pa,<br>Tauranga 3112<br>+64 9 525 0568<br>IANZ# 1402 |

## Sample Receipt Advice

|                           |                        |
|---------------------------|------------------------|
| <b>Company name:</b>      | LWC Management Pty Ltd |
| <b>Contact name:</b>      | James Fox              |
| <b>Project name:</b>      | BE-72                  |
| <b>Project ID:</b>        | Not provided           |
| <b>Turnaround time:</b>   | 5 Day                  |
| <b>Date/Time received</b> | Feb 29, 2024 11:33 AM  |
| <b>Eurofins reference</b> | 1073558                |

## Sample Information

- ✓ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ✓ All samples have been received as described on the above COC.
- ✓ COC has been completed correctly.
- ✓ Attempt to chill was evident.
- ✓ Appropriately preserved sample containers have been used.
- ✓ All samples were received in good condition.
- ✓ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ✓ Appropriate sample containers have been used.
- ✓ Sample containers for volatile analysis received with zero headspace.
- ✗ Split sample sent to requested external lab.
- ✗ Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

## Notes

## Contact

If you have any questions with respect to these samples, please contact your Analytical Services Manager:

**Amy Meunier on phone : or by email: [AmyMeunier@eurofins.com](mailto:AmyMeunier@eurofins.com)**

Results will be delivered electronically via email to James Fox - [jfox@lwconsulting.com.au](mailto:jfox@lwconsulting.com.au).

CHAIN OF CUSTODY FORM



Eurofins

Sample Analysis

From : Land & Water Consulting Pty Ltd  
 Suite 3, 4-8 Goodwood Road, WAYVILLE, SA, 5034  
 ph: (08) 8271 5255 fax: (08) 8357 1307

LAB Quote Number:

LWC Project No:

BE-72

LWC Contact Information:

Contact Name:

Project Manager:

James Fox

James Fox

Contact Email:

laboratoryresults@lwconsulting.com.au

jfox@lwconsulting.com.au

Date Samples Sent:

29/2/24

Phone Number:

08 8271 5255

COC Checked by:

A Vaughan

|                               |                                   |                                                    |                         |  |  |  |  |  |  |      |
|-------------------------------|-----------------------------------|----------------------------------------------------|-------------------------|--|--|--|--|--|--|------|
| SW Control + Discharge Suite* | Vertical Gravity Separator Suite* | BOD, Major Cations + Anions (including Alkalinity) | Tripblank C6-C10/ BTEXN |  |  |  |  |  |  | HOLD |
|-------------------------------|-----------------------------------|----------------------------------------------------|-------------------------|--|--|--|--|--|--|------|

| Lab ID | Date    | Matrix | Sample ID | No. Jars | Tick required analytes |   |   |   |   |  |  |  |  |  |
|--------|---------|--------|-----------|----------|------------------------|---|---|---|---|--|--|--|--|--|
|        | 28/2/24 | W      | DUPI      | 6        |                        | X | X |   |   |  |  |  |  |  |
|        | ↓       | ↓      | SW_DUPI   | 7        | X                      |   |   |   |   |  |  |  |  |  |
|        |         |        | Tripblank | 2        |                        |   |   |   | X |  |  |  |  |  |
|        |         |        |           | TOTAL    | 15                     | 1 | 1 | 1 | 1 |  |  |  |  |  |

ADDITIONAL COMMENTS:

SW Control+Discharge Suite\*: pH, TDS/EC, TSS, Nutrients (ammonia, nitrite, TKN, total nitrogen, total phosphorous - B19D), 8 metals/ TRH/TPH/BTEX (B5)

Vertical Gravity Separator Suite\*: TDS, TSS, major cations and anions (including alkalinity suite), ammonia, TRH/TPH/BTEX (B1), BOD.

29/02/2024 11:33 #1073558

# ATTACHMENT D

## DATA QUALITY ASSESSMENT

## DATA QUALITY ASSESSMENT

The quality of analytical data produced for this project has been assessed with reference to the following issues:

- Sampling technique;
- Preservation and storage of samples upon collection and during transport to the laboratory;
- Sample holding times;
- Analytical procedures;
- Laboratory limits of reporting;
- Field duplicate agreement;
- Laboratory quality assurance/quality control (QA/QC) procedures; and
- The occurrence of apparently unusual or anomalous results.

RPDs were assessed where the reported concentrations were greater than the laboratory limits of reporting in accordance with the following acceptance criteria:

- Where both reported concentrations are greater than 20 times the LOR: RPD% <30%;
- Where the higher of the two concentrations is between 10 and 20 times the LOR: RPD% <50%; and
- Where both concentrations are less than 10 times the LOR: RPD% has no limit.

The overall assessment of data quality was undertaken in accordance with the Data Quality Objective (DQO) and Data Quality Indicator (DQI) processes.

Laboratory QA/QC procedures and results are detailed in the certified laboratory results contained in Attachment C. A summary of the data quality assessment and a summary of the field duplicate sample relative percentage differences (RPD) are included at the rear of this appendix. A review of the quality assurance and control data is presented in Table 1-1.

Laboratory data is considered suitably robust for the purposes of the assessment, subject to the comments and limitations outlined above and in the relevant appendices.

It is considered that quality control information indicates an acceptable degree of QA/QC information was collected and reported for waters providing confidence in the accuracy and precision of reported results subject to the limitations discussed.

Table 1-1 Summary of Quality Assurance and Control

| Component               | Frequency                                    | Frequency Acceptable? | Acceptance Criteria                                                                                                                   | Criteria met?                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Reference/<br>Appendix     |
|-------------------------|----------------------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| <b>Field QC</b>         |                                              |                       |                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                            |
| Field Replicate (intra) | 1 in 20 primary samples or 1 per batch.      | ✓                     | RPD <30% if both results >20 LOR<br>RPD <50% if the higher of the two results <>10-20 LOR<br>No limit for RPD if both results <10 LOR | The RPD criteria was exceeded between the primary and intra-laboratory duplicate sample DUP1_VGS for the following analytes: <ul style="list-style-type: none"> <li>Biochemical Oxygen Demand (34%)</li> </ul> This breach is not considered to significantly impact upon the overall interpretation of results as the analyte is an indicator species and not a chemical of concern. Further, no guideline criterion applies to this analyte.                                                                                                                                                                                                                                                                                                                                          | At rear of this Attachment |
| Field Replicate (inter) | 1 in 20 primary samples or 1 per batch.      | ✓                     | RPD <30% if both results >20 LOR<br>RPD <50% if the higher of the two results <>10-20 LOR<br>No limit for RPD if both results <10 LOR | The RPD criteria was exceeded between the primary and inter-laboratory duplicate sample DUP1_VGS for the following analytes: <ul style="list-style-type: none"> <li>Biochemical Oxygen Demand (167%)</li> <li>Sodium (127%)</li> <li>Potassium (131%)</li> <li>Sulfate (40%)</li> <li>Ammonia (40%)</li> <li>TPH Fractions: C10 - C14, C15 - C28, C29 - C36 and C10 - C36.</li> <li>TRH Fractions: C10 - C16, C16 - C34, C34 - C40 and C10 - C40.</li> </ul> These breaches are not considered to significantly impact upon the overall interpretation of results as either: <ul style="list-style-type: none"> <li>The analyte is an indicator species and not a chemical of concern; and/ or</li> <li>The results are generally consistent with historical concentrations.</li> </ul> | At rear of this Attachment |
| Rinsate Blanks          | 1 per day, per matrix, per item of equipment | ✓                     | <LOR                                                                                                                                  | Rinsate blanks were not required as dedicated disposable plastic bailers were utilised during the sampling program.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | At rear of this Attachment |

| Component                                                                                                                                                                                | Frequency                                             | Frequency Acceptable?                                                                                                                                                                                                                                                                                               | Acceptance Criteria                           | Criteria met?                                                                                                                                                                                                                                                                                                                    | Reference/<br>Appendix     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| Trip Blanks<br>(water samples for volatile organic marker compounds only – to assess potential for contamination of the samples by volatile compounds during transfer to the laboratory) | 1 per esky or 1 per laboratory batch.                 | ✓                                                                                                                                                                                                                                                                                                                   | <LOR                                          | Trip blanks were scheduled for TRH C <sub>6</sub> -C <sub>10</sub> fractions and BTEXN as assessment of volatile organic markers. Such compounds were reported below the laboratory LOR indicating that cross contamination during the transport of the samples to the laboratory did not occur.                                 | At rear of this Attachment |
| <b>Laboratory QC</b>                                                                                                                                                                     |                                                       |                                                                                                                                                                                                                                                                                                                     |                                               |                                                                                                                                                                                                                                                                                                                                  |                            |
| Primary Laboratory Batch Reference                                                                                                                                                       |                                                       |                                                                                                                                                                                                                                                                                                                     |                                               |                                                                                                                                                                                                                                                                                                                                  | ES2406577                  |
| Secondary Laboratory Batch Reference                                                                                                                                                     |                                                       |                                                                                                                                                                                                                                                                                                                     |                                               |                                                                                                                                                                                                                                                                                                                                  | 1073558                    |
| Analysis undertaken in specific holding times                                                                                                                                            |                                                       |                                                                                                                                                                                                                                                                                                                     | Variable depending on the chemical substance. | <b>ALS Laboratory Report 1073558</b><br>Holding time breaches were recorded for pH and biochemical oxygen demand. Given the relatively short holding time of these analytes and regional nature of the sampling program, these breaches are not considered to significantly impact on the overall interpretation of the results. | Attachment C               |
| Method blanks                                                                                                                                                                            | 1 analysed per process batch of 20 samples.           | ✓                                                                                                                                                                                                                                                                                                                   | <LOR                                          | ✓                                                                                                                                                                                                                                                                                                                                | Attachment C               |
| Duplicates                                                                                                                                                                               | 1 in 10 primary samples or 2 per batch of 20 samples. | <b>ALS Laboratory Report 1073558</b><br>The frequency of laboratory duplicates analysed did not meet the required criteria for TRH semi volatile fraction. This was not considered to significantly impact upon the overall interpretation of results due to the small number of samples analysed within the batch. | RPD <50% if results >10 LOR                   | ✓                                                                                                                                                                                                                                                                                                                                | Attachment C               |
| Matrix spikes                                                                                                                                                                            | 1 analysed per process batch of 20 samples.           | <b>ALS Laboratory Report 1073558</b><br>The frequency of matrix spikes analysed did not meet the required criteria for TRH semi volatile fraction. This was not considered to                                                                                                                                       | Recovery 70 -130%                             | ✓                                                                                                                                                                                                                                                                                                                                | Attachment C               |

| Component                        | Frequency                                                                      | Frequency Acceptable?                                                                                                         | Acceptance Criteria | Criteria met? | Reference/<br>Appendix |
|----------------------------------|--------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------|------------------------|
|                                  |                                                                                | significantly impact upon the overall interpretation of results due to the small number of samples analysed within the batch. |                     |               |                        |
| Laboratory control sample spikes | 1 analysed per process batch of 20 samples.                                    | ✓                                                                                                                             | Recovery 70 -130%   | ✓             | Attachment C           |
| Surrogate spikes                 | Each analysis undertaken by GC-MS (all organics except TRH >C <sub>10</sub> ). | ✓                                                                                                                             | Recovery 50 – 150%  | ✓             | Attachment C           |

## Summary of RPD Results

Project: Katherine Depot, VGS Sampling

Job: BE-72

Client: Cleanaway Waste Management Limited

| Exceedance of RPD% Criterion of 30% of mean concentration where higher concentration >20 x LOR   | Field ID   | VGS              | DUP1_VGS   | RPD% | DUP1_VGS         | RPD% |      |     |
|--------------------------------------------------------------------------------------------------|------------|------------------|------------|------|------------------|------|------|-----|
|                                                                                                  | Lab Report | ES2406577        | ES2406577  |      | 1073558          |      |      |     |
| Exceedance of RPD% Criterion of 50% of mean concentration where higher concentration 10-20 x LOR | Lab Name   | ALS              | ALS        | RPD% | Eurofins         | RPD% |      |     |
|                                                                                                  | Date       | 28/02/2024       | 28/02/2024 |      | 28/02/2024       |      |      |     |
| Duplicate                                                                                        | Primary    | Intra-Laboratory |            |      | Inter-Laboratory |      |      |     |
| Analyte                                                                                          | Units      | ALS LOR          | MGT LOR    |      |                  |      |      |     |
| <b>General</b>                                                                                   |            |                  |            |      |                  |      |      |     |
| Total Dissolved Solids                                                                           | mg/L       | 10               | 10         | 162  | 168              | 4    | 160  | 1   |
| Total Suspended Solids                                                                           | mg/L       | 5                | 5          | 13   | 17               | 27   | 8.5  | 42  |
| Biochemical Oxygen Demand                                                                        | mg/L       | 2                | 5          | 188  | 133              | 34   | 17   | 167 |
| <b>Alkalinity</b>                                                                                |            |                  |            |      |                  |      |      |     |
| Hydroxide Alkalinity as CaCO3                                                                    | mg/L       | 1                | 20         | <1   | <1               | -    | < 20 | 181 |
| Carbonate Alkalinity as CaCO3                                                                    | mg/L       | 1                | 10         | <1   | <1               | -    | < 10 | 164 |
| Bicarbonate Alkalinity as CaCO3                                                                  | mg/L       | 1                | 20         | 111  | 114              | 3    | 140  | 23  |
| Total Alkalinity as CaCO3                                                                        | mg/L       | 1                | 20         | 111  | 114              | 3    | 140  | 23  |
| <b>Major Cations and Anions</b>                                                                  |            |                  |            |      |                  |      |      |     |
| Calcium                                                                                          | mg/L       | 1                | 0.5        | 29   | 29               | 0    | 31   | 7   |
| Magnesium                                                                                        | mg/L       | 1                | 0.5        | 10   | 11               | 10   | 13   | 26  |
| Sodium                                                                                           | mg/L       | 1                | 0.5        | 8    | 9                | 12   | 1.8  | 127 |
| Potassium                                                                                        | mg/L       | 1                | 0.5        | 2    | 2                | 0    | 9.6  | 131 |
| Chloride                                                                                         | mg/L       | 1                | 1          | 7    | 7                | 0    | 6.5  | 7   |
| Sulfate as SO4 - Turbidimetric                                                                   | mg/L       | 1                | 5          | 8    | 8                | 0    | 12   | 40  |
| <b>Nutrients</b>                                                                                 |            |                  |            |      |                  |      |      |     |
| Ammonia as N                                                                                     | mg/L       | 0.01             | 0.01       | 0.23 | 0.18             | 24   | 0.04 | 141 |
| <b>Total Petroleum Hydrocarbons - NEPM 1999 Fractions</b>                                        |            |                  |            |      |                  |      |      |     |
| C6 - C9 Fraction                                                                                 | µg/L       | 20               | 20         | 30   | 30               | 0    | 40   | 29  |
| C10 - C14 Fraction                                                                               | µg/L       | 50               | 50         | 50   | <50              | -    | 840  | 178 |
| C15 - C28 Fraction                                                                               | µg/L       | 100              | 100        | 1990 | 2000             | 1    | 4600 | 79  |
| C29 - C36 Fraction                                                                               | µg/L       | 50               | 100        | 1340 | 1410             | 5    | 3600 | 91  |
| C10 - C36 Fraction (sum)                                                                         | µg/L       | 50               | 100        | 3380 | 3410             | 1    | 9040 | 91  |
| <b>Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>                                      |            |                  |            |      |                  |      |      |     |
| C6 - C10 Fraction                                                                                | µg/L       | 20               | 20         | 30   | 40               | 29   | 40   | 29  |
| C6 - C10 Fraction minus BTEX (F1)                                                                | µg/L       | 20               | 20         | 20   | 30               | 40   | 40   | 67  |
| C10 - C16 Fraction                                                                               | µg/L       | 100              | 50         | 340  | 280              | 19   | 940  | 94  |
| C16 - C34 Fraction                                                                               | µg/L       | 100              | 100        | 2730 | 2820             | 3    | 6600 | 83  |
| C34 - C40 Fraction                                                                               | µg/L       | 100              | 100        | 580  | 610              | 5    | 1100 | 62  |
| C10 - C40 Fraction (sum)                                                                         | µg/L       | 100              | 100        | 3650 | 3710             | 2    | 8640 | 81  |
| C10 - C16 Fraction minus Naphthalene (F2)                                                        | µg/L       | 100              | 50         | 340  | 280              | 19   | 940  | 94  |
| <b>BTEXN</b>                                                                                     |            |                  |            |      |                  |      |      |     |
| Benzene                                                                                          | µg/L       | 1                | 1          | <1   | <1               | -    | <1   | -   |
| Toluene                                                                                          | µg/L       | 2                | 1          | 4    | 4                | 0    | 3    | 29  |
| Ethylbenzene                                                                                     | µg/L       | 2                | 1          | <2   | <2               | -    | <1   | 67  |
| meta- & para-Xylene                                                                              | µg/L       | 2                | 2          | 2    | 2                | 0    | <2   | 0   |
| ortho-Xylene                                                                                     | µg/L       | 2                | 1          | <2   | <2               | -    | 1    | 67  |
| Total Xylenes                                                                                    | µg/L       | 2                | 3          | 2    | 2                | 0    | <3   | 40  |
| Sum of BTEX                                                                                      | µg/L       | 1                | -          | 6    | 6                | 0    | -    | -   |
| Naphthalene                                                                                      | µg/L       | 5                | 10         | <5   | <5               | -    | <10  | -   |

**Summary of Tripblank Results**

**Project:** Katherine Depot, VGS Sampling  
**Job:** BE-72  
**Client:** Cleanaway Waste Management Limited

|                   |            |            |
|-------------------|------------|------------|
| <b>Field ID</b>   | Tripblank  | Tripblank  |
| <b>Date</b>       | 28/02/2024 | 28/02/2024 |
| <b>Lab Report</b> | ES2406577  | 1073558    |
| <b>Lab Name</b>   | ALS        | Eurofins   |

| Analyte                | ALS LOR | MGT LOR | Units |        |        |
|------------------------|---------|---------|-------|--------|--------|
| <b>BTEX</b>            |         |         |       |        |        |
| Benzene                | 0.001   | 0.001   | mg/L  | <0.001 | <0.001 |
| Ethylbenzene           | 0.002   | 0.001   | mg/L  | <0.002 | <0.001 |
| Meta&Para-Xylene       | 0.002   | 0.002   | mg/L  | <0.002 | <0.002 |
| Ortho- Xylene          | 0.002   | 0.001   | mg/L  | <0.002 | <0.001 |
| Toluene                | 0.002   | 0.001   | mg/L  | <0.002 | <0.001 |
| Xylenes - Total        | 0.002   | 0.003   | mg/L  | <0.002 | <0.003 |
| Sum of BTEX            | 0.001   | -       | mg/L  | <0.001 | -      |
| <b>TRHs</b>            |         |         |       |        |        |
| TRH C6-C9              | 0.02    | 0.02    | mg/L  | <0.02  | -      |
| TRH C6-C10             | 0.02    | 0.02    | mg/L  | <0.02  | <0.02  |
| TRH C6-C10 Fraction F1 | 0.02    | 0.02    | mg/L  | <0.02  | -      |
| Naphthalene            | 0.005   | 0.01    | mg/L  | <0.005 | <0.01  |

# ATTACHMENT E

## STATEMENT OF LIMITATIONS

## STATEMENT OF LIMITATIONS & IMPORTANT INFORMATION REGARDING YOUR REPORT

### INTRODUCTION

This report has been prepared by Land & Water Consulting for you, as Land & Water Consulting's client, in accordance with our agreed purpose, scope, schedule and budget.

The report has been prepared using accepted procedures and practices of the consulting profession at the time it was prepared, and the opinions, recommendations and conclusions set out in the report are made in accordance with generally accepted principles and practices of that profession.

The report is based on information gained from environmental conditions (including assessment of some or all of soil, groundwater, vapour and surface water) and supplemented by reported data of the local area and professional experience. Assessment has been scoped with consideration to industry standards, regulations, guidelines and your specific requirements, including budget and timing. The characterisation of site conditions is an interpretation of information collected during assessment, in accordance with industry practice.

This interpretation is not a complete description of all material on or in the vicinity of the site, due to the inherent variation in spatial and temporal patterns of contaminant presence and impact in the natural environment. Land & Water Consulting may have also relied on data and other information provided by you and other qualified individuals in preparing this report. Land & Water Consulting has not verified the accuracy or completeness of such data or information except as otherwise stated in the report. For these reasons the report must be regarded as interpretative, in accordance with industry standards and practice, rather than being a definitive record.

No warranty or guarantee of the site conditions is intended.

This report was prepared for the sole use of you, the Client and may not contain sufficient information for purposes of other parties or for other uses. Any reliance on this report by third parties shall be at such parties sole risk. This report shall only be presented in full and may not be used to support any other objectives than those set out in the report, except where written approval with comments are provided by Land & Water Consulting.

The report does not include the evaluation or assessment of potential geotechnical engineering constraints of the site.

### LIMITATIONS OF THE REPORT

The scope of works undertaken and the report prepared to complete the assessment was in accordance with the information provided by the client and the specifications for works required under the contract. As such, works undertaken and statements made are based on those specifications (such as levels of risks and significance of any contamination) and should be considered and interpreted within this context. The analyses, evaluations, opinions and conclusions presented in this report are based on that purpose and scope, requirements, data or information, and they could change if such requirements or data are inaccurate or incomplete.

Your environmental report should not be used without reference to Land & Water Consulting in the first instance:

- When the nature of the proposed development is changed, for example if a residential development is proposed instead of a commercial one;
- When the size or configuration of the proposed development is altered;
- When the location or orientation of the proposed structures are modified;
- When there is a change in ownership;
- For application to an adjacent site.

In addition, advancements in professional practice regarding contaminated land and changes in applicable statutes and/or guidelines may affect the validity of this report. Consequently, the currency of conclusions and recommendations in this report should be verified if you propose to use this report more than 6 months after its date of issue.

#### **ENVIRONMENTAL ASSESSMENT “FINDINGS” ARE PROFESSIONAL ESTIMATES**

The information in this report is considered to be accurate with respect to conditions encountered at the site at the time of investigation and considering the inherent limitations associated with extrapolating information from a sample set. Note however that site assessment identifies actual subsurface conditions only at those specific points where samples are taken, when they are taken. Environmental data derived through sampling and analysis are interpreted by consultants who then render an opinion about overall subsurface conditions, the nature and extent of contamination and potential impacts on the use of the land. Actual conditions may differ from those inferred to exist as no professional and no subsurface assessment program can reveal every detail within the ground across a site. Subsurface conditions can vary across a particular site and no practical degree of sampling can ever eliminate the possibility that conditions may be present at a site that have not been represented through sampling.

#### **SUBSURFACE CONDITIONS CAN CHANGE**

This report is valid as of the date of preparation. The condition of the site (including subsurface conditions) and extent or nature of contamination or other environmental hazards can change over time, as a result of either natural processes or human influence. Land & Water Consulting should be kept apprised of any such events and should be consulted for further investigations if any changes are noted, particularly during construction activities where excavations often reveal subsurface conditions. Since subsurface conditions (including contamination concentrations) can change within a limited period of time and space, this inherent limitation to the representation of site conditions provided by this report should always be taken into consideration particularly if the report is used after a delay in time.

#### **DATA SHOULD NOT BE SEPARATED FROM THE REPORT**

The report as a whole presents the findings of the site assessment and the report should not be copied in part or altered in any way. Logs, figures, laboratory data, drawings, etc. are customarily included in our reports and are developed by scientists or engineers based on their interpretation of field logs, field testing and laboratory evaluation of samples. This information should not under any circumstances be redrawn for inclusion in other documents or separated from the report in any way.

This report should be reproduced in full. No responsibility is accepted for use of any part of this report in any other context or for any other purpose or by third parties.

#### **RESPONSIBILITY**

Environmental reporting relies on interpretation of factual information using professional judgement and opinion and has a level of uncertainty attached to it, which is much less exact than other design disciplines. As noted earlier, the recommendations and findings set out in this report should only be regarded as interpretive and should not be taken as accurate and complete information about all environmental media at all depths and locations across the site.