



Northern
Territory
Government

WASTE DISCHARGE LICENCE

(Pursuant to section 74 of the *Water Act 1992*)

Licensee Lithium Developments (Grants NT) Pty Ltd

Licence Number: **WDL248-03**

Registered Business Address: Level 5, Flinders Street
Adelaide SA 5000

ACN: 622 047 232

ABN: 70 622 047 232

Commencement Date: 25 July 2022

Renewal Issue Date: 18 July 2025

Expiry Date: 30 June 2030

Licensed Action: Controlled discharge of wastewater from Mine Water Dam 1 (MWD1) through authorised discharge point (DP1) and into an unnamed ephemeral stream that feeds into West Arm, Darwin Harbour in accordance with Table 2 and subject to the conditions of this licence.

WASTE DISCHARGE LICENCE (WDL248-03)

Contents

INFORMATION ABOUT THIS LICENCE	3
SCHEDULE 1 - ITEMS.....	6
LICENCE CONDITIONS	9
RULES FOR INTERPRETING THE CONDITIONS OF THIS LICENCE	9
GENERAL	9
OPERATIONAL	10
INVESTIGATIONS AND NOTIFICATIONS.....	11
MONITORING	12
RECORDING AND REPORTING	13
END OF LICENCE CONDITIONS	15
DEFINITIONS.....	16
APPENDIX 1: Map of Discharge Point, Compliance Point and Monitoring Sites	18
APPENDIX 2 : Discharge Trigger Values	19
APPENDIX 3: Surface Water Monitoring Program	20
APPENDIX 4: Fluvial Sediment Monitoring Program.....	26
APPENDIX 5: Biota Monitoring Program	28

WASTE DISCHARGE LICENCE (WDL248-03)

INFORMATION ABOUT THIS LICENCE

This waste discharge licence is granted pursuant to section 74 of the *Water Act 1992* (NT) (Water Act), which empowers the Controller of Water Resources to, in accordance with the Water Act, grant a licence to a person to carry out an action that would otherwise be an offence against this Act.

Responsibilities of Licensee

- In addition to the conditions set out in this licence, general responsibilities of Licensees are set out in the *Waste Management and Pollution Control Act 1998* (NT) (WMPC Act), the Water Act and the Water Regulations 1992 (NT) (Water Regulations).
- It is an offence under the Water Act, if the holder of a waste discharge licence contravene or cause, suffer or permit a person to contravene a term or condition to which the waste discharge licence is subject (s 76 Water Act).
- Except as expressly provided for in this licence or applicable law, it is an offence under section 16 of the Water Act to wilfully cause or cause, directly or indirectly:
 - waste to come into contact with water; or
 - water to be polluted.

Duration of Licence

- This licence will remain in force until its Expiry Date, it is surrendered by the Licensee, or until it is suspended or revoked by the Controller of Water Resources.
- A Licensee may surrender its licence at any time (s 94 Water Act).
- If the Licensee wishes to surrender its licence it should complete the notification form available from the Administering Agency.
- Once a licence is surrendered, the authority to allow waste to come into contact with water or water to be polluted ends, and causing waste to come into contact with water or water to be polluted is an offence pursuant to section 16 of the Water Act.

Amendment, Modification or Revocation of Licence

- As set out in section 93 of the Water Act, the Controller of Water Resources may, by notice served on the holder of the licence:
 - amend or modify the terms and conditions of a licence; or
 - where the Controller of Water Resources is satisfied that the holder of the licence has contravened or failed to comply with a term or condition of the licence or of any other licence previously held by the person for a similar purpose during the 12 months immediately preceding the grant of the first-mentioned licence, the Controller of Water Resources may:
 - revoke a licence; or
 - suspend a licence.

Transfer of Licence

- Where a waste discharge licence is granted to a person in relation to the person's use of land and, during the period of this licence, the person's interest in the land is transferred to another person,

WASTE DISCHARGE LICENCE (WDL248-03)

the waste discharge licence shall be deemed to have also been transferred to the other person (s 92 Water Act).

- The Licensee must ensure the contact details recorded with the Administering Agency for the licence are correct at all times in accordance with condition 6. Accordingly, it is recommended the transferee complete the notification of transfer of a waste discharge licence form available from the Administering Agency.

Public Register

- A copy of this Licence will be placed on the Register in accordance with section 95 of the Water Act.
- A copy of plans for environmental management, reports, submissions or documents provided at Schedule 1 Item 14 will be placed on the Register.
- The Register is freely available from the Northern Territory Environment Protection Authority (NT EPA) website.

Water Quality Standards

- The Administrator may declare, by notice in the *Gazette*, a beneficial use, quality standard, criteria or objectives which apply in relation to any waste or class of waste, or water or class of water (s 73 Water Act).
- A water or waste beneficial use, quality standard, criteria or objectives declared under s 73 of the Act and in force is an Environment Protection Objective for the purposes of the WMPC Act (s 18 WMPC Act).
- An Environment Protection Objective is a statutory instrument to establish principles on which:
 - Environmental quality is to be maintained, enhanced, managed or protected;
 - Pollution, or environmental harm resulting from pollution, is to be assessed, prevented, reduced, controlled, rectified or cleaned up; or
 - Effective waste management is to be implemented or evaluated.
- Schedule 1 Item 1 specifies the beneficial use, quality standard, criteria or objective relevant to this licence at the date of issue.

Environmental Interests

- Environmentally sensitive or significant areas may be captured by and protected under the *Environment Protection Act 2019* (NT) and/or the *Environment Protection and Biodiversity Conservation Act 1999* (Cth). As such, and to best protect and regulate our waterways, waste discharge licences must identify the sensitivity of the environment surrounding the location of the Licensed Action.
- Schedule 1 Item 2 specifies the sites of conservation significance (if any) relevant to this licence at the date of issue.
- Schedule 1 Item 3 specifies the Ramsar wetlands (if any) relevant to this licence at the date of issue.

Cultural Interests

- Under Commonwealth and Northern Territory laws it can be an offence to enter or remain on or damage a sacred site.

WASTE DISCHARGE LICENCE (WDL248-03)

- Sites of Aboriginal significance including registered and recorded Aboriginal sacred sites may exist in the vicinity of the Licensed Action.
- It is the Licensee's responsibility to contact the Aboriginal Areas Protection Authority, appropriate land council or other governing body and ensure that any authority certificates required as a result of conducting the Licensed Action are obtained and complied with.
- Further specific advice on any cultural requirement or implication of the Licensed Action should be sought from the relevant land council and the Aboriginal Areas Protection Authority.

END NOTES

WDL248 was issued on 25 July 2022.

WDL248-01 was an amendment and was issued on 7 March 2023.

WDL248-02 was an amendment and was issued on 20 December 2023.

This licence is a renewal and supersedes WDL248-02.

WASTE DISCHARGE LICENCE (WDL248-03)

SCHEDULE 1 - ITEMS

Item	Detail	
1. Beneficial uses (condition 19)	Beneficial Uses and Objectives for the Darwin Harbour Region (Gazette No. 27, 7 July 2010). Beneficial Uses and Objectives for the Darwin Rural Adelaide River Water Control District (Gazette No. G13, 11 June 2024) The relevant beneficial uses are agriculture, aquaculture, environment, public water supply, cultural, industry, rural, stock and domestic, mining activity and petroleum activity.	
2. Sites of conservation significance (condition 19)	SOCS No. 6 Darwin Harbour.	
3. Ramsar wetlands (condition 19)	Not applicable.	
4. Licence Documents (condition 13)	(a) Grants Lithium Operational Water Management Plan (b) Finniss Lithium Project Emergency Preparedness Plan Emergency Response Plan (c) Core Lithium Grants Lithium Project Stakeholder Engagement Plan (d) Waste Discharge Licence 248 Monitoring Program (EcOz Consulting)	
5. Authorised Discharge Point(s) (condition 20)	Discharge Point 1 (DP1) from Mine Water Dam 1 (MWD1) as shown on the plan at Appendix 1.	Zone: 52 L Easting: 693153 Northing: 8598441
6. Source(s) of waste (condition 21)	Pit water, direct rainfall, and mine influenced water collected from Mineral Lease 31726 that is captured and stored in sediment basins and Mine Water Dams. Waters discharged through DP1 are pumped over the wall of Mine Water Dam 1 (MWD1) and released by a tee valve into the flow path of an adjacent unnamed ephemeral stream as shown at Appendix 1.	
7. Trigger values (condition 21)	The trigger values for parameters listed in Appendix 2.	
8. Compliance point (condition 21)	Grants Downstream Surface Water 5 (GDS SW5) as shown on the plan at Appendix 1.	Zone: 52 L Easting: 693374 Northing: 8600709
9. Limitations on discharge (condition 21)	Any authorised discharge must: (a) Not include wastewater generated outside of Mineral Lease 31726; (b) Not include wastewater treated with polyacrylamide flocculants with more than 0.05% of the neuro-toxin acrylamide monomer; (c) Occur only when the stream gauge at the compliance point GDS SW5 shows there is a sufficient flow to achieve trigger values at the compliance point at Item 8; (d) In the event wastewater is treated, occurs only when the treatment process has finished, including allowing sufficient residence time for settlement of flocculants and target contaminants.	

WASTE DISCHARGE LICENCE (WDL248-03)

Item	Detail
10. Notifiable incidents (conditions 25 and 26)	Notifiable incidents include: (a) An exceedance of three or more times a trigger value specified in Item 7 at the compliance point in Item 8; (b) For physical and chemical stressors, an exceedance (or measurement outside the range) of a trigger value specified in Item 7 at the compliance point in Item 8, on three consecutive sampling occasions; (c) For toxicants, two or more exceedances of a trigger value specified in Item 7, at the compliance point in Item 8, during one annual reporting period; (d) A discharge at a point not specified in Item 5; (e) A discharge from a source not specified in Item 6; (f) A failure to comply with condition 23.
11. Monitoring Program (condition 27)	The Monitoring Program includes: (a) Surface water monitoring in accordance with Appendix 3. (b) Fluvial sediment monitoring in accordance with Appendix 4. (c) Biota monitoring in accordance with Appendix 5.
12. Annual Return (condition 38)	The Annual Return is due: (a) Within 10 business days of each Anniversary Date; and (b) On a date agreed by the Administering Agency in the event that the licence expires or is surrendered for the reporting period 1 May – 30 April of the preceding year (or part thereof).
13. Monitoring Report (condition 39)	The Monitoring Report is due: (a) Within 10 business days each Anniversary Date; and (b) On a date agreed by the Administering Agency in the event that the licence expires or is surrendered for the reporting period 1 May – 30 April of the preceding year (or part thereof).
14. Documents placed on Register (condition 42)	The following documents will be placed on the Register: (a) The Licence Documents at Item 4. (b) The Monitoring Report provided in accordance with condition 40. (c) The Annual Return.
15. Special conditions (condition 43)	1. The annual return required by condition 38 must contain details of all notifiable incidents and non-compliances with this licence during the reporting period. 2. The monitoring report required by condition 39 must include: (a) The records of trigger value exceedances collected in accordance with Condition 24.3 (b) An assessment of compliance with Condition 21.2 including supporting data analysis.

WASTE DISCHARGE LICENCE (WDL248-03)

Item	Detail
16. Compliance with trigger values	For the annual reporting period, the trigger values at Item 7 shall be regarded as being complied with if: (a) For metals, hydrocarbons and other toxicants, not more than one measurement or, if more than 20 samples are collected, 5% of measured values, exceed the trigger values specified in Item 7; (b) For nutrients and physico-chemical parameters (DO, pH, EC, temperature), the median value of measurements does not exceed, or is not outside the range of, the trigger values specified in Item 7; and (c) For any other indicators, not more than 20% of samples exceed, or are outside the range of, the trigger values specified in Item 7.

WASTE DISCHARGE LICENCE (WDL248-03)

LICENCE CONDITIONS

RULES FOR INTERPRETING THE CONDITIONS OF THIS LICENCE

1. Where there is a discrepancy between the conditions of this licence and any plan, standard, guideline or other document referred to in this licence, the conditions of this licence prevail to the extent of the inconsistency.
2. Any reference to any standard, guideline or code of practice (Australian or international) in this licence means the relevant parts of the current version of that standard, guideline or code of practice.
3. In this licence, unless the contrary intention appears, words that are defined in the Water Act are intended to have the meaning given to them in that Act.
4. In this licence, unless a contrary intention appears, terms are defined in the Definitions at the end of this licence.
5. In this licence a reference to an Item is a reference to an Item specified in Schedule 1.

GENERAL

6. The Licensee must ensure the contact details recorded with the Administering Agency for this licence are correct at all times.
7. The Licensee must at all times have a 24-hour emergency contact.
8. The Licensee must notify the Administering Agency prior to making any operational change that will cause, or is likely to cause, an increase in the potential for environmental harm.
9. The Licensee must display clear and legible signage, in English, in a prominent location at each public entrance to the premises of the Licensed Action that includes the following details:
 - 9.1. waste discharge licence number issued under the Water Act; and
 - 9.2. 24-hour emergency contact details.
10. The Licensee must cause a hard copy of this licence to be available for inspection, at the premises of the Licensed Action, by any person on request.
11. Unless otherwise specified, within 10 business days of a request, the Licensee must provide to the Administering Agency a copy of any record, document, monitoring data or other information in relation to the Licensed Action in electronic form by emailing environmentalregulation@nt.gov.au.
12. All notices, reports, documents or other correspondence required to be provided as a condition of this licence, unless otherwise specified as a condition of this licence, must be provided in electronic form by emailing environmentalregulation@nt.gov.au.
13. The Licensee must maintain, implement and comply with the current version of the documents specified in Item 4.
14. Within 10 business days of any amendment being made to a document specified in Item 4, the Licensee must provide the amended document to the Administering Agency, along with:
 - 14.1. a tabulated summary of the amendment(s) with document references;
 - 14.2. reasons for the amendment(s); and
 - 14.3. an assessment of environmental risk associated with the amendment(s).
15. The Administering Agency may require the Licensee to revise or amend and resubmit any document provided in accordance with this licence. Where the Administering Agency requires any document to be revised or amended, the Licensee must submit it to the Administering Agency by the date specified by the Administering Agency.
16. The Licensee must operate and maintain a community feedback telephone number enabling members of the public to contact, at any time, a person or voice mail system that can accept, on behalf of the Licensee, enquiries or complaints about the Licensed Action, and to which the Licensee must respond. The community feedback telephone number must be displayed:

WASTE DISCHARGE LICENCE (WDL248-03)

- 16.1. where the Licensee has a website, in a prominent location on the Licensee's website;
 - 16.2. in the Consultation and Communication Plan; and
 - 16.3. in other publicly available documents relating to the Licensed Action.
17. The Licensee must maintain a register of complaints that records the details of each complaint received in relation to the Licensed Action and provide a copy to the Administering Agency on request. Details of the complaints must (as is reasonably practicable) include, the following information:
 - 17.1. the person to whom the complaint was made;
 - 17.2. the person responsible for managing the complaint;
 - 17.3. the date and time the complaint was reported;
 - 17.4. the date and time of the event(s) that led to the complaint;
 - 17.5. the contact details of the complainant if known, or where no details are provided a note to that effect;
 - 17.6. the nature of the complaint;
 - 17.7. the nature of event(s) giving rise to the complaint;
 - 17.8. prevailing weather conditions at the time (where relevant to the complaint);
 - 17.9. the action taken in relation to the complaint, including any follow-up contact with the complainant; and
 - 17.10. if no action was taken, why no action was taken.

OPERATIONAL

18. Without limiting the conditions of this licence, in conducting the Licensed Action, the Licensee must do all things reasonable and practicable to:
 - 18.1. minimise the likelihood of waste coming into contact with water or water being polluted as a result of, or in connection with, the Licensed Action;
 - 18.2. prevent and minimise the likelihood of environmental harm occurring as a result, or in connection with, the Licensed Action;
 - 18.3. effectively investigate, monitor and report on water being polluted as a result of, or in connection with, the Licensed Action;
 - 18.4. effectively investigate, monitor and report on environmental harm and the risk of environmental harm occurring as a result of or in connection with the Licensed Action; and
 - 18.5. apply the principles of ecologically sustainable development.
19. The Licensee must, without limiting any other condition of this licence, in conducting the Licensed Action do all things reasonable and practicable to minimise adverse effects to any:
 - 19.1. declared beneficial use, quality, standard or objectives declared under section 73 of the Water Act;
 - 19.2. sites of conservation significance; or
 - 19.3. designated Ramsar wetlands,including, but not limited to, those specified in Items 1, 2 and 3.

DISCHARGES

20. The Licensee must only discharge waste to water from the authorised discharge points specified in Item 5.
21. Discharges from each authorised discharge point must:

WASTE DISCHARGE LICENCE (WDL248-03)

- 21.1. consist only of waste from the source(s) specified in Item 6;
 - 21.2. not cause a non-compliance with the conditions specified in Item 16 at the compliance point at Item 8; and
 - 21.3. comply with the limitations specified in Item 9.
22. The Licensee must, for each authorised discharge point, install, operate and maintain a device to measure and record, for each discharge event:
- 22.1. the time the discharge commenced and the duration of the discharge;
 - 22.2. the discharge rate of flow; and
 - 22.3. the discharge volume.
23. Discharges from each authorised discharge point must not:
- 23.1. contain any floating debris, oil, grease, petroleum hydrocarbon sheen, scum, litter or other objectionable matter;
 - 23.2. cause or generate odours which would adversely affect the use and amenity of surrounding waters;
 - 23.3. cause algal blooms in the receiving water;
 - 23.4. pollute groundwater;
 - 23.5. cause visible change in the behaviour of fish or other aquatic organisms in the receiving water;
 - 23.6. cause mortality of fish or other aquatic organisms;
 - 23.7. cause erosion or degradation to the beds and banks of a watercourse; or
 - 23.8. cause adverse impacts on plants or animals.

INVESTIGATIONS AND NOTIFICATIONS

24. Following any exceedance of a trigger value specified in Item 7 at the compliance point specified in Item 8, the Licensee must make a record of:
- 24.1. when the exceedance was detected and by whom;
 - 24.2. the date and time of the exceedance;
 - 24.3. the actual and potential causes and contributing factors to the exceedance;
 - 24.4. the risk of environmental harm arising from the exceedance;
 - 24.5. exceedances and details of the investigation and corrective action taken; and
 - 24.6. if no action was taken, why no action was taken.
25. If one of the incidents specified in Item 10 occurs, the Licensee must notify the Administering Agency by emailing environmentalregulation@nt.gov.au as soon as practicable after (and in any case within 24 hours after) first becoming aware of the incident, including the following information:
- 25.1. when the incident was detected and by whom;
 - 25.2. the date and time of the incident;
 - 25.3. whether discharge was occurring at the time of the incident and the source of the discharge;
 - 25.4. whether discharge is still occurring; and
 - 25.5. a date (within 10 business days of the incident) when an investigation report will be submitted to the Administering Agency.
26. Within 10 business days of notifying the Administering Agency of an incident specified in Item 10, the Licensee must provide the Administering Agency an investigation report that includes:

WASTE DISCHARGE LICENCE (WDL248-03)

- 26.1. when the incident was detected and by whom;
- 26.2. the date and time of the incident;
- 26.3. whether discharge was occurring at the time of the incident and the source of the discharge;
- 26.4. the actual and potential causes and contributing factors to the incident;
- 26.5. monitoring data of the discharge, and upstream and downstream water of the incident, collected for the date the incident was detected and three sampling rounds prior;
- 26.6. available flow rates to demonstrate any influence streams and rivers may have had on the incident;
- 26.7. rainfall recorded at the site prior to the incident;
- 26.8. the risk of environmental harm arising from the incident;
- 26.9. the action(s) that have or will be undertaken to mitigate any environmental harm arising from the incident;
- 26.10. corrective actions that have or will be undertaken to ensure the incident does not reoccur; and
- 26.11. if no action was taken, why no action was taken.

MONITORING

- 27. From the Commencement Date of this licence, the Licensee must implement and comply with the Monitoring Program specified in Item 11.
- 28. The Licensee must to the extent practicable collect samples that are representative of discharge conditions that maximises the ability to detect potential impact from the Licenced Action, including collecting samples at sampling points.
- 29. In implementing the Monitoring Program the Licensee must to the extent practicable that samples collected at the sampling points are collected:
 - 29.1. on the same date as discharge event; and
 - 29.2. from the part of the waterway that provides representative (well mixed) samples.
- 30. If a sample is missed or cannot be collected at a sampling point at a frequency set in the Monitoring Program for any reason, the Licensee must revisit the sampling point to collect a sample as soon as possible after the missed collection.
- 31. The Licensee must ensure that all samples and field environmental data are collected in accordance with recognised Australian Standards and guidelines (such as AS/NZS 5667.1 1998, ANZG (2018), as updated from time to time).
- 32. For the parameters that require analysis at a laboratory, the Licensee must ensure that:
 - 32.1. all samples are analysed at a laboratory with current NATA accreditation or equivalent; and
 - 32.2. detection and reporting limits are appropriate to determine compliance with this licence.
- 33. The Licensee must ensure any samples collected in accordance with the Monitoring Program or in connection with the Licensed Action or this licence, are obtained by, or under the supervision of a qualified sampler.
- 34. The Licensee must ensure any plant and equipment used by the Licensee in conducting the Monitoring Program:
 - 34.1. is fit for the purpose and use to which it is put, including that it is properly calibrated;
 - 34.2. is maintained and operational; and
 - 34.3. is operated by a person trained to use the plant and equipment.

WASTE DISCHARGE LICENCE (WDL248-03)

35. The Licensee must ensure that, for each sample collected in accordance with the Monitoring Program or the Licensed Action, the following information must be recorded and retained:
- 35.1. the date on which the sample was collected;
 - 35.2. the time at which the sample was collected;
 - 35.3. the location at which the sample was collected;
 - 35.4. the name of the person who collected the sample;
 - 35.5. the chain of custody forms relating to the sample;
 - 35.6. the field measurements (if any) and analytical results (if any) relating to the sample; and
 - 35.7. laboratory quality assurance and quality control documentation.
36. The Licensee must for all land based monitoring points specified in the Monitoring Program:
- 36.1. install and maintain appropriate identification signage so that they are reasonably identifiable at all times; and
 - 36.2. maintain safe access and egress, as is reasonably practicable.

RECORDING AND REPORTING

37. The Licensee must keep records of all contraventions with this licence. These records must be adequate to enable the Licensee to comply with the notification and reporting conditions of this licence.
38. The Licensee must submit a completed Annual Return, by emailing environmentalregulation@nt.gov.au as specified in Item 12.
39. The Licensee must complete and provide to the Administering Agency a report of data and information obtained through the implementation and performance of the Monitoring Program (the Monitoring Report), as prescribed by this licence, on the dates specified in Item 13.
40. The Licensee must ensure that each Monitoring Report:
- 40.1. is prepared in accordance with the requirements of the Administering Agency 'Guideline for Reporting on Environmental Monitoring' (or any other guideline as adopted by the Administering Agency from time to time);
 - 40.2. includes a tabulation, in Microsoft® Excel® format or another format requested by the Administering Agency, of all monitoring data required to be collected in accordance with this licence for the preceding 12-month period;
 - 40.3. includes a tabulation of monthly and annual contaminant loads discharged from the authorised discharge point specified in Item 5 for the preceding 12-month period. Contaminant loads must be calculated for metals, metalloids, nutrients and other parameters (excluding field parameters) listed in the monitoring program specified in Item 11. The calculations must be based on the daily discharge volume and the concentration of contaminant present in the discharge on that day. On the days when a sample was not taken then the concentration of the contaminant must be estimated using Linear Interpolation methodology;
 - 40.4. includes long term trend analysis of monitoring data to demonstrate any environmental impact associated with the Licensed Action over a minimum period of three years (of part thereof);
 - 40.5. includes a summary of any investigations undertaken by the Licensee in accordance with this licence for the preceding 12-month period; and
 - 40.6. includes an assessment of environmental impact from the Licensed Action.
41. If the licence expires or is otherwise surrendered, suspended or revoked and the licence contained a condition that the Licensee provide a notice, report, record or other information after that date, the Licensee must provide any report, record, information or data available to the Licensee up to and including the date the licence expired or was surrendered, suspended or revoked.

WASTE DISCHARGE LICENCE (WDL248-03)

42. A copy of the documents listed specified in Item 14 will be placed on the Register.

SPECIAL CONDITIONS

43. The Licensee must comply with the conditions specified in Item 15.

WASTE DISCHARGE LICENCE (WDL248-03)

END OF LICENCE CONDITIONS

This licence is not valid unless signed below:

A handwritten signature in blue ink that reads "Andrew Johnson".

ANDREW JOHNSON
Controller of Water Resources

Dated the 18 July 2025

WASTE DISCHARGE LICENCE (WDL248-03)

DEFINITIONS

In this licence, unless a contrary intention appears:


Term	Definition
24 hour emergency contact	the phone number of a person who can be contacted at any time and be capable of responding to and providing information about any incident associated with the Licensed Action.
Administering Agency	means the NT Government Department with responsibility for administering the Water Act.
Anniversary Date	annual anniversary of the Commencement Date.
Annual Return	an Administering Agency prescribed format for demonstrating and reporting compliance with the conditions of this licence.
ANZG (2018)	Australian and New Zealand Guidelines for Fresh and Marine Water Quality. Australian and New Zealand Governments and Australian state and territory governments, Canberra ACT, Australia. Available at http://www.waterquality.gov.au/anz-guidelines .
business days	a day not Saturday, Sunday or a public holiday, in Darwin, Northern Territory.
Consultation and Communication Plan	a written plan documenting proposed consultation and communications for the Licensed Action before, during and after the Licensed Action which includes a strategy for communicating with members of the public who are likely to have a real interest in, or be affected by, the Licensed Action.
contact details	includes the 24 hour emergency contact, and name, position title and phone number of a representative of the Licensee who can be contacted about the licence and Licensed Action.
discharge	releasing or allowing a liquid, gas or other substance to flow out from where it has been confined.
Dry season	means 1 May to 31 October.
Emergency Response Plan	a written plan documenting the Licensee's procedures for responding to emergencies caused by, resulting from or associated with the Licensed Action and that may cause environmental harm.
Licensed Action	the Licensed Action as described on the covering page of this licence.
Linear Interpolation	a method to construct new data points within the range of known data points. $y = y1 + ((x - x1) * ((y2 - y1) / (x2 - x1)))$ y is the unknown concentration between known concentrations y1 and y2 y1 is the first known concentration y2 is the second known concentration x is the day of the unknown concentration y x1 is the day of the first known concentration y1 x2 is the day of the second known concentration y2
litter	litter, garbage, rubbish, refuse or waste matter, and includes the body of a dead animal.
NATA	National Association of Testing Authorities, Australia.
plant and equipment	all material items used in association with the Licensed Action, including (but not limited to) storage vessels and containers, pipe work and hosing, vehicles (including vessels), tools, and measuring equipment.

WASTE DISCHARGE LICENCE (WDL248-03)

Term	Definition
pollution	has the same meaning as <i>pollute</i> as defined in section 4 of the Water Act.
public entrance	access to the licensed premises that is utilised by the public.
qualified sampler	a person who has training and experience in obtaining samples from the relevant environmental medium.
Register	the register available at the website of the Northern Territory Environment Protection Authority (NT EPA).
wastewater	water that contains a waste.
Water Act	<i>Water Act 1992</i> (NT).
Wet season	means 1 November to 30 April.

WASTE DISCHARGE LICENCE (WDL248-03)

APPENDIX 1: Map of Discharge Point, Compliance Point and Monitoring Sites



WASTE DISCHARGE LICENCE (WDL248-03)

APPENDIX 2 : Discharge Trigger Values

Sampling Points				Compliance Point
Site Code				GDS SW5
Easting				693374
Northing				8600709
PARAMETER	Abbrev.	Units	Analysis	Trigger Values
Environmental Field Data				
pH	pH	pH	In situ	5.2-6.6 ²
Electrical conductivity	EC	μS/cm		250 ¹
Turbidity	NTU	NTU		12 ³
Dissolved oxygen	DO	% sat.		50-100 ²
Nutrients				
Total Nitrogen	TN	μg/L	Unfiltered	400 ³
Total Phosphorus	TP			35 ⁶
Metals and Metalloids ⁵				
Aluminium	Al	μg/L	Total and Filtered (0.45 μm)	70 ³
Arsenic	As			13 ¹
Cadmium	Cd			0.2 ¹
Chromium	Cr			1 ¹
Copper	Cu			1.4 ¹
Iron	Fe			110 ³
Lead	Pb			3.4 ¹
Lithium	Li			430 ⁴
Mercury	Hg			0.6 ¹
Nickel	Ni			11 ¹
Zinc	Zn			8 ¹

Key:

¹ ANGZ (2018) 95% species protection, freshwater.

² 20th and 80th percentile of background data for surface water quality as detailed at paragraph 6.2 of the Water Management Plan and data provided in support of amendment application 20 September 2023.

³ 80th percentile of background data for surface water quality as detailed at paragraph 6.2 of the Water Management Plan and data provided in support of amendment application 20 September 2023.

⁴ Ecotoxicity Assessment, sections 8.3 and 8.4 of the Water Management Plan.

⁵ SSTVs for metals and metalloids apply to filtered samples only

⁶ 80th percentile of background data for surface water quality. Data provided in support of amendment application May 2025 (NTG File Reference: 33-D25-6780).

WASTE DISCHARGE LICENCE (WDL248-03)

APPENDIX 3: Surface Water Monitoring Program

Sampling Points				Grants Downstr eam Surface Water 1	Grants Downstr eam Surface Water 2	Grants Upstre am Surfac e Water 4	Grants Downstr eam Surface Water 5	Grants Upstre am Surfac e Water 7	Hang Gong Upstre am Surfac e Water 8	Sediment Basins 1-5					Discha rge Point	Min e Pit Su mp	Grants Downstr eam Darwin Harbour 1
				GDS SW1	GDS SW2	GUS SW4	GDS SW5	GUS SW7	GUS SW8	Sed 1	Sed 2	Sed 3	Sed 4	Sed 5	MWD1 ¹	Pit	GDS DH1
				693239	692989	693903	693374	691498	693322	6931 67	6926 57	6921 55	6919 28	6927 75	693030	6930 37	694262
				8599446	8600073	8599235	8600709	8598943	8600641	659862 3	859984 7	859944 6	859896 1	859807 2	8598504	859899 0	8603365
				FREQUENCY													
PARAMETER	Abbrev.	Units	Analysis														
Field Parameters																	
Flow	-	kL/day	In situ	D	D	D	C	D	D	N/A	N/A	N/A	N/A	N/A	C	N/A	N/A
Water Level	-	meas ure		D	D	D	C	D	D	N/A	N/A	N/A	N/A	N/A	P, W	N/A	N/A
pH	pH	pH		D	D	D	D	D	D	F	F	F	F	F	P, D	M	M³
Electrical conductivity	EC	µS/cm		D	D	D	D	D	D	F	F	F	F	F	P, D	M	M³
Turbidity	NTU	NTU		D	D	D	D	D	D	F	F	F	F	F	P, D	M	M³
Temperat ure	Temp	°C		D	D	D	D	D	D	F	F	F	F	F	P, D	M	M³
Oxidation Reduction Potential	OR	mV		D	D	D	D	D	D	F	F	F	F	F	P, D	M	M³

WASTE DISCHARGE LICENCE (WDL248-03)

Sampling Points				Grants Downstr eam Surface Water 1	Grants Downstr eam Surface Water 2	Grants Upstre am Surfac e Water 4	Grants Downstr eam Surface Water 5	Grants Upstre am Surfac e Water 7	Hang Gong Upstre am Surfac e Water 8	Sediment Basins 1-5					Discha rge Point	Min e Pit Su mp	Grants Downstr eam Darwin Harbour 1		
				GDS SW1	GDS SW2	GUS SW4	GDS SW5	GUS SW7	GUS SW8	Sed 1	Sed 2	Sed 3	Sed 4	Sed 5	MWD1 ¹	Pit	GDS DH1		
				693239	692989	693903	693374	691498	693322	6931 67	6926 57	6921 55	6919 28	6927 75	693030	6930 37	694262		
				8599446	8600073	8599235	8600709	8598943	8600641	659862 3	859984 7	859944 6	859896 1	859807 2	8598504	859899 0	8603365		
PARAMETER	Abbrev.	Units	Analysis	FREQUENCY															
Dissolved oxygen	DO	% sat.		D	D	D	D	D	D	F	F	F	F	F	P, D	M	M ³		
Nutrients																			
Ammonia	NH ₃	µg/L	Unfiltre d (excludin g FRP)	W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³		
Oxides of Nitrogen	NO _x			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³		
Nitrate	NO ₃			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³		
Total Nitrogen	TN			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³		
Total Phosphorus	TP			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³		
Filterable Reactive Phosphorus	FRP			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³		

WASTE DISCHARGE LICENCE (WDL248-03)

Sampling Points				Grants Downstream Surface Water 1	Grants Downstream Surface Water 2	Grants Upstream Surface Water 4	Grants Downstream Surface Water 5	Grants Upstream Surface Water 7	Hang Gong Upstream Surface Water 8	Sediment Basins 1-5					Discharge Point	Min Pit Sump	Grants Downstream Darwin Harbour 1
Site Code				GDS SW1	GDS SW2	GUS SW4	GDS SW5	GUS SW7	GUS SW8	Sed 1	Sed 2	Sed 3	Sed 4	Sed 5	MWD1 ¹	Pit	GDS DH1
Easting				693239	692989	693903	693374	691498	693322	693167	692657	692155	691928	692775	693030	693037	694262
Northing				8599446	8600073	8599235	8600709	8598943	8600641	6598623	8599847	8599446	8598961	8598072	8598504	8598990	8603365
PARAMETER	Abbrev.	Units	Analysis	FREQUENCY													
Chlorophyll a	Chl-a			W	W	W	W	W	W	N/A	N/A	N/A	N/A	N/A	N/A	N/A	M ³
Metals and Metalloids																	
Aluminium	Al	µg/L	Total and Filtered (0.45 µm)	W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³
Arsenic	As			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³
Cadmium	Cd			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³
Chromium	Cr			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³
Copper	Cu			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³
Iron	Fe			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³
Lead	Pb			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³
Lithium	Li			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³
Mercury	Hg			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³

WASTE DISCHARGE LICENCE (WDL248-03)

Sampling Points				Grants Downstream Surface Water 1	Grants Downstream Surface Water 2	Grants Upstream Surface Water 4	Grants Downstream Surface Water 5	Grants Upstream Surface Water 7	Hang Gong Upstream Surface Water 8	Sediment Basins 1-5					Discharge Point	Min Pit Sump	Grants Downstream Darwin Harbour 1	
				GDS SW1	GDS SW2	GUS SW4	GDS SW5	GUS SW7	GUS SW8	Sed 1	Sed 2	Sed 3	Sed 4	Sed 5	MWD1 ¹	Pit	GDS DH1	
				693239	692989	693903	693374	691498	693322	693167	692657	692155	691928	692775	693030	693037	694262	
				8599446	8600073	8599235	8600709	8598943	8600641	6598623	8599847	8599446	8598961	8598072	8598504	8598990	8603365	
PARAME TER	Abbrev.	Units	Analysis	FREQUENCY														
Nickel	Ni			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³	
Zinc	Zn			W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³	
Full elemental scan	-			A	A	A	A	A	A	A	A	A	A	A	A	A	A	
Treatment reagents (Item 9)																		
Acrylamide ²	C ₃ H ₅ NO	µg/L	Total and Filtered (0.45 µm)	W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³	
Other																		
Sulphate	SO ₄	mg/L	Filtered (0.45 µm)	W	W	W	W	W	W	F	F	F	F	F	P, W	M	N/A	
Calcium	Ca			W	W	W	W	W	W	F	F	F	F	F	P, W	M	N/A	
Chloride	Cl			W	W	W	W	W	W	F	F	F	F	F	P, W	M	N/A	

WASTE DISCHARGE LICENCE (WDL248-03)

Sampling Points				Grants Downstream Surface Water 1	Grants Downstream Surface Water 2	Grants Upstream Surface Water 4	Grants Downstream Surface Water 5	Grants Upstream Surface Water 7	Hang Gong Upstream Surface Water 8	Sediment Basins 1-5					Discharge Point	Min Pit Sump	Grants Downstream Darwin Harbour 1
Site Code				GDS SW1	GDS SW2	GUS SW4	GDS SW5	GUS SW7	GUS SW8	Sed 1	Sed 2	Sed 3	Sed 4	Sed 5	MWD1 ¹	Pit	GDS DH1
Easting				693239	692989	693903	693374	691498	693322	693167	692657	692155	691928	692775	693030	693037	694262
Northing				8599446	8600073	8599235	8600709	8598943	8600641	6598623	8599847	8599446	8598961	8598072	8598504	8598990	8603365
PARAMETER	Abbrev.	Units	Analysis	FREQUENCY													
Sodium	Na			W	W	W	W	W	W	F	F	F	F	F	P, W	M	N/A
Potassium	K			W	W	W	W	W	W	F	F	F	F	F	P, W	M	N/A
Magnesium	Mg			W	W	W	W	W	W	F	F	F	F	F	P, W	M	N/A
Carbonate	CO ₃ ²⁻			W	W	W	W	W	W	F	F	F	F	F	P, W	M	N/A
Bicarbonate	HCO ₃			W	W	W	W	W	W	F	F	F	F	F	P, W	M	N/A
Total Dissolved Solids	TDS			W	W	W	W	W	W	F	F	F	F	F	P, W	M	N/A
Total Suspended Solids	TSS		Unfiltered	W	W	W	W	W	W	F	F	F	F	F	P, W	M	M ³

Key:

P = prior to discharge.

WASTE DISCHARGE LICENCE (WDL248-03)

C = continuous

D = within 24 hours of commencement of discharge **and** daily during discharge. When no discharge is occurring monitoring will be on a weekly basis.

W = within 24 hours of discharge **and** weekly during discharge. When no discharge is occurring monitoring will be on a monthly basis.

F = weekly whilst discharging from sediment basins, Monthly during Wet season irrespective of discharge.

M = monthly.

A = Annually, at end of Wet season on recessional flows.

N/A = not applicable.

¹ The sampling point in MWD1 will be located close to DP1 to ensure it is representative of discharge water quality.

² This sampling is only required where the licensee has conducted water treatment onsite using flocculants containing Acrylamide.

³ During Wet season only

WASTE DISCHARGE LICENCE (WDL248-03)

APPENDIX 4: Fluvial Sediment Monitoring Program

Sampling Points				Grants Downstream Surface Water 1	Grants Upstream Surface Water 2	Grants Upstream Surface Water 4	Grants Downstream Surface Water 5	Grants Upstream Surface Water 7	Grants Downstream Surface Water 8	Discharge Point	Grants Downstream Darwin Harbour 1	
				GDS SW1	GDS SW2	GUS SW4	GDS SW5	GDS SW7	GDS SW8	MWD1	GDS DH1	
				Easting	693239	692989	693903	693374	691498	692465	693030	694262
				Northing	8599446	8600073	8599235	8600709	8598943	8599942	8598504	8603365
PARAMETER	Abbrev.	Units	Analysis	FREQUENCY								
Environmental Field Data												
pH	pH	pH		A	A	A	A	A	A	A	A	
Electrical conductivity	EC	µS/cm		A	A	A	A	A	A	A	A	
Moisture content		%		A	A	A	A	A	A	A	A	
Particle size distribution	PSD	%	<63µm ≥63µm & ≤2mm >2mm	A	A	A	A	A	A	A	A	
Aluminium	Al	mg/kg	<63µm sediment fraction	A	A	A	A	A	A	A	A	
Arsenic	As			A	A	A	A	A	A	A	A	
Cadmium	Cd			A	A	A	A	A	A	A	A	
Chromium	Cr			A	A	A	A	A	A	A	A	
Copper	Cu			A	A	A	A	A	A	A	A	
Iron	Fe			A	A	A	A	A	A	A	A	
Lead	Pb			A	A	A	A	A	A	A	A	
Lithium	Li			A	A	A	A	A	A	A	A	
Mercury	Hg			A	A	A	A	A	A	A	A	
Nickel	Ni			A	A	A	A	A	A	A	A	A

WASTE DISCHARGE LICENCE (WDL248-03)

				Samplings Points	Grants Downstream Surface Water 1	Grants Upstream Surface Water 2	Grants Upstream Surface Water 4	Grants Downstream Surface Water 5	Grants Upstream Surface Water 7	Grants Downstream Surface Water 8	Discharge Point	Grants Downstream Darwin Harbour 1
				Site Code	GDS SW1	GDS SW2	GUS SW4	GDS SW5	GDS SW7	GDS SW8	MWD1	GDS DH1
				Easting	693239	692989	693903	693374	691498	692465	693030	694262
				Northing	8599446	8600073	8599235	8600709	8598943	8599942	8598504	8603365
PARAMETER	Abbrev.	Units	Analysis	FREQUENCY								
Zinc	Zn			A	A	A	A	A	A	A	A	A
Other												
Sulphate	SO ₄	mg/kg	Soluble ion extract	A	A	A	A	A	A	A	A	A
Calcium	Ca			A	A	A	A	A	A	A	A	A
Chloride	Cl			A	A	A	A	A	A	A	A	A
Sodium	Na			A	A	A	A	A	A	A	A	A
Potassium	K			A	A	A	A	A	A	A	A	A
Magnesium	Mg			A	A	A	A	A	A	A	A	A

Key:

A = Annually during recession flow (late Wet season/early Dry season)

WASTE DISCHARGE LICENCE (WDL248-03)

APPENDIX 5: Biota Monitoring Program

Monitoring should be undertaken in accordance with Dwyer, H. and Clark, N. (2022) Waste Discharge Licence 248 Monitoring Program, prepared by EcoZ Environmental Consultants for Lithium Developments (Grants NT).

Project Name	Locations	Project Description	Report Frequency
Seagrass assessment	West Arm, Darwin Harbour	Seagrass monitoring to determine whether any observed change in seagrass distribution or composition has occurred in the marine waters of West Arm, Darwin Harbour. Monitoring should aim to determine whether any change identified is naturally occurring or related to mine operations.	Annually
Vegetation monitoring	Areas downstream of ML 31726	Monitoring of vegetation downstream of ML 31726 to determine if mining activities are impacting riparian vegetation communities.	Annually
Macroinvertebrate study	Darwin Harbour and Areas downstream of ML 31726	Survey of macro-invertebrate abundance and diversity in aquatic ecosystems. Data is used to monitor potential impacts from mine operations.	Annually during recessional flow (late Wet season/early Dry season)