

Environmental Survey of Landscape, Flora and Fauna of the Proposed Frances Creek Project Area, Nov 2005

GROUP	SCIENTIFIC NAME	COMMON NAME	STATUS	RANGE	PREFERRED HABITAT
				eastern Australia	associated with a watercourse
	<i>Zyomys argurus</i> ^{1,2,4,6,8,9}	Common Rock Rat	Common	Northern and Western Aust.	Rocky outcrops and sandstone formations
	<i>Zyomys woodwardi</i> ⁴	Large Rock Rat	Rare, scattered	Far Northern Territory and Kimberly	Rugged rocky habitat, Eucalypt woodland with thick leaf litter and little understorey
Carnivora	<i>Canis familiaris</i> ^{1,2,3,4,5,6,7,8,9}	Dingo	Common	Australia wide	Various
Felidae	<i>Felis Catus</i> ^{1,2,3,4,5,6,7}	Feral Cat	Common	Australia wide	Various
Bovidae	<i>Bos Taurus</i> ^{4,8}	Feral Cattle	Common	Australia wide	Various
	<i>Bubalus bubalis</i> ^{1,3,4,5,6,8}	Water Buffalo	Common	Far Northern Australia	Lowlands, depressions and creeklines
Perissodactyla	<i>Equus asinus</i> ^{2,3,4,5,6}	Ferak Donkey	Abundant	Most of Aust.	Various
Equidae	<i>Equus caballus</i> ^{1,4,5,6}	Feral Horse	Common	Most of Aust.	Various
Suidae	<i>Sus scrofa</i> ^{1,2,4,5,6}	Feral Pig	Rare	North and east Australia	Lowlands, depressions and creeklines

13.6 Reptiles presently or potentially inhabiting the Frances Creek project area.

This table includes species recorded during the environmental survey of the proposed Frances Creek project area (marked in **bold** text) and species recorded from other nearby environmental surveys.

Survey Legend:

¹Brocks Creek (Source: Brocks Creek EIS, Eldridge and Low 1994)

²Unions Reef (Source: Unions Reef DEIS, NSR 1993)

³Cosmo Howley (Source: Cosmo Howley Project Flora and Fauna Survey; Davison 1985)

⁴Kakadu National Park Stage III Wildlife Survey (Source: Woinarski *et al.* 1989)

⁵Pine Creek (Source: Union Reefs DEIS, NSR 1993)

⁶Mt Todd (Source: Union Reefs DEIS, NSR 1993)

⁷Woodcutters (Source: Unions Reefs DEIS, NSR 1993)

⁸PAWCNT (Source: Biological Records bound by 131°30^E – 132°00^W and 13°30^N – 13°55^S)

⁹Spring Hill (Source: Spring Hill EIS, Grattidge and Low 1995)

¹⁰Mt Porter (Source: Reilly *et al.* 2005)

FAMILY	SPECIES NAME	COMMON NAME	STATUS Aust/NT*	RANGE	PREFERRED HABITAT
Agamidae	<i>Amphibolurus gilberti</i> 1,2,3,6,8,9,10	Gilbert's Waterdragon	Common	Widely distributed	Arboreal species, savanna woodland and stream and swamp edges
	<i>Amphibolurus temporalis</i> 5,6,7			Northern Australia	
	<i>Chelosania brunnea</i> 4,6	Chameleon Dragon	Near Threatened*	Far Northern Qld	Savanna woodland
	<i>Chlamydosaurus kingii</i> 2,4,5,6,7,9,10	Frill-necked Dragon	Common	Northern and Eastern Australia	Dry Sclerophyll forests and woodlands

FAMILY	SPECIES NAME	COMMON NAME	STATUS Aust/NT*	RANGE	PREFERRED HABITAT
	<i>Ctenophorus caudicinctus</i> 2,4,5,6,7,9,	Ring-tailed Dragon	Common	Central and Western Australia	Open, rocky slopes and ridges
	<i>Diporiphora albilabris</i> ^{6,7}			Scattered over Northern N.T. and W.A.	Stony hills and escarpments with grass substrate
	<i>Diporiphora bennettii</i> ^{1,3}			Northwestern Aust.	Tropical woodlands associated with ridges
	<i>Diporiphora bilineata</i> ^{3,4,5,}	Two-lined dragon		Northeastern Australia	Terrestrial generalist
	<i>Diporiphora magna</i> ⁴			Northern WA and NT	Eucalypt forest and mixed woodland
Acrochordus	<i>Acrochordus arafurea</i> ⁴	Arafura File Snake	Common	Coastal north Aust.	Permanent Freshwater
Boidae	<i>Aspidites melanocephalus</i> ^{4,6}	Black-headed Python		Northern Australia	Seasonally dry tropical woodlands
	<i>Dendrelaphis punctulata</i> ⁹	Common Tree Snake		Coastal NW to SE Aust.	
	<i>Antaresia childreni</i> ^{2,4,5,6}	Stimsons Python	Common	Central and Northern Australia	Outcrops, escarpments and woodlands
	<i>Antaresia fuscus</i> ⁵	Water Python		Northern Aust	Margins of waterways
	<i>Antaresia olivaceus</i> ^{5,6,8}	Olive Python		Northern Aust	Rocky hills and ranges
	<i>Morelia oenpelliensis</i> ⁴	Oenpelli Python	Vulnerable*	Western Arnhemland	Seasonally dry tropical woodlands
	<i>Morelia spilota</i> ⁶	Carpet Python		Continental Aust. except arid areas	
Chelidae	<i>Chelodina rugosa</i> ^{7,8}	Northern Snake-necked Turtle		Northern Aust	Swamps, billabongs and waterholes

FAMILY	SPECIES NAME	COMMON NAME	STATUS Aust/NT*	RANGE	PREFERRED HABITAT
Colubridae	<i>Boiga irregularis</i> ^{2,4,5,6}	Brown Tree Snake		Northern and Eastern Australia	Generalist
	<i>Enhydryis polylephis</i>¹⁰	Macleay's Water Snake	Common	Northern Australia	Freshwater lagoons, swamps and creeks
	<i>Stegonotus cucullatus</i> ^{4,5}	Slaty-grey Snake		Northern and Eastern Australia	
	<i>Styporhynchus mairii</i> ⁴	Keel Back Snake	Common		
	<i>Tropidonophis mairii</i> ^{5,6,7}	Freshwater Snake		Northern and Eastern Australia	Semi-aquatic, found near creeks or swamps
Crocodylidae	<i>Crocodylus johnstoni</i>	Freshwater Crocodile	Common	Northern Australia	Freshwater rivers and billabongs
Elapidae	<i>Acanthopis praelongus</i> ^{4,6}	Northern Death Adder	Near Threatened*	Northern Australia	Generalist
	<i>Demansia atra</i> ^{4,5,7,8}	Black Whip Snake		Northern and Eastern Australia	Drier Woodlands
	<i>Demansia olivacea</i>⁴	Olive Whipsnake		NW Australia	Savanna woodland
	<i>Demansia papuensis</i> ⁴	Whipsnake		Far northern and eastern Australia	
	<i>Denisonia punctata</i> ⁴	Little Spotted Snake		Inland and western parts of north Aust	Nocturnal
	<i>Furina ornata</i> ^{2,4,5,6,8}	Orange-naped Snake		NW and Central Aust	Savanna woodlands and river flood plains
	<i>Oxyuranus scutellatus</i> ^{1,4}	Tiapan		Northern and Eastern Australia	Open savanna woodland

FAMILY	SPECIES NAME	COMMON NAME	STATUS Aust/NT*	RANGE	PREFERRED HABITAT
	<i>Pseudechis australis</i> 1,4,5,6,7,8,9,10	Mulga, King Brown Snake		Aust wide	Generalist
	<i>Pseudonaja nuchalis</i> 4,5,6,7,8,9,10	Western Brown Snake		Aust wide, except south east	Generalist
	<i>Rhinoplocephalus palliceps</i> ⁴			Northern NT	Nocturnal, cryptic
	<i>Simoselaps semifasciatus</i> ⁴	Half-girdled Snake		WA, NT, west SA and North Qld	Burrowing
	<i>Vermicella multifaciata</i> ^{5,6}	Northern Bandy-bandy		Northwest NT and WA	Seasonally dry tropical woodlands
Gekkonidae	<i>Diplodactylus ciliaris</i> ^{4,5,10}	Spiny-tailed Gecko		Northwest and central Aust	Generalist
	<i>Diplodactylus stenodactylus</i> 4,10	Painted Gecko	Common	Northwest and central Aust	Generalist
	<i>Gehyra australis</i> ^{1,2,4,5,6}	Northern Dtella		Northern Aust	Arboreal, woodlands
	<i>Gehyra nana</i> ^{4,5,6}			Northern Aust	Rocky hills and ranges
	<i>Gehyra Pamela</i> ^{4,5}			Far North NT	Rocky escarpments
	<i>Hemidactylis frenatus</i> ^{4,5,7,8}	House Gecko		Far North of NT and Qld	Almost entirely living in human settlements
	<i>Heteronotia binoei</i> ^{2,4,6,10}	Bynoe's Gecko	Widely distributed	Aust. Wide	Terrestrial generalist
	<i>Heteronotia spelea</i> ²	Desert Cave Gecko		Central NW Aust	Inhabits caves and mineshafts
	<i>Nephrurus amyae</i> ⁴		Common	North WA to west Qld	Rocky hills and ranges

FAMILY	SPECIES NAME	COMMON NAME	STATUS Aust/NT*	RANGE	PREFERRED HABITAT
	<i>Oedura gemmata</i> ⁴		Common	Western escarpment of Arhemland	Rocky habitat
	<i>Oedura marmorata</i> ^{4,5,6}	Marbled Velvet Gecko	Widely distributed	Northern and Central Aust	Savanna woodlands
	<i>Oedura rhombifer</i> ^{4,5}			Northern Aust	Tropical woodlands
	<i>Psuedothescadactylus lindneri</i> ⁴	Giant Cave gecko		Patches north of NT and WA	tropical woodland and closed monsoonal forest
	<i>Rhynchoedura ornate</i> ⁶	Beaked Gecko		Central Australia	Open savanna woodland and grasslands
Pygopodidae	<i>Delma borea</i> ^{4,5}			Northern Aust	Generalist
	<i>Delma tincta</i> ^{3,4}			Northern Aust.	Generalist found in ground debris
	<i>Lialis burtonis</i> ^{2,4,5,6,7,10}	Burton's snake-lizard	Widely distributed	Aust wide	Terrestrial in low vegetation
Pygopus	<i>Pygopus nigriceps</i> ⁴	Hooded Scaley Foot Legless Lizard		Most of Aust	Generalist]
Scincidae	<i>Carlia amax</i> ^{2,4,5,6,8,10}	Two spined Rainbow Skink	Common	Far-northern Aust	Forages in leaf litter, associated with stoney ridges
	<i>Carlia gracilis</i> ^{2,4,6,7,8}	Slender Rainbow Skink	Common	Northern WA and NT	Creek and river margins
	<i>Carlia munda</i> ^{2,4,5,6}	Striped Rainbow Skink	Common	Northern and Central Aust	Dry woodlands
	<i>Carlia tricantha</i> ⁶	Three Spined Rainbow Skink	Common	NW and Central Aust	Seasonally dry tropical woodlands
	<i>Cryptoblepharus carnabyi</i> ⁸	Carnaby's Snake-eyed Skink	Common	Northern, Western and Central Aust	Sclerophyll forests and woodlands and rocky hills and screes

FAMILY	SPECIES NAME	COMMON NAME	STATUS Aust/NT*	RANGE	PREFERRED HABITAT
	<i>Cryptoblepharus megastictus</i> ⁴			North NT and WA	Stony hills and escarpments
	<i>Cryptoblepharus plagiocephalus</i> ^{2,4,5,6}	Aboreal Snake-eyed Skink	Common	North and Western Aust	Arboreal, tropical woodlands and eucalypt forests
	<i>Ctenotus coggeri</i> ^{4,6}	Coggers Ctenotus	Moderately Common, restricted range	Far north of NT	Open woodland and sandstone outcrops
	<i>Ctenotus decaneurus</i> ^{2,4,6}	Ten-lined Ctenotus	Locally common	Far north of NT	Stony hills and escarpments
	<i>Ctenotus essingtonii</i> ^{4,6}	Port Essingtons Ctenotus	Common	North Qld and NT	Seasonally dry tropical woodlands
	<i>Ctenotus inornatus</i> ^{2,4,5,6}	Plain Ctenotus	Common	Northern Australia	Sandstone hills and grassy flats
	<i>Ctenotus robustus</i> ^{1,2,4,6,7,9,10}	Robust Ctenotus	Common, widely distributed	Northern, eastern and southeastern Aust.	Various habitats but prefers dry areas with thick ground cover
	<i>Ctenotus saxatilis</i> ⁴			North WA and west NT	Rocky outcrops
	<i>Ctenotus spaldingi</i> ^{4,10}			North NT and Qld	Sclerophyll forests
	<i>Ctenotus storii</i> ³	Storrs Ctenotus	Common	Northwestern NT	Open forest and woodland with grassy understorey
	<i>Ctenotus vertebralis</i> ⁴			Western edge of Arnhemland	Woodland and rocky outcrops
	<i>Glaphyromorphus darwinensis</i> ⁴			North NT	Seasonally dry woodland and forest

FAMILY	SPECIES NAME	COMMON NAME	STATUS Aust/NT*	RANGE	PREFERRED HABITAT
	<i>Glaphyromorphus douglasi</i> ⁴			Far north NT	Seasonally dry woodlands
	<i>Glaphyromorphus isolepis</i> ⁴	Smooth-scaled Skink	Common	Coastal NT and WA	Seasonally dry woodlands
	<i>Lerista karlschnidti</i> ⁴			North NT and Qld	Forest and gorge vegetation
	<i>Menetia greyii</i> ^{1,6}	Grey's Menetia	Common	Aust wide	Temperate and tropical woodlands with grassy understory
	<i>Menetia maini</i> ^{1,2,4,5,6}	Main's Menetia	Moderately Common	Northwestern and Central Australia	Various habitats but prefers rocky areas
	<i>Morethia ruficauda</i> ^{2,4,6}	Red-tailed Snake-eyed Skink	Common	Northwestern and Central Australia	Rocky outcrops and stony hills
	<i>Morethia storri</i> ⁴			Northern coastal NT and WA	Grassland and woodland of stony hills and scarps
	<i>Notoscincus ornatus</i> ^{4,5,8}	Ornate Snake-eyed Skink	Moderately Common	Northern Aust	Various habitats with substantial groundcover
	<i>Proablepharus tenuis</i> ⁴			Northern Aust	Woodland habitats, cryptic
	<i>Tiliqua scincoides</i> ^{2,4,5,6,9}	Eastern Blue-tongued Lizard	Common	Northern and Eastern Australia	Various habitats, prefers a dry climate
Thylopidae	<i>Ramphotylops ligatus</i> ⁴	Blind Snake	Common	Eastern Aust. And patches of Northwest Aust.	Burrowing
	<i>Ramphotylops unguirostris</i> ⁴	Blind Snake	Common	Northeast Aust	Generalist
	<i>Ramphotylops wiedii</i> ⁴	Blind Snake	Common	Scattered north and east Aust.	Generalist

FAMILY	SPECIES NAME	COMMON NAME	STATUS Aust/NT*	RANGE	PREFERRED HABITAT
Varanidae	<i>Varanas acanthurus</i> <i>insulanicus</i> ^{5,10}	Ridge-Tailed Monitor	Common	Arid and semi-arid Northern Aust	Rocky outcrops and ridges
	<i>Varanas baritji</i> ^{4,10}			Northern NT	Rocky outcrops
	<i>Varanas glebopalma</i> ⁴	Long-tailed Rock Monitor		North NT and WA	Rocky outcrops
	<i>Varanas gouldii</i> ^{1,4,5,6,8}	Gould's Goanna		Aust wide	Terrestrial generalist
	<i>Varanas mertensi</i> ^{1,2,4,6,7}	Merten's Water Monitor		Northern Aust	Coastal and Inland lagoons
	<i>Varanas mitchelli</i> ^{2,6}	Mitchell's Water Monitor		Northern Aust	Margins of waterways
	<i>Varanas panoptes</i> ^{2,4,6,8}	Yellow Spotted Monitor	Near Threatened*	Northern and Western Aust.	Terrestrial
	<i>Varanas scalaris</i> ^{4,5,6}	Spotted Tree Monitor		Northern Aust	Arboreal
	<i>Varanas tristis</i> ^{4,5,7,8}			Northern and Central Aust	Arboreal but sometimes lives in rocky crevices
	<i>Varanus primordius</i> ^{4,5,6,9}	Pygmy Goanna	Rare	Far Northern NT, Pine Creek region	Rocky places

13.7 Frogs, fish and inverts presently or potentially inhabiting the Frances Creek project area

This table includes species recorded during the environmental survey of the proposed Frances Creek project area (marked in **bold** text) and species recorded from other nearby environmental surveys.

Survey Legend:

- ¹Brocks Creek (Source: Brocks Creek EIS, Eldridge and Low 1994)
- ²Unions Reef (Source: Unions Reef DEIS, NSR 1993)
- ³Cosmo Howley (Source: Cosmo Howley Project Flora and Fauna Survey; Davison 1985)
- ⁴Kakadu National Park Stage III Wildlife Survey (Source: Woinarski *et al.* 1989)
- ⁵Pine Creek (Source: Union Reefs DEIS, NSR 1993)
- ⁶Mt Todd (Source: Union Reefs DEIS, NSR 1993)
- ⁷Woodcutters (Source: Unions Reefs DEIS, NSR 1993)
- ⁸PAWCNT (Source: Biological Records bound by 131°30^E – 132°00^W and 13°30^N – 13°55^S)
- ⁹Spring Hill (Source: Spring Hill EIS, Grattidge and Low 1996)
- ¹⁰Mt Porter (Source: Reilly *et al.* 2005)

FAMILY	SPECIES NAME	COMMON NAME	STATUS	RANGE	PREFERRED HABITAT
Bufo idae	<i>Bufo marinus</i> ¹⁰	Cane Toad	Pest	Northern NT and Qld	Wet lands
Hylid ae	<i>Cyclorana australis</i> ^{2,4,5}		Common	Northern half of the NT	Shallow temporary pools in Woodland and open vegetation
	<i>Cyclorana longipes</i>		Common	Top end of NT	Shallow temporary pools in Woodland and open vegetation

FAMILY	SPECIES NAME	COMMON NAME	STATUS	RANGE	PREFERRED HABITAT
	<i>Litoria bicolor</i> ^{2,4,5,6,7,8}	Northern Dwarf Tree Frog		Northern Aust	Various habitat types
	<i>Litoria caerulea</i> ^{1,4,5,6,9}	Green Tree Frog		Northern and eastern Aust	Human inhabitation and semi-permanent water
	<i>Litoria coplandi</i> ^{4,5,6}	Saxicoline Tree Frog		Northwestern Aust	Rocky hills, gorges and creek beds
	<i>Litoria inermis</i> ^{3,4,5,6,7}	Unarmed Tree Frog		Northern and eastern Aust	Savanna woodlands
	<i>Litoria meiriana</i> ^{4,6}			Northwestern Aust	Creeks and waterholes of rocky gorges and escarpments
	<i>Litoria nasuta</i> ^{4,5,6,8}	Rocket Frog		Northern and eastern Aust	Forested edges of permanent or semi-permanent waterholes
	<i>Litoria pallida</i> ^{4,5,6}	Grey Tree Frog		Northern Aust	Woodlands
	<i>Litoria personata</i>			Only found in eastern edge of the Arnhem land escarp.	
	<i>Litoria rubella</i> ^{2,4,5,6,9}	Desert Tree Frog		Northern and eastern Aust	Various habitats close to drainage lines and permanent water
	<i>Litoria rothii</i> ^{1,2,4,5,6,7,8}	Roths Tree Frog		Northern Aust	Associated with river systems
	<i>Litoria tornieri</i> ^{4,5,6,7,10}	Torniers Tree Frog		Northern NT and WA	Woodlands
	<i>Litoria watjulumensis</i> ^{4,5,6,10}	Watjulum Frog		Northern Aust	Dry Sclerophyll
Myobatrachidae	<i>Crinia bilingua</i> ^{5,6}			Northern Aust	Generalist
	<i>Limnodynastes convexiusculus</i> ^{2,4,5}	Marbled Frog		Northern Aust	Savanna woodlands

FAMILY	SPECIES NAME	COMMON NAME	STATUS	RANGE	PREFERRED HABITAT
	<i>Limnodynastes ornatus</i> ^{2,4,6}	Ornate Burrowing Frog		Northern and eastern Aust	Generalist

FAMILY	SPECIES NAME	COMMON NAME	STATUS
FISH			
Clupeidae	<i>Nemataosa erebi</i>	Bony Bream	Common
Melanotaeniidae	<i>Melanotaenia expuista</i>	Exquisite Rainbow Fish	Common
Terapontidae	<i>Leipotherapon unicolor</i>	Spangled Grunter	Common
MACROINVERTEBRATES			
	SPECIES NAME	COMMON NAME	STATUS
	<i>Macrobrachium rosenbergii</i>	Freshwater prawn	Common
	<i>Holthusiana transversa</i>	Freshwater crab	Common

13.8 Birds presently or potentially inhabiting the Frances Creek project area

This table includes species recorded during the environmental survey of the proposed Frances Creek project area (marked in **bold text**) and species recorded from other nearby environmental surveys.

Survey Legend:

- ¹Brocks Creek (Source: Brocks Creek EIS, Eldridge and Low 1994)
- ²Unions Reef (Source: Unions Reef DEIS, NSR 1993)
- ³Cosmo Howley (Source: Cosmo Howley Project Flora and Fauna Survey; Davison 1985)
- ⁴Kakadu National Park Stage III Wildlife Survey (Source: Woinarski *et al.* 1989)
- ⁵Pine Creek (Source: Union Reefs DEIS, NSR 1993)
- ⁶Mt Todd (Source: Union Reefs DEIS, NSR 1993)
- ⁷Woodcutters (Source: Unions Reefs DEIS, NSR 1993)
- ⁸PAWCNT (Source: Biological Records bound by 131°30^E – 132°00^W and 13°30^N – 13°55^S)
- ⁹Spring Hill (Source: Spring Hill EIS, Grattidge and Low 1996)
- ¹⁰Mt Porter (Source: Reilly *et al.* 2005)

COMMON NAME	SCIENTIFIC NAME	NATIONAL OR NT* STATUS	RANGE
Babbler, Grey-crowned ^{1,2,3,4,5,6,10}	<i>Pomatostomus temporalis</i>	Widespread nomad	Northern, central and southeast Aust
Baza, Pacific ⁴	<i>Aviceda subcristata</i>	Moderately common	North and east coastal Aust
Bee-eater, Rainbow ^{1,2,3,4,5,6,7,8,9,10}	<i>Merops ornatus</i>	Migratory Bird (EPBC Act), Common nomad	
Bittern, Black ^{2,4,6,9}	<i>Dupetor flavicollis</i>	Uncommon	Coastal Australia
Boobook, Southern ^{2,3,4,5,6,9,10}	<i>Ninox novaeseelandiae</i>	Common nomad	Australia wide
Bowerbird, Greater ^{2,3,4,5,6,7,8,9,10}	<i>Chlamydera nuchalis</i>	Patchily common	

COMMON NAME	SCIENTIFIC NAME	NATIONAL OR NT* STATUS	RANGE
Brolga ^{4,5}	<i>Grus rubicundus</i>	Common nomad	
Bronze-cuckoo, Horsfield's ^{2,4,5,6,9}	<i>Chrysococcyx basalis</i>	Relatively Common nomad	
Bronze-cuckoo, Little ^{4,7,9}	<i>Chrysococcyx malayanus</i>	Common nomad	
Bronzewing, Common ^{1,2,4,5,6}	<i>Phaps chalcoptera</i>	Common	Aust wide except Cape York
Budgerigar^{2,4,5,9}	<i>Melopsittacus undulatus</i>	Common	Inland Australia
Bushlark, Singing ⁴	<i>Mirafra javanica</i>	Common nomad	Australia wide
Bustard, Australia ^{4,5,6}	<i>Ardeotis australis</i>	Vulnerable*	Arid and Northern Australia
Butcherbird, Grey^{2,4,5,6,7,10}	<i>Cracticus torquatus</i>	Moderately common nomad	Northwestern and Southern Australia
Butcherbird, Pied^{1,2,4,5,6,8,9,10}	<i>Cracticus nigrogularis</i>	Moderately common nomad	Australia wide
Button Quail, Buff-banded ^{4,9}	<i>Turnix oliveri</i>	Common, sedentry	Coastal Australia
Button Quail, Chestnut-backed ^{4,5,6}	<i>Turnix castwnota</i>	Uncommon	Two populations; Northwestern Aust, and Cape York Peninsula
Button Quail, Little ⁴	<i>Turnix velox</i>	Common, vagrant	Most of Australia
Button Quail, Red-backed ^{4,6}	<i>Turnix msculosa</i>	Widespread in dry season	Northern Australia
Button Quail, Red-chested	<i>Turnix pyrrhothorax</i>	Common nomad	
Buzzard, Black-breasted ^{4,5,8}	<i>Hamirostra melanosternon</i>	Common nomad	Northern interior Aust
Cicada Bird ⁴	<i>Coracina tenuirostris</i>	Common nomad	Coastal Australia
Cisticola, Golden-headed ^{2,4,5,6,9}	<i>Cisticola exilis</i>	Uncommon	North-western, Northern, Eastern and South-eastern Aust.
Cockatiel ^{4,5,6,8,9}	<i>Nymphicus hollandicus</i>	Common	Inland Australia
Cockatoo, Red-tailed Black^{1,4,5,6,7,8,10}	<i>Calyptorhynchus banksii</i>	Near Threatened* common nomad	Australia wide
Cockatoo, Sulphur-crested^{1,2,3,4,5,6,7,8,10}	<i>Cacatua galerita</i>	moderately common nomad	Northern and Eastern Australia
Coot, Eurasian ⁴	<i>Fulica atra</i>	Common nomad	Common, vagrant

COMMON NAME	SCIENTIFIC NAME	NATIONAL OR NT* STATUS	RANGE
Corella, Little ^{2,4,6}	<i>Cacatua sanguinea</i>	Common nomad	Arid Australia
Cormorant, Little-black	<i>Phalacrocorax sulcirostris</i>		
Cormorant, Little Pied ^{1,4,5,6,7}	<i>Phalacrocorax melanoleucos</i>	Common resident	
Coucal, Pheasant ^{1,2,4,5,10}	<i>Centropus phasianuinus</i>	Common nomad or resident	Northern and Eastern Australia
Crow, Little	<i>Corvus bennetti</i>	Common	Inland Australia
Crow, Torresian ^{1,2,3,4,5,6,7,8,9}	<i>Corvus orru</i>	Uncommon resident	Northern Australia
Cuckoo, Black-eared ^{6,9}	<i>Chrysococcyx osculans</i>	Common, vagrant	Inland Australia
Cuckoo, Brush ^{2,4,5,6,7}	<i>Cuculus variolosus</i>	Moderately uncommon resident or nomad	Northern and Eastern Australia
Cuckoo, Channel-billed ^{4,6}	<i>Scythrops novaehollandiae</i>	Moderately common resident	NE Australia
Cuckoo, Pallid ^{2,3,4,5,6}	<i>Cuculus pallidus</i>	Common resident or nomad	Australia wide
Cuckoo-shrike, Black-faced ^{1,2,3,4,5,6,7,8,10}	<i>Coracina novaehollandiae</i>	Common	Australia wide
Cuckoo-shrike, Little ^{2,5,6,7,8,9}	<i>Coracina papuensis</i>	Common	Northern and Eastern Australia
Cuckoo-shrike, White-bellied ⁴	<i>Coracina papuensis</i>	Common vagrant	Coastal Aust
Curlew, Little ⁵	<i>Numenius minutus</i>	Common resident or migrant	Coastal Australia
Darter ^{2,4,5,7}	<i>Anhinga melanogaster</i>	Rare	Australia wide
Dollarbird ^{1,2,4,5,6,7}	<i>Eurystomus orientalis</i>	Common summer migrant	N and E Aust
Dotterel, Red-kneed ^{1,4}	<i>Erythronyctes alba</i>	Common resident or nomad	Inland Australia
Dove, Bar-shouldered ^{1,2,4,5,6,7,8,10}	<i>Geopelia humeralis</i>	Uncommon resident or nomad	Northern and Eastern Australia
Dove, Collared ¹⁰	<i>Streptopelia decaocto</i>		
Dove, Diamond ^{4,5,6,8}	<i>Geopelia cuneata</i>	Uncommon resident or nomad	Arid and semi-arid Australia
Dove, Peaceful ^{1,2,3,4,5,6,7,8,10}	<i>Geopelia striata</i>	Common	North-western and eastern Aust.
Dove, Rose-crowned Fruit ^{4,7,9}	<i>Ptilinopus regina</i>	Uncommon to rare nomad	

COMMON NAME	SCIENTIFIC NAME	NATIONAL OR NT* STATUS	RANGE
Drongo, Spangled ^{2,4,7,8}	<i>Dicrurus hottentottus</i>	Common resident	N and E Australia
Duck, Grey Teal ^{4,5,6}	<i>Anas gracilis</i>	Common, vagrant	Australia wide
Duck, Pacific Black ^{4,5,6,7,9}	<i>Anas superciliosa</i>	Common migrant	Australia wide
Duck, Pink-eared ^{1,4,9}	<i>Malacorhynchus membranaceus</i>	Common, vagrant	Australia wide
Duck, Plumed Whistling ^{4,8}	<i>Dendrocygna eytoni</i>	Uncommon to rare	Northern and Eastern Australia
Duck, Wandering Whistling ^{4,8,9}	<i>Dendrocygna arcuata</i>	Common, vagrant	Northern and Eastern Australia
Eagle, Little ^{2,4,5,6}	<i>Hieraaetus morphnoides</i>	Uncommon	Australia wide
Eagle, Wedge-tailed ^{4,5,7,9,10}	<i>Aquila audax</i>	Uncommon	
Eagle, White-bellied Sea ^{4,8,9}	<i>Haliaeetus leucogaster</i>	Common, sedentary or vagrant	Coastal Aust.
Egret, Cattle ⁴	<i>Ardea ibis</i>	Uncommon	Northern coastal Aust
Egret, Great ^{4,5,6,7}	<i>Egretta sp</i>	Common resident	Australia wide
Egret, Intermediate ^{4,6,7}	<i>Ardea intermedia</i>	Moderately uncommon resident	North and eastern Australia
Egret, Little ⁴	<i>Egretta garzetta</i>	Patchy	Coastal Australia
Emu ^{4,5}	<i>Dromaius novaehollandiae</i>	Vulnerable*	Australia wide
Fairy-wren, Red-backed ^{1,2,4,5,6,8,10}	<i>Malurus melanocephalus</i>	Generally rare nomad	N and E Australia
Fairy-wren, Varigated ¹⁰	<i>Malurus lamberti</i>		
Falcon, Black ^{4,5}	<i>Falco subniger</i>	Common resident or nomad	Central Australia
Falcon, Brown ^{1,2,4,5,6,10}	<i>Falco berigora</i>	Common	Australia wide
Falcon, Peregrine ⁴	<i>Falco peregrinus</i>	Uncommon to rare nomad	Australia wide
Fantail, Grey ^{2,4,6,10}	<i>Rhipidura fuliginosa</i>	Patchily common	Aust wide, except central Aust
Fantail, Northern ^{2,4,5,6,7,8,10}	<i>Rhipidura rufiventris</i>	Common Summer migrant	Northern Aust
Fantail, Rufous ^{3,4,5,7}	<i>Rhipidura rufifrons</i>	Common	N and E Australia
Figbird ^{7,9}	<i>Sphecotheres viridis</i>	Common	Northern and Eastern Australia

COMMON NAME	SCIENTIFIC NAME	NATIONAL OR NT* STATUS	RANGE
Finch, Crimson ^{2,4,5,6,7,8}	<i>Neochmia phaeton</i>	Common resident or nomad	Northern Aust
Finch, Double-barred ^{1,2,3,4,5,6,7,8,9,10}	<i>Poephila bichenovii</i>	Common nomad	Northern and Eastern Australia
Finch, Gouldian ^{4,5,6}	<i>Erythrura gouldiae</i>	Rare and Endangered* Summer migrant	Northern Australia
Finch, Long-tailed ^{2,4,5,6,7,8,10}	<i>Poephila acuticauda</i>	Common Summer migrant	Northern Australia
Finch, Masked ^{1,2,3,5,6,8,9}	<i>Poephila personata</i>	Common Summer migrant	Northern Australia
Finch, Star ⁴	<i>Neochmia ruficauda</i>	Near Threatened*	North Coastal Aust
Finch, Zebra ⁴	<i>Taeniopygia guttata</i>	Common Summer migrant	Australia wide
Firebird, Painted			
Flycatcher, Leaden ^{1,2,3,4,5,6,7,8,9,10}	<i>Myiagra rubecula</i>	Common nomad	N and E Australia
Flycatcher, Lemon-bellied ^{4,5,6,8}	<i>Microeca flavigaster</i>	Uncommon nomad	Far Northern Aust
Flycatcher, Restless ^{4,5,6}	<i>Myiagra inquieta</i>	Common nomad	N, E, SW Australia
Flycatcher, Shining ^{3,4,7,8}	<i>Myiagra alecto</i>	Common resident	N and NE Australia
Friarbird, Little ^{1,2,4,5,6,7,8}	<i>Philemon citreogularis</i>	Common	Northern and Eastern Australia
Friarbird, Silver-crowned ^{1,2,3,4,5,6,7,8}	<i>Philemon argenticeps</i>	Common resident	Northern Aust
Friarbird, Helmeted ^{4,6,9,10}	<i>Philemon buceroides</i>	Common nomad	N and NE Australia
Frogmouth, Tawny ^{2,3,4,5,6}	<i>Podargus strigoides</i>	Common resident	Australia wide
Galah ^{1,2,3,4,5,6,7,8,10}	<i>Cacatua roseicapilla</i>	Uncommon resident	Australia wide
Gerygone, Large-billed ^{7,9}	<i>Gerygone magnirostris</i>	Common	Coastal Northern and North-eastern Aust.
Gerygone, White-throated ^{4,9}	<i>Gerygone olivacea</i>	Moderately Common	Coastal Australia
Goose, Green Pygmy ^{4,6,7}	<i>Nettapus pulchellus</i>	Uncommon, vagrant	Northern Australia
Goose, Magpie	<i>Anseranas semipalmata</i>	Common resident	
Goshawk, Brown ^{2,4,5,6,8}	<i>Accipter fasciatus</i>	Common sedentary or vagrant	Australia wide

COMMON NAME	SCIENTIFIC NAME	NATIONAL OR NT* STATUS	RANGE
Goshawk, Grey ^{4,5,6,8}	<i>Accipter novaehollandiae</i>	Uncommon, sedentary	Coastal Northern and Eastern Aust
Goshawk, Red ⁴	<i>Erythrotriorchis radiatus</i>	Rare and Vulnerable*	North coastal NT and Qld
Grassbird, Tawny ^{4,5,9}	<i>Megalurus timoriensis</i>	Common	Northern and Eastern Australia
Grebe, Australasian ^{2,4,6,7,9}	<i>Tachybaptus navaeollandiae</i>	Common, vagrant	
Grebe, Hoary-headed ^{4,6,7}	<i>Poliocephalus poliocephalus</i>	Common	Mostly southern Aust
Greenshank, Common ^{4,5,9}	<i>Tringa nebularia</i>	Common Summer migrant	Coastal Australia
Hardhead ^{6,7,9}	<i>Aythya australis</i>	Common, vagrant	Australia wide
Harrier, Marsh ^{4,5,9}	<i>Circus approximans</i>	Common, vagrant	Australia wide
Harrier, Spotted ^{4,9}	<i>Circus assimilis</i>	Common	Australia wide
Heron, Great-billed ^{4,8}	<i>Ardea sumatrana</i>	Uncommon	Northern coastal Aust
Heron, Pacific ^{1,2,4,5,6}	<i>Ardea pacifica</i>	Common	Australia wide
Heron, Pied ^{4,5}	<i>Ardea picata</i>	Relatively common, nomad	Northern coastal Aust
Heron, Rufous Night	<i>Nycticorax caledonicus</i>		
Heron, White-faced ^{2,4,6,8}	<i>Ardea novaehollandiae</i>	Common nomad	Australia wide
Hobby, Australian ^{4,5}	<i>Falco longipennis</i>	Relatively common nomad	Australia wide
Honeyeater, Banded ^{1,4,5,6}	<i>Certhionyx pectoralis</i>	Common	Northern Australia
Honeyeater, Bar-breasted ^{4,5,6,8}	<i>Ramsayornis fasciatus</i>	Uncommon resident	Northern Australia
Honeyeater, Black-chinned ⁶	<i>Melithreptus gularis</i>	Uncommon resident	N and NE Australia
Honeyeater, Blue-faced ^{1,2,4,5,6,7,8}	<i>Entomyzon cyanotis</i>	Common Summer migrant	N and E Australia
Honeyeater, Brown ^{1,2,4,5,6,8,10}	<i>Lichmera indistincta</i>	Common resident	Australia wide
Honeyeater, Dusky ^{1,2,3,4,5,6,8}	<i>Myzomela obscura</i>	Common Summer migrant	N and NE Australia
Honeyeater, Grey-fronted ⁶	<i>Lichenostomus plumulus</i>	Common	Inland Australia
Honeyeater, Red-headed	<i>Myzomela erythrocephala</i>		

COMMON NAME	SCIENTIFIC NAME	NATIONAL OR NT* STATUS	RANGE
Honeyeater, Rufous-throated ^{5,6}	<i>Conopophila rufogularis</i>	Common	Northern Australia
Honeyeater, Singing ^{4,5,6}	<i>Lichenostomus virescens</i>	Common nomad or resident	Australia wide
Honeyeater, White-gaped ^{1,4,5,6,7,8}	<i>Lichenostomus unicolor</i>	Common Summer migrant	N and NE Australia
Honeyeater, White-throated ^{1,2,4,5,6,8}	<i>Melithreptus albogularis</i>	Rare resident	N and NE Australia
Honeyeater, Yellow-tinted ⁵	<i>Lichenostomus flavescens</i>	Common resident	
Ibis, Glossy ⁴	<i>Plegadis falcinellus</i>	Common resident	Northern Australia
Ibis, Sacred	<i>Threskiornis aethiopica</i>		
Ibis, Straw-necked ^{4,5,6}	<i>Threskiornis spinicollis</i>	Uncommon to rare resident	Australia wide
Jabiru (Black-necked Stalk) ^{4,5,7,9}	<i>Ephippiorhynchus asiaticus</i>	Common, vagrant	Northern and Eastern Australia
Winter, Jacky ^{4,5,6}	<i>Microeca fascinans</i>	Common nomad	N, E, and S Australia
Jacana, Comb-crested ^{4,7,9}	<i>Irediparra gallinacean</i>	Common	Northern and Eastern Australia
Kestrel, Australia ^{4,5,6}	<i>Falco cenchroides</i>	Uncommon to rare resident	Australia wide
Kingfisher, Azure ^{2,4,6,8}	<i>Slcedo azurea</i>	Common resident	SE, E, and N Aust
Kingfisher, Forest ^{2,4,6,7,8}	<i>Todiramphus macleayii</i>	Common resident	N and E Australia
Kingfisher, Red-backed ^{2,4,5,6,7}	<i>Todiramphus pyrrhopygia</i>	Common resident	Inland Australia
Kingfisher, Sacred ^{1,2,4,5,6,7}	<i>Todiramphus sanctus</i>	Moderately common migrant	Australia wide, not central Aust.
Kite, Black ^{1,2,3,4,5,6,7,8,9,10}	<i>Milvus maigans</i>	Common resident	Australia wide
Kite, Black-shouldered ⁴	<i>Elanus axillaries</i>	Common migrant	Australia wide
Kite, Square-tailed ⁴	<i>Lophoictinia isura</i>	Near Threatened*	Mainly coastal Aust
Kite, Whistling ^{1,2,4,5,6,7,8,10}	<i>Haliastur sphenurus</i>	Uncommon resident	Australia wide
Koel, Common ^{1,2,4,5,6,7}	<i>Eudynamys scolopacea</i>	Common resident or migrant	Northern and Eastern Australia
Kookaburra, Blue-winged ^{1,2,4,5,6,7,8,10}	<i>Dacelo leachii</i>	Common, migratory	Northern Australia
Lapwing, Masked ⁴	<i>Vanellus miles</i>	Common Summer migrant	Mainly coastal Aust but extending inland

COMMON NAME	SCIENTIFIC NAME	NATIONAL OR NT* STATUS	RANGE
Lorikeet, Red-collared ^{1,2,3,4,5,6,7,8,10}	<i>Trichoglossus haematodus</i>	Common nomad or migrant	North Western Australia
Lorikeet, Varied ^{1,2,4,5,6,7,8}	<i>Psitteuteles versicolor</i>	Moderately common partial migrant	Northern Australia
Magpie, Australian ^{3,8,10}	<i>Gymnorhina tibicen</i>	Common	Australia wide
Magpie-Lark, Australian ^{1,2,3,4,5,6,10}	<i>Grallina cyanoleuca</i>	Common nomad or resident	Australia wide
Mannikin, Chestnut-breasted ^{4,5,6}	<i>Lonchura castaneothorax</i>	Common Summer migrant	Northern Australia
Mannikin, Pictorella	<i>Heteromunia pectoralis</i>	Near Threatened*	
Mannikin, Yellow-rumped ^{4,6}	<i>Lonchura flaviprymna</i>	Near Threatened*	Northern Australia
Martin, Fairy ^{4,5}	<i>Hirundo ariel</i>	Uncommon nomad	Australia wide
Martin, Tree ^{4,5,8}	<i>Hirundo nigricans</i>	Common resident	Australia wide
Miner, Yellow-throated ^{1,2,3,4,5}	<i>Manorina flavigula</i>	Uncommon	Western and Central Australia
Mistletoe Bird ^{2,4,5,6,8}	<i>Dicaeum hirundinaceum</i>	Common resident	Australia wide
Night-heron, Rufous ^{4,6,7,8}	<i>Nycticorax caledonicus</i>	Common resident	Australia wide
Nightjar, Australia Owlet ^{1,4,5,6}	<i>Aegotheles cristatus</i>	Common resident	Australia wide
Nightjar, Large-tailed ^{4,6,9}	<i>Caprimulgus macrurus</i>	Common	Coastal Northern Australia and North-eastern Aust.
Nightjar, Spotted ^{4,5,6}	<i>Eurostopodus argus</i>	Moderately common resident	Inland Australia
Oriole, Olive-backed ^{2,4,5,6,7,8}	<i>Oriolus sagattatus</i>	Common	N and E Australia
Oriole, Yellow ^{4,6,7,8}	<i>Oriolus flavocinctus</i>	Locally Common resident	Northern Australia
Owl, Barking ^{2,4,5,6,7}	<i>Niox connivens</i>	Uncommon resident or nomad	Eastern, Northern and South western Aust.
Owl, Barn ^{1,4,5,6}	<i>Tyto alba</i>	Common Summer migrant	Australia wide
Owl, Masked	<i>Tyto novaehollandiae</i>	Near Threatened* migrant, nomad or resident	
Owl, Rufous ^{4,6}	<i>Ninox strenua</i>	Common resident	Northern Aust, and NE and central Qld

COMMON NAME	SCIENTIFIC NAME	NATIONAL OR NT* STATUS	RANGE
Pardalote, Red-browed ^{6,9}	<i>Pardalotus rubricatus</i>	Common	Arid mainland Australia
Pardalote, Striated ^{1,2,4,5,6,7,8,9}	<i>Pardalotus striatus</i>	Common, sedentary	Australia wide
Parrot, Hooded ^{2,4,5,6,8}	<i>Psephotus dissimilis</i>	Near Threatened*	North-eastern NT
Parrot, Red-winged ^{1,2,3,4,5,6,8,10}	<i>Aprosmictus erythropterus</i>	Common resident	NW Australia
Pelican, Australia ⁴	<i>Pelecanus conspicillatus</i>	Moderately common resident	Australia wide
Pigeon, Crested ^{2,4,5,9}	<i>Ocyphaps lophotes</i>	Common	Inland Australia
Pigeon, Flock	<i>Phaps histrionica</i>	Common	
Pigeon, Partridge ^{2,4,5}	<i>Geophaps smithii</i>	Near Threatened*	Far Northern Australia
Pigeon, Torresian Imperial ^{4,7,9}	<i>Ducula spilorrhoa</i>	Common migrant	Northern Australia
Pipit, Richard's ²	<i>Anthus novaeseelandiae</i>	Common resident or nomad	Australia wide
Plover, Black-fronted	<i>Elsayornis melanops</i>	Common	
Plover, Large Sand ^{5,9}	<i>Charadrius leschenaultia</i>	Uncommon migrant	Coastal Australia
Plover, Oriental ⁵	<i>Charadrius veredus</i>	Common summer migrant	Northern Australia
Pratincole, Australia	<i>Stiltia Isabella</i>	Locall common resident	
Pratincole, Oriental	<i>Glareola maldivarum</i>	Moderately common	
Quail, Brown ^{1,2,3,4,5,6,7}	<i>Coturnix ypsilophora</i>	Common resident	Coastal Australia
Quail, King ^{4,9}	<i>Coturnix chinensis</i>	Common, probably sedentary	Coastal Australia
Rail, Buff-banded	<i>Gallirallus philippensis</i>	Common resident or nomad	
Robin, Hooded ^{4,6,9}	<i>Melanodryas cucullata</i>	Common, but scattered	Australia wide
Robin, Mangrove ^{6,9}	<i>Eopsaltria pulverulenta</i>	Common	Coastal Northern Australia
Robin, White-browed ⁴	<i>Eopsaltria cucullata</i>	Near Threatened* nomad or migrant	Northern coastal Australia
Rosella, Northern ^{1,2,3,4,5,6,8}	<i>Platycercus venustus</i>	Common nomad	North-western Aust
Sandpiper, Common ^{2,4,5}	<i>Actitis hypoleucos</i>	Common summer migrant	Coastal Australia

COMMON NAME	SCIENTIFIC NAME	NATIONAL OR NT* STATUS	RANGE
Sandpiper, Marsh	<i>Tringa stagnatilis</i>	Common resident	
Sandpiper, Sharp-tailed	<i>Calidris acuminata</i>	Uncommon nomad or resident	
Sandpiper, Wood ^{4,5,9}	<i>Tringa glareola</i>	Patchy summer migrant	Patchy throughout Aust.
Shelduck, Rajah ⁴	<i>Tadorna radjah</i>	Common resident	North NT and Qld
Shrike-thrush, Grey ^{1,2,4,5,6,7}	<i>Colluricincla harmonica</i>	Common nomad	Australia wide
Shrike-thrush, Little ⁹	<i>Colluricincla megarhyncha</i>	Moderately common, sedentary	Northern coastal Aust.
Shrike-thrush, Sandstone ^{4,9}	<i>Colluricincla woodwardi</i>	Relatively common	North-western Aust.
Sittella, Varied ^{2,4,5,6}	<i>Daphoenositta chrysoptera</i>	Common resident	Australia wide
Snipe, Painted	<i>Rostratula benghalensis</i>	Vulnerable*	
Sparrowhawk, Collared ^{1,2,4,5,6,9}	<i>Accipiter cirrhocephalus</i>	Common resident	Australia wide
Spoonbill, Royal ^{1,4,5,6}	<i>Platalea regia</i>	Common resident	Australia wide
Spoonbill, Yellow-billed ^{4,5}	<i>Platalea flavipes</i>	Locally common	Australia wide
Stlit, Pied ⁴	<i>Himantopus himantopus</i>	Common resident or nomad	Australia wide
Swamphen, Purple	<i>Porphyrio porphyrio</i>	Common resident	
Swift, Fork-tailed ^{4,6}	<i>Apus pacificus</i>	Common nomad	Australia wide
Teal, Grey	<i>Amas gracilis</i>	Locally common nomad	
Tern, Gull-billed	<i>Sterna nilotica</i>	Common resident or nomad	
Tern, Whiskered	<i>Chlidonias hybrida</i>	Scarce nomad	
Thick-knee, Bush ^{2,4,5,6,9}	<i>Burhinus magnirostris</i>	Near Threatened* nomad	Australia wide
Treecreeper, Black-tailed ^{2,4,5,6}	<i>Climacteris melanura</i>	Common nomad	NW and W Australia
Triller, Varied ^{4,6,7,8}	<i>Lalage leucomela</i>	Common resident, nomad or migrant	N and NE Australia
Triller, White-winged ^{2,3,4,5,6,8}	<i>Lalage sueurii</i>	Relatively common resident	Australia wide
Wagtail, Willie ^{1,2,3,4,5,6,7,8}	<i>Rhipidura leucophrys</i>	Common resident	Australia wide

COMMON NAME	SCIENTIFIC NAME	NATIONAL OR NT* STATUS	RANGE
Warbler, White-throated ^{5,6}		Common resident	N and E Australia
Wedgebill, Chiming	<i>Psophodes occidentalis</i>		
Weebill ^{2,3,4,5,6,7,9}	<i>Smicrornis brevirostris</i>	Common	Australia wide
Whistler, Rufous ^{2,3,4,5,6,8}	<i>Pachycephala rufiventris</i>	Uncommon resident, nomad or migrant	Australia wide
Woodswallow, Black-faced ^{1,2,4,5,6,8}	<i>Artamus cinereus</i>	Common nomad	Australia wide
Woodswallow, Little ^{2,4,5,6,8}	<i>Artamus minor</i>	Common resident	Northern and Central Australia
Woodswallow, Masked ^{1,4}	<i>Artamus personatus</i>	Common resident	Australia wide
Woodswallow, White-breasted ^{5,10}	<i>Artamus leucorhynchus</i>	Moderately common	Australia wide
Woodswallow, White-browed ^{1,4,6}	<i>Artamus superciliosus</i>	Common resident	Australia wide